### Standoffs for Signage & Display

### Easy Fasten

Easy to fasten to any surface, two piece construction enables the standoff barrel to be mounted using a hand drill. Intended for use in areas with minimal traffic.

Eco Lite	C-4	Acrylic Transparent	C-4
Eco Solid Barrels	C-5	Eco Aluminum	C-6
Euro Square	C-6	Euro Aluminum	C-7
Euro Mini	C-7	Eco Solid	C-11



### Secure Fasten

Tamper resistent for added security, integrated set screws in the standoff cap easily tighten with a hex key. Modular construction allows for simple and quick installation with a hand drill.

Cone Topped	C-7	Premium Steel	C-8
Premium Steel X	C-9	Premium Stainless	C-9
Premium Aluminum	C-10		

### **Tamper Proof**

Designed for ultimate tamper resistance in highly trafficked, unmonitored public areas. The cap simply cannot be loosened or removed by hand once the set screw is tightened into the body of the standoff. Easily mounts using a hand drill.

Eco Lock	C-5	Latte X	C-11
Shape	C-12	Euro Mini Stainless	C-12
Cubby	C-13	Low Profile	C-13
		Signage Screw Set	C-14



### Edge It - No Drill

No need to drill panels or signs prior to mounting, this standoff has inlets between the cap and the barrel to allow the user to effortlessly install either single or multi panels as desired for temporary displays and artwork.

Eco Easy Edge	C-15	Eco 4 Way	C-15
Easy Edge Premium	C-16	4 Way Premium	C-16



### Standoffs for Signage & Display



### Grip It - No Drill

Great for vertical or horizontal applications, the novel slot in the body of the standoff can hold partition panels, signage or shelving of various thicknesses without any necessary modifications.


Slotted Standoffs	C-17	Signage Grips	C-17
Uno Clamp	C-18	Table Sign Clamp	C-18
Grip It Clamp- Illuminated	C-19	Grip It Clamp- Non-Illuminated	C-20



### Cap It Off

All of the benefits of a conventional standoff with minimal projection, this standoff can be used to make "sandwich" style designs and meets ADA requirements.

Colorful Wall	C-21		
Eco Lite Wall Mount	C-21	Eco Wall Mount	C-2
Eco Solid Stainless Wall Mount	C-21	Premium Steel	C-22
Premium Aluminum	C-22	Button It	C-22



### **LED Standoff**

Using LED's as a light source that are integrated in between the body of the standoff and its screw on flat cap, your mounted graphics, posters and promotional messages will come to life as never before in white, red, green or blue illumination. Sold in individual colors, the LED standoffs diffuse their light through the acrylic or plexiglass sign holders to which they have been fastened.


LED C-23



Virtually invisible for maximum visibility of your promotional materials, Invisi standoffs easily mount from behind your piece without any vision obstructing surface mounting hardware to create a striking floating effect.

Crystal Round	C-24	Eco Invisible	C-24
Casper	C-24	Invisi Hang	C-25

### **Easy Fasten Standoffs**



I STDE-1313-BSS       Up to 1/4"       1/2"       1/2"       1/2"         I STDE-1324-BSS       Up to 1/2"       3/4"       3/4"       1/2"         I STDE-1332-BSS       Up to 1/2"       1"       3/4"       1/2"         I STDE-1348-BSS       Up to 1/2"       1-1/2"       3/4"       1/2"         I STDE-1364-BSS       Up to 1/2"       2"       3/4"       1/2"         I STDE-1396-BSS       Up to 1/2"       3"       3/4"       1/2"         I STDE-13128-BSS       Up to 1/2"       4"       3/4"       1/2"         STDE-2024-BSS       Up to 1/2"       3/4"       3/4"       5/8"         STDE-2048-BSS       Up to 1/2"       1"       3/4"       5/8"         STDE-2064-BSS       Up to 1/2"       2"       3/4"       5/8"         STDE-2096-BSS       Up to 1/2"       2"       3/4"       5/8"		Panel	Barrel	Thread	
■ STDE-1324-BSS Up to 1/2" 3/4" 3/4" 1/2"  ■ STDE-1332-BSS Up to 1/2" 1" 3/4" 1/2"  ■ STDE-1348-BSS Up to 1/2" 1-1/2" 3/4" 1/2"  ■ STDE-1364-BSS Up to 1/2" 2" 3/4" 1/2"  ■ STDE-1396-BSS Up to 1/2" 3" 3/4" 1/2"  ■ STDE-13128-BSS Up to 1/2" 4" 3/4" 1/2"  STDE-2024-BSS Up to 1/2" 3/4" 3/4" 5/8"  STDE-2032-BSS Up to 1/2" 1" 3/4" 5/8"  STDE-2048-BSS Up to 1/2" 1-1/2" 3/4" 5/8"  STDE-2064-BSS Up to 1/2" 2" 3/4" 5/8"  STDE-2096-BSS Up to 1/2" 2" 3/4" 5/8"  STDE-2096-BSS Up to 1/2" 3" 3/4" 5/8"	Part #	Thickness	Length	Length	Diameter
■ STDE-1332-BSS       Up to 1/2"       1"       3/4"       1/2"         ■ STDE-1348-BSS       Up to 1/2"       1-1/2"       3/4"       1/2"         ■ STDE-1364-BSS       Up to 1/2"       2"       3/4"       1/2"         ■ STDE-1396-BSS       Up to 1/2"       3"       3/4"       1/2"         ■ STDE-13128-BSS       Up to 1/2"       4"       3/4"       1/2"         STDE-2024-BSS       Up to 1/2"       3/4"       3/4"       5/8"         STDE-2032-BSS       Up to 1/2"       1"       3/4"       5/8"         STDE-2048-BSS       Up to 1/2"       1-1/2"       3/4"       5/8"         STDE-2064-BSS       Up to 1/2"       2"       3/4"       5/8"         STDE-2096-BSS       Up to 1/2"       3"       3/4"       5/8"	■ STDE-1313-BSS	Up to 1/4"	1/2"	1/2"	1/2"
■ STDE-1348-BSS Up to 1/2" 1-1/2" 3/4" 1/2" ■ STDE-1364-BSS Up to 1/2" 2" 3/4" 1/2" ■ STDE-1396-BSS Up to 1/2" 3" 3/4" 1/2" ■ STDE-13128-BSS Up to 1/2" 4" 3/4" 1/2"  STDE-2024-BSS Up to 1/2" 4" 3/4" 5/8"  STDE-2032-BSS Up to 1/2" 1" 3/4" 5/8"  STDE-2048-BSS Up to 1/2" 1-1/2" 3/4" 5/8"  STDE-2064-BSS Up to 1/2" 2" 3/4" 5/8"  STDE-2096-BSS Up to 1/2" 2" 3/4" 5/8"	■ STDE-1324-BSS	Up to 1/2"	3/4"	3/4"	1/2"
■ STDE-1364-BSS Up to 1/2" 2" 3/4" 1/2"   ■ STDE-1396-BSS Up to 1/2" 3" 3/4" 1/2"   ■ STDE-13128-BSS Up to 1/2" 4" 3/4" 1/2"   STDE-2024-BSS Up to 1/2" 3/4" 3/4" 5/8"   STDE-2032-BSS Up to 1/2" 1" 3/4" 5/8"   STDE-2048-BSS Up to 1/2" 1-1/2" 3/4" 5/8"   STDE-2064-BSS Up to 1/2" 2" 3/4" 5/8"   STDE-2096-BSS Up to 1/2" 2" 3/4" 5/8"   STDE-2096-BSS Up to 1/2" 3" 3/4" 5/8"	■ STDE-1332-BSS	Up to 1/2"	1″	3/4"	1/2"
■ STDE-1396-BSS       Up to 1/2"       3"       3/4"       1/2"         ■ STDE-13128-BSS       Up to 1/2"       4"       3/4"       1/2"         STDE-2024-BSS       Up to 1/2"       3/4"       3/4"       5/8"         STDE-2032-BSS       Up to 1/2"       1"       3/4"       5/8"         STDE-2048-BSS       Up to 1/2"       1-1/2"       3/4"       5/8"         STDE-2064-BSS       Up to 1/2"       2"       3/4"       5/8"         STDE-2096-BSS       Up to 1/2"       3"       3/4"       5/8"	STDE-1348-BSS	Up to 1/2"	1-1/2"	3/4"	1/2"
STDE-13128-BSS         Up to 1/2"         4"         3/4"         1/2"           STDE-2024-BSS         Up to 1/2"         3/4"         3/4"         5/8"           STDE-2032-BSS         Up to 1/2"         1"         3/4"         5/8"           STDE-2048-BSS         Up to 1/2"         1-1/2"         3/4"         5/8"           STDE-2064-BSS         Up to 1/2"         2"         3/4"         5/8"           STDE-2096-BSS         Up to 1/2"         3"         3/4"         5/8"	■ STDE-1364-BSS	Up to 1/2"	2″	3/4"	1/2"
STDE-2024-BSS         Up to 1/2"         3/4"         3/4"         5/8"           STDE-2032-BSS         Up to 1/2"         1"         3/4"         5/8"           STDE-2048-BSS         Up to 1/2"         1-1/2"         3/4"         5/8"           STDE-2064-BSS         Up to 1/2"         2"         3/4"         5/8"           STDE-2096-BSS         Up to 1/2"         3"         3/4"         5/8"	STDE-1396-BSS	Up to 1/2"	3″	3/4"	1/2"
STDE-2032-BSS         Up to 1/2"         1"         3/4"         5/8"           STDE-2048-BSS         Up to 1/2"         1-1/2"         3/4"         5/8"           STDE-2064-BSS         Up to 1/2"         2"         3/4"         5/8"           STDE-2096-BSS         Up to 1/2"         3"         3/4"         5/8"	■ STDE-13128-BSS	Up to 1/2"	4"	3/4"	1/2"
STDE-2048-BSS         Up to 1/2"         1-1/2"         3/4"         5/8"           STDE-2064-BSS         Up to 1/2"         2"         3/4"         5/8"           STDE-2096-BSS         Up to 1/2"         3"         3/4"         5/8"	STDE-2024-BSS	Up to 1/2"	3/4"	3/4"	5/8"
STDE-2064-BSS         Up to 1/2"         2"         3/4"         5/8"           STDE-2096-BSS         Up to 1/2"         3"         3/4"         5/8"	STDE-2032-BSS	Up to 1/2"	1″	3/4"	5/8"
<b>STDE-2096-BSS</b> Up to 1/2" 3" 3/4" 5/8"	STDE-2048-BSS	Up to 1/2"	1-1/2"	3/4"	5/8"
	STDE-2064-BSS	Up to 1/2"	2"	3/4"	5/8"
CTDF 20120 DCC   Up to 1/2"   4"   2/4"   F/0"	STDE-2096-BSS	Up to 1/2"	3″	3/4"	5/8"
31DE-20128-B33 Up to 1/2" 4" 3/4" 5/8"	STDE-20128-BSS	Up to 1/2"	4"	3/4"	5/8"
<b>STDE-2424-BSS</b> Up to 1/2" 3/4" 3/4" 3/4"	STDE-2424-BSS	Up to 1/2"	3/4"	3/4"	3/4"
<b>STDE-2432-BSS</b> Up to 1/2" 1" 3/4" 3/4"	STDE-2432-BSS	Up to 1/2"	1″	3/4"	3/4"
<b>STDE-2448-BSS</b> Up to 1/2" 1-1/2" 3/4" 3/4"	STDE-2448-BSS	Up to 1/2"	1-1/2"	3/4"	3/4"
<b>STDE-2464-BSS</b> Up to 1/2" 2" 3/4" 3/4"	STDE-2464-BSS	Up to 1/2"	2"	3/4"	3/4"
<b>STDE-2496-BSS</b> Up to 1/2" 3" 3/4" 3/4"	STDE-2496-BSS	Up to 1/2"	3″	3/4"	3/4"
<b>STDE-24128-BSS</b> Up to 1/2" 4" 3/4" 3/4"	STDE-24128-BSS	Up to 1/2"	4"	3/4"	3/4"

### **Clear Acrylic Transparent Standoffs**



MATERIAL = Acrylic FINISH = Clear (CL)

- 2 Part Assembly
- Lightweight, durable construction
- Transparent acrylic
- #6 flat head screws and drywall anchors included



Please visit page C-26 for our wall anchor selections



Length

### **Eco Lite Series**



MATERIAL = 202 Stainless Steel **FINISH** = Brushed Stainless (BSS)

- 2 Part Assembly
- · Lightweight construction
- #6 flat head screws and drywall anchors included







Part #	Panel Thickness	Barrel Length	Thread Length	Diameter
STDE-3224-BSS	Up to 1/2"	3/4"	3/4"	1″
STDE-3232-BSS	Up to 1/2"	1″	3/4"	1″
STDE-3248-BSS	Up to 1/2"	1-1/2"	3/4"	1″
STDE-3264-BSS	Up to 1/2"	2"	3/4"	1″
STDE-3280-BSS	Up to 1/2"	2-1/2"	3/4"	1″
STDE-3296-BSS	Up to 1/2"	3"	3/4"	1″
STDE-32112-BSS	Up to 1/2"	3-1/2"	3/4"	1″
STDE-32128-BSS	Up to 1/2"	4"	3/4"	1″
STDE-32192-BSS	Up to 1/2"	6"	3/4"	1″
STDE-4024-BSS	Up to 1/2"	3/4"	3/4"	1-1/4"
STDE-4032-BSS	Up to 1/2"	1″	3/4"	1-1/4"
STDE-4048-BSS	Up to 1/2"	1-1/2"	3/4"	1-1/4"
STDE-4064-BSS	Up to 1/2"	2"	3/4"	1-1/4"
STDE-4096-BSS	Up to 1/2"	3″	3/4"	1-1/4"
STDE-40128-BSS	Up to 1/2"	4"	3/4"	1-1/4"
STDE-40192-BSS	Up to 1/2"	6"	3/4"	1-1/4"
STDE-4824-BSS	Up to 1/2"	3/4"	3/4"	1-1/2"
STDE-4832-BSS	Up to 1/2"	1″	3/4"	1-1/2"
STDE-4848-BSS	Up to 1/2"	1-1/2"	3/4"	1-1/2"
STDE-4864-BSS	Up to 1/2"	2″	3/4"	1-1/2"
STDE-4896-BSS	Up to 1/2"	3″	3/4"	1-1/2"
STDE-48128-BSS	Up to 1/2"	4"	3/4"	1-1/2"
STDE-48192-BSS	Up to 1/2"	6"	3/4"	1-1/2"






	Panel	Barrel	Thread	
Part #	Thickness	Length	Length	Diameter
STDY-2424-CL	Up to 5/16"	3/4"	5/8"	3/4"
STDY-2432-CL	Up to 1/2"	1"	7/8"	3/4"
STDY-3232-CL	Up to 1/2"	1″	7/8"	1"
	•			

### for indoor & outdoor use

### **Eco Lock Series**

MATERIAL = 201 Stainless Steel FINISHES = Polished Stainless (\*PSS), Brushed Stainless (\*BSS)

- 2 Part Assembly
- Medium weight construction
- 2mm Hex Key included (One per order)
- #6 flat head screws and drywall anchors included





Stainless

Stainless



Need Extra Hex Keys? 2 mm Hex Key

**STD-ALANKEY-2** 

	Panel	Barrel	Thread	
Part #	Thickness	Length	Length	Diameter
■ STDE-TM1313-*	Up to 1/2"	1/2"	1/2"	1/2"
■ STDE-TM1324-*	Up to 3/8"	3/4"	3/4"	1/2"
<b>■ STDE-TM1332-*</b>	Up to 5/8"	1″	1″	1/2"
STDE-TM2024-*	Up to 3/8"	3/4"	3/4"	5/8"
STDE-TM2032-*	Up to 5/8"	1″	1″	5/8"
STDE-TM2424-*	Up to 3/8"	3/4"	3/4"	3/4"
STDE-TM2432-*	Up to 5/8"	1″	1″	3/4"
STDE-TM2448-*	Up to 5/8"	1-1/2"	1"	3/4"
STDE-TM2464-*	Up to 5/8"	2″	1″	3/4"

	Panel	Barrel	Thread	
Part #	Thickness	Length	Length	Diameter
STDE-TM3224-*	Up to 3/8"	3/4"	3/4"	1″
STDE-TM3232-*	Up to 5/8"	1″	1″	1″
STDE-TM3248-*	Up to 5/8"	1-1/2"	1″	1″
STDE-TM3264-*	Up to 5/8"	2"	1″	1"
STDE-TM4024-*	Up to 3/8"	3/4"	3/4"	1-1/4"
STDE-TM4032-*	Up to 5/8"	1″	1″	1-1/4"
STDE-TM4048-*	Up to 5/8"	1-1/2"	1″	1-1/4"
STDE-TM4064-*	Up to 5/8"	2"	1″	1-1/4"

### Easy Fasten Standoffs

### Eco Solid Barrels

for indoor & outdoor use


**MATERIAL** = 201 Stainless Steel **FINISH** = Brushed Stainless

- Must be used with 1" diameter "ECO Lock Series" standoffs STDE-TM32\*
- 2 Part Assembly
- Medium weight construction
- · Ideal for layering signage designs

Finish:					
(BSS)					

Brushed Stainless

	Panel	Barrel	Ihread	
Part #	Thickness	Length	Length	Diameter
STDE-32BAR-1	Up to 3/4"	1″	1"	1″
STDE-64BAR-1	Up to 3/4"	2"	1"	1"
STDE-96BAR-1	Up to 3/4"	3"	1"	1″
STDE-32BAR-2	Up to 1"	1"	1-1/2"	1"
STDE-64BAR-2	Up to 1"	2"	1-1/2"	1″
STDE-96BAR-2	Up to 1"	3"	1-1/2"	1"



### Easy Fasten Standoffs



### **Eco Aluminum Standoffs**



New 1-1/2" & 2" Barrel Length

**MATERIAL** = Aluminum

FINISHES = Cherry Red (\*RD), Purple (\*PL), Rosy Pink (\*RP), Steel Grey (\*SG),
Champagne Brown (\*BR), Copper (\*CP), Blue (\*BL), Black (\*BK),
Gold (\*GD), Green (\*GN), Silver (\*SL)

- 2 Part Assembly
- Lightweight, durable aluminum construction
- #6 flat head screws and drywall anchors included





### Finishes:



		Panel	Barrel	Thread	Thread	
	Part #	Thickness	Length	Length	Size	Diameter
	STDE-A1313-*	Up to 1/4"	1/2"	1/2"	M8	1/2"
	STDE-A1324-*	Up to 3/8"	3/4"	3/4"	M8	1/2"
	STDE-A2424-*	Up to 3/8"	3/4"	3/4"	M10	3/4"
4	STDE-A2432-*	Up to 1/2"	1"	3/4"	M10	3/4"

- STDE-A1313 is not available in Steel Grey (SG)
- ♦ STDE-A2432 is not available in Blue (BL)

		Panel	Barrel	Thread	Thread	
	Part #	Thickness	Length	Length	Size	Diameter
	STDE-A3224-*	Up to 3/8"	3/4"	3/4"	M10	1″
	STDE-A3232-*	Up to 1/2"	1"	3/4"	M10	1″
4	STDE-A3248-*	Up to 1/2"	1-1/2"	3/4"	M10	1″
	STDE-A3264-*	Up to 1/2"	2"	3/4"	M10	1″

■ STDE-A3224 is not available in Blue (BL)

▲ STDE-A3248 is not available in Champagne Brown (BR)



### **Euro Square Standoffs**




**MATERIAL** = Solid Carbon Steel or Aluminum **FINISHES** = Polished Chrome (**PC**), Matte Chrome (**MC**), Aluminum (**ALU**)

- 2 Part Assembly
- Heavyweight, durable steel construction
- · Modern look complements any design
- #6 flat head screws and drywall anchors included



	Panei	Barrei	ınread	
Part #	Thickness	Length	Length	Cap Size
STD-SQ2424-MC	Up to 1/2"	3/4"	3/4"	3/4" sq.
STD-SQ2432-ALU	Up to 1/2"	1″	3/4"	3/4" sq.
STD-SQ2464-PC	Up to 1"	2"	1-1/2"	3/4" sq.
STD-SQ2464-MC	Up to 1"	2"	1-1/2"	3/4" sq.
STD-SQ4024-PC	Up to 1/2"	3/4"	3/4"	1-1/4" sq.
STD-SQ4024-MC	Up to 1/2"	3/4"	3/4"	1-1/4" sq.
STD-SQ4024-ALU	Up to 1/2"	3/4"	3/4"	1-1/4" sq.
STD-SQ4032-PC	Up to 1/2"	1″	3/4"	1-1/4" sq.
STD-SQ4032-MC	Up to 1/2"	1″	3/4"	1-1/4" sq.
STD-SQ4032-ALU	Up to 1/2"	1″	3/4"	1-1/4" sq.
STD-SQ4064-PC	Up to 1"	2"	1-1/2"	1-1/4" sq.
STD-SQ4064-MC	Up to 1"	2"	1-1/2"	1-1/4" sq.
STD-SQ4064-ALU	Up to 1"	2″	1-1/2"	1-1/4" sq.

### Finishes:







Please visit page C-26 for our wall anchor selections

### **Easy Fasten Standoffs**

### **Euro Mini Series**



MATERIAL = Solid Carbon Steel **FINISHES** = Polished Chrome (**PC**), Matte Chrome (MC)

- 2 Part Assembly
- Lightweight, durable steel construction
- Euro Style
- #6 flat head screws and drywall anchors included

### Finishes:





Part #	Panel Thickness		Thread Length	Diameter
STD-1313-PC		1/2"	5/16"	1/2"
STD-1313-MC	•	1/2"	5/16"	1/2"
STD-1319-PC	Up to 5/16"	3/4"	1/2"	1/2"
STD-1319-MC	Up to 5/16"	3/4"	1/2"	1/2"





Up to 1"

STD-MH3264-SIL

### **Cone Topped Standoffs**

**MATERIAL** = Carbon Steel **FINISH** = Polished Chrome (**PC**)

- 2 Part Assembly
- Medium weight, durable steel construction
- Modern look complements any design
- 2.5mm Hex Key included (One per order)

• #6 flat head screws and drywall anchors included












	Panel	Barrel	Thread	
Part #	Thickness	Length	Length	Diameter
STD-C2424-PC	Up to 3/8"	3/4"	3/4"	3/4"
STD-C2432-PC	Up to 1/2"	1"	3/4"	3/4"
STD-C2448-PC	Up to 3/4"	1-1/2"	1″	3/4"
STD-C2464-PC	Up to 3/4"	2"	1″	3/4"
STD-C24128-PC	Up to 1"	4"	1-1/4"	3/4"



3/4"

### Finish:







### Please visit page C-26 for our wall anchor selections

To Gardens

**Need Extra Hex Keys?** 2.5mm Hex Key

Secure Fasten Standoffs



Easy mounting

### **Secure Fasten Standoffs**





MATERIAL = Solid Carbon Steel

FINISHES = Polished Chrome (\*PC), Matte Chrome (\*MC),
Black Nickel (\*BN), Bright Brass (\*BB),
Brushed Stainless (\*BSS), Satin Copper (\*SC),
Oil Rubbed Bronze (\*ORB)

- 3 Part Assembly
- Medium weight construction
- 2.5mm Hex Key included (One per order)
- #6 flat head screws and drywall anchors included









See page C-22 for Caps

	Panel	Barrel	Thread		
Part #	Thickness	Length	Length	Diameter	Finish
STD-2424-*	Up to 1/2"	3/4"	3/4" and 1"	3/4″	(*PC) (*MC) (*BN) (*BB) (*BSS) (*SC) (*ORB)
STD-2432-*	Up to 1/2"	1″	1″	3/4″	(*PC) (*MC) (*BN) (*BB) (*BSS) (*SC) (*ORB)
STD-2448-*	Up to 1/2"	1-1/2"	1″	3/4"	(*PC) (*MC) (*BN) (*BB) (*BSS) (*ORB)
STD-24128-*	Up to 1/2"	4"	1″	3/4"	(*PC) (*MC) (*BN) (*BB) (*BSS)



Part #	Panel Thickness	Barrel Length	Thread Length	Diameter	Finish
STD-4024-*	Up to	3/4"	3/4" and 1"	1-1/4"	(*PC) (*MC) (*BN) (*BB) (*BSS)
STD-4032-*	Up to 1/2"	1"	1"	1-1/4"	(*PC) (*MC) (*BN) (*BB) (*BSS)
STD-4048-*	Up to 1/2"	1-1/2"	1"	1-1/4"	(*PC) (*MC) (*BB) (*ORB)
STD-40128-*	Up to 1/2"	4"	1"	1-1/4"	(*PC) (*MC) (*BN) (*BB) (*BSS)
STD-40192-*	Up to 1/2"	6"	1″	1-1/4"	(*MC) (*BSS)



(\*ORB)

Need Extra Hex Keys? 2.5mm Hex Key STD-ALANKEY

Longer Cap Thread for

hicker panels


### Premium Steel X Series



**MATERIAL** = Carbon Steel

FINISH = Polished Chrome (\*PC), Matte Chrome (\*MC),
Black Nickel (\*BN), Bright Brass (\*BB), Brushed Stainless (\*BSS),
Oil Rubbed Bronze (\*ORB)

- 3 Part Assembly
- Medium weight construction
- Holds thicker panels (longer cap thread)
- Includes both 1" & 1-1/2" cap threads
- 2.5mm Hex Key included (One per order)
- #6 flat head screws and drywall anchors included



### Finishes:



	Panel	Barrel	Thread	
Part #	Thickness	Length	Length	Diameter
STD-LG2448-*	Up to 3/4"	1-1/2"	1" & 1-1/2"	3/4"
STD-LG24128-*	Up to 3/4"	4"	1" & 1-1/2"	3/4"
STD-LG4048-*	Up to 3/4"	<b>▲</b> 1-1/2″	1" & 1-1/2"	1-1/4"
STD-LG40128-*	Up to 3/4"	<b>4</b> ″	1" & 1-1/2"	1-1/4"
STD-LG40192-*	Up to 3/4"	<b>6</b> ″	1" & 1-1/2"	1-1/4"

- ▲ 1-1/2" Not Available in BN & BSS
- 4" Not Available in ORB
- 6" Available in MC or BSS only





### **Premium Stainless Series**



- 3 Part Assembly
- · Medium weight construction
- Marine grade Will not rust!
- 2.5mm Hex Key included (One per order)
- #6 flat head screws and drywall anchors included





for indoor & outdoor use

Finish:







Cap: 5/16"

9/32

	Panel	Barrel	Thread	
Part #	Thickness	Length	Length	Diameter
STD-2424-SS	Up to 1/2"	3/4"	1″	3/4"
STD-2432-SS	Up to 1/2"	1″	1″	3/4"
STD-2448-SS	Up to 1/2"	1-1/2"	1″	3/4"
STD-24128-SS	Up to 1/2"	4"	1″	3/4"
STD-4024-SS	Up to 1/2"	3/4"	1″	1-1/4"
STD-4032-SS	Up to 1/2"	1″	1"	1-1/4"
STD-4048-SS	Up to 1/2"	1-1/2"	1″	1-1/4"
STD-40128-SS	Up to 1/2"	4"	1″	1-1/4"










Need Extra Hex Keys? 2.5mm Hex Key STD-ALANKEY





# Conference Room 205



### **Premium Aluminum Series**

MATERIAL = Aluminum
FINISHES = Polished Chrome (\*PC),
Satin Stainless (\*SS)

- 3 Part Assembly
- Lightweight, durable aluminum construction
- Will not rust!
- Flat Cap 1/4-20 thread
- 2.5mm Hex Key included (One per order)
- #6 flat head screws and drywall anchors included



### Finishes:





Satin Stainless













Part #	Panel Thickness	Barrel Length	Thread Length	Diameter
STDA-2020-SS	Up to 3/8"	5/8"	3/4"	5/8"
STDA-2032-SS	Up to 1/2"	1″	1″	5/8"
STDA-2048-SS	Up to 1/2"	1-1/2"	1″	5/8"
STDA-2064-SS	Up to 1/2"	2"	1"	5/8"
STDA-2096-SS	Up to 1/2"	3″	1″	5/8"
STDA-20128-SS	Up to 1/2"	4"	1"	5/8"
STDA-2424-*	Up to 1/2"	3/4"	3/4"-1"	3/4"
STDA-2432-*	Up to 1/2"	1″	1"	3/4"
STDA-2448-*	Up to 1/2"	1-1/2"	1"	3/4"
STDA-24128-*	Up to 1/2"	4"	1"	3/4"
STDA-4024-*	Up to 1/2"	3/4"	1″	1-1/4"
STDA-4032-*	Up to 1/2"	1″	1"	1-1/4"
STDA-4048-SS	Up to 1/2"	1-1/2"	1″	1-1/4"
STDA-40128-*	Up to 1/2"	4"	1″	1-1/4"

### **Easy Fasten Standoffs**

### Eco Solid Series

### for indoor & outdoor use

MATERIAL = 201 Stainless Steel


FINISHES = Polished Stainless (\*PSS)
Brushed Stainless (\*BSS)

- 2 Part Assembly
- Medium weight construction
- #6 flat head screws and drywall anchors included

	Panel	Barrel	
Part #	Thickness	Length	Diameter
STDE-S3264-PSS	Up to 1/2"	2"	1″
STDE-S4048-*	Up to 5/8"	1-1/2"	1-1/4"
STDE-S4064-PSS	Up to 5/8"	2"	1-1/4"









Brushed Stainless



### **Tamper Proof Standoffs**

Easy mounting

design



### Latte X Standoffs

**MATERIAL** = Die Cast Zamac

FINISHES = Polished Chrome (\*PC), Matte Chrome (\*MC), Bright Brass (\*BB), Satin Copper (\*SC), Brushed Stainless (\*BSS), Antique Brass (\*AB)

- 2 Part Assembly
- Medium weight, durable construction
- Euro style round cap pops into place inside barrel
- 2mm Hex Key included (One per order)
- #6 flat head screws and drywall anchors included



	Panel	Barrel	
Part #	Thickness	Length	Diameter
STD-D1828-*	Up to 1/2"	13/16"	9/16"





Need Extra Hex Keys? 2 mm Hex Key STD-ALANKEY-2



### **Tamper Proof Standoffs**



9/16

STD-6C1826-\*


### **Shape Series**



MATERIAL = Die Cast Zinc

FINISHES = Polished Chrome (\*PC), Matte Chrome (\*MC), Bright Brass (\*BB), Satin Copper (\*SC), Brushed Stainless (\*BSS), Antique Brass (\*AB)

- 2 Part Assembly
- Medium weight construction
- Unique and special shape designs
- Plug system with tamper proof set screw
- 2mm Hex Key included (One Per Order)
- #6 flat head screws and drywall anchors included



	Panel	Barrel	
Part #	Thickness	Length	Diameter
STD-3C2126-*	Up to 7/16"	13/16"	5/8"
STD-4C1826-*	Up to 7/16"	13/16"	9/16"
STD-6C1826-*	Up to 7/16"	13/16"	9/16"

**Need Extra Hex Keys?** 

2 mm Hex Key

STD-ALANKEY-2



Please visit page

C-26 for our wall anchor selections

STD-4C1826-\*

### **Euro Mini Stainless Standoffs**



MATERIAL = 304 Stainless FINISH = Brushed Stainless (BSS)

- 2 Part Assembly
- Lightweight construction
- 1.5mm Hex Key included (One Per Order)
- #6 flat head screws and drywall anchors included

Finish:



Brushed Stainless

	3/64" Panel Hole Diameter	
3/32"  1/2"  Thread M7	Barrel Length  T Set Screw	

	Panel	Barrel	
Part #	Thickness	Length	Diameter
STD-TMS1313-BSS	Up to 3/8"	1/2"	1/2"
STD-TMS1324-BSS	Up to 3/8"	3/4"	1/2"

**Need Extra Hex Keys?** 

1.5mm Hex Key

STD-ALANKEY-1

STD-3C2126-\*

### **Tamper Proof Standoffs**

### **Cubby Series**

MATERIAL = Die Cast Zinc FINISH = Brushed Nickel (BHN)

- 2 Part Assembly
- Medium weight construction
- Smooth even head blends with panels
- Tamper proof plug thread stops head from moving
- 2mm Hex Key included (One per order)


STD-CBX24-BHN Up to 3/8"

• #6 flat head screws and drywall anchors included

Panel

Barrel

Thickness Length Diameter









### **Need Extra Hex Keys?** 2 mm Hex Key

STD-ALANKEY-2

### **Low Profile Tamper Proof**

MATERIAL = Solid Brass FINISH = Polished Stainless (PSS) Brushed Stainless (BSS)

- 2 Part Assembly
- Medium weight construction
- 2mm Hex Key included (One per order)
- #6 flat head screws and drywall anchors included

	Panel	Barrel	
Part #	Thickness	Length	Diameter
STDL-2032-PSS	Up to 1/2"	1"	5/8"
STDL-2032-BSS	Up to 1/2"	1"	5/8"
STDL-3232-PSS	Up to 1/2"	1"	1"



STD-ALANKEY-2











### Tamper Proof Signage Screw Set

for indoor & outdoor use

**MATERIAL** = 316 Stainless Steel **FINISH** = Polished Stainless

- Tamper Proof
- 316 Stainless for outdoor use
- Holds panels up to 9/16"
- Set includes:
- 4-Stainless Steel Studs, Torx Screws, Drywall Anchors
- 1-Torx Key (Extra keys sold separately)




Tamper Proof Signage Screw Kit (Set of 4)







**Signage Screws** 









### **Edge It - No Drill Standoffs**



### Edge Grip: Eco Easy Edge Standoffs



**MATERIAL** = 201 Stainless Steel **FINISH** = Brushed Stainless (**BSS**)

- Lightweight construction
- Ideal for one panel
- 2mm Hex Key included (One per order)
- #6 flat head screws and drywall anchors included for 5/8" & 3/4" diameter



2 WASHERS

**HEX KEY** 

	Panel	Barrel	
Part #	Thickness	Length	Diameter
■ STDE-ED1313-BSS	Up to 1/2"	1/2"	1/2"
STDE-ED1324-BSS	Up to 1/2"	3/4"	1/2"
■ STDE-ED1332-BSS	Up to 1/2"	1″	1/2"
STDE-ED1348-BSS	Up to 1/2"	1-1/2"	1/2"
STDE-ED2024-BSS	Up to 1/2"	3/4"	5/8"
STDE-ED2032-BSS	Up to 1/2"	1"	5/8"
STDE-ED2048-BSS	Up to 1/2"	1-1/2"	5/8"
STDE-ED2432-BSS	Up to 1/2"	1″	3/4"
STDE-ED2448-BSS	Up to 1/2"	1-1/2"	3/4"

Screws & anchors not included

### Need Extra Hex Keys? 2 mm Hex Key

STD-ALANKEY-2

### **Edge Grip: Eco 4 Way Series**

MATERIAL = 201 Stainless Steel & Aluminum
FINISHES = Polished Stainless (PSS), Brushed Stainless (BSS)




- Ideal for up to 4 panels
- · No drilling required
- Will hold multiple signs
- 2.5mm Hex Key included (One per order)
- #6 flat head screws and drywall anchors included
- Tamper proof



(PSS) (BSS)
Polished Brushed
Stainless Stainless



for indoor & outdoor use



Cap: 5/16"

→ Thread: M10

Spacer

	Panel	Barrel	
Part #	Thickness	Length	Diameter
STDE-SP-3224-PSS	Up to 5/16"	3/4"	1″
STDE-SP-3224-BSS	Up to 5/16"	3/4"	1"
STDE-SP-3232-PSS	Up to 5/16"	1″	1″
STDE-SP-3232-BSS	Up to 5/16"	1"	1"
STDE-SP-3248-PSS	Up to 5/16"	1-1/2"	1″
STDE-SP-3248-BSS	Up to 5/16"	1-1/2"	1"
STDE-SP-3264-PSS	Up to 5/16"	2"	1″
STDE-SP-3264-BSS	Up to 5/16"	2"	1"

Need Extra Hex Keys? 2.5mm Hex Key

STD-ALANKEY





### **Edge Grip: Easy Edge Premium Series**

MATERIAL = Solid Carbon Steel **FINISHES** = Polished Chrome (**PC**), Matte Chrome (**MC**)

- Medium weight, durable steel construction
- Ideal for one panel
- 2mm Hex Key included (One per order)
- #6 flat head screws and drywall anchors included

Part #	Panel Thickness	Barrel Length	Diameter
STD-EDGE-PC	Up to 1/2"	1″	1″
STD-EDGE-MC	Up to 1/2"	1"	1″




Finishes:

Polished

Chrome









**Need Extra Hex Keys?** 2 mm Hex Key STD-ALANKEY-2

### **Edge Grip: 4 Way Premium Series**


**MATERIAL** = Solid Carbon Steel **FINISHES** = Polished Chrome (**PC**), Matte Chrome (**MC**)

- · Medium weight, durable steel construction
- Ideal for up to 4 panels
- 2.5mm Hex Key included (One per order)
- #6 flat head screws and drywall anchors included


		Barrel	
Part #	Panel Thickness	Length	Diameter
STD-4WAY-PC	Up to 5/16"	1″	1″
STD-4WAY-MC	Up to 5/16"	1″	1"







front plate







**Need Extra Hex Keys?** 2.5mm Hex Key STD-ALANKEY

### **Grip It- No Drill Standoffs**



### **Slotted Standoffs**



MATERIAL = Solid Brass FINISHES = Polished Chrome (PC), Matte Chrome (MC)

- Can be mounted either vertically or horizontally
- Perfect for holding partition panels, signage or shelving
- No drilling required
- Hex key to tighten
- 2.5mm Hex Key included (One per order)
- 1-1/2" L x 5/16" Hanger Bolt included
- Maximum Load Rating: 17 lbs.

	Panel	Barrel	
Part #	Thickness	Length	Diameter
STD-SL14-PC	Up to 1/4"	1-5/8"	1-1/4"
STD-SL14-MC	Up to 1/4"	1-5/8"	1-1/4"
STD-SL38-PC	Up to 3/8"	1-5/8"	1-1/4"
STD-SL38-MC	Up to 3/8"	1-5/8"	1-1/4"
STD-SL12-PC	Up to 1/2"	1-5/8"	1-1/4"
STD-SL12-MC	Up to 1/2"	1-5/8"	1-1/4"







Polished Chrome



Matte Chrome












Need Extra Hex Keys? 2.5mm Hex Key

STD-ALANKEY

### Signage Grips



- Rubber pads included to adjust for different panel thickness
- #6 screw and anchor included



4 Screws included



- Rubber pads included to adjust for different panel thickness
- #6 screw and anchor included

D	21/11	
	21/2"	1½"
	9 3	<b>,</b>

• 4 Screws included

	Part #	Panel Thickness	Finish	Material
A	SSFZ-618F-SC	3/16" - 3/8"	Brushed Stainless Steel	Zamac
В	S83-108F-BR	1/4"	Polished Brass	Brass
c	SSF-618FADJ-SC	1/4" - 3/8"	Brushed Stainless Steel	304 Grade Satin Stainless Steel
D	\$83-108F-CH	1/4"	Polished Stainless Steel	Stainless Steel

В


### **Uno Clamp**




### Ideal for Lightweight 1mm Materials


**MATERIAL** = Polyethylene and Nylon **FINISH** = White Silver Matte

- Can be mounted vertically or horizontally
- Great for panels without holes so you don't have to drill through your material
- Max weight 11 lbs.
- · All screws and anchors included






Panel Thickness
GRP-2464-HLDR Up to .16"









### **Table Sign Clamp**

**MATERIAL** = 304 Grade Stainless Steel **FINISHES** = Stainless Steel (**SS**)

- Perfect for nameplates and small desktop signs
- Sleek modern look
- Quality stainless steel construction









### Grip It- No Drill Standoffs









### Illuminated

### 12V MATERIAL = Clear Anodized Aluminum FINISH = Matte Chrome (MC)


- 2mm Hex Key included (one per order)
- #6 flat head screws and drywall anchors included
- No drilling required
- The clamp wire is 38" long

### **Lighting Specifications**

Color Temperature	CW: 6000K-6500K
Beam Spread	120°
Lumens	CW: 40-80
Color Rendering Index	CW: 70
Rated Average Life	CW: 50,000 hrs.
Chip Size	SMD3528

Part #	Color Temp	Panel Thickness	▲ Maximum Sign Size	Length	# Of LED Chips	Total Wattage
LED-SC80-MC		3/16" - 5/16"	4-3/4" x 6-5/16"	3-1/8"	6	.4W
LED-SC120-MC	Cool White	3/16" - 5/16"	7-1/16" x 7-7/8"	4-3/4"	9	.6W
LED-SC180-MC		3/16" - 5/16"	8-5/8" x 9-1/2"	7-1/16"	12	.8W

Maximum sign size per piece





### Junction Box (Required)

Function: Is to join multiple fixtures to one power supply.



2"L x 1-1/4"W x 1/2"D Number of Outputs: 10 Input Cord: 19-11/16" Color: White









### Grip It Clamp Non-Illuminated



MATERIAL = Clear Anodized Aluminum FINISHES = Polished Chrome (\*PC) Matte Chrome (\*MC)

- 2mm Hex Key included (one per order)
- #6 flat head screws and drywall anchors included
- · No drilling required

### Kit Includes:





Part #	Panel Thickness	Length	▲ Maximum Sign Size
SC-80-*	1/8" - 1/2"	3-1/8"	4-3/4" x 6-5/16"
SC-120-*	1/8" - 1/2"	4-3/4"	7-1/16" x 7-7/8"
SC-180-*	1/8" - 1/2"	7-1/16"	8-5/8" x 9-1/2"

▲ Maximum sign size per piece






Please visit page C-26 for our wall anchor selections





Polished Chrome

Matte Chrome












### Cap It Off Series

### Colorful Wall

### MATERIAL = Polypropylene

- · Sold in sets of 4. Each Kit includes 4 caps, 4 bases, 4 #6 x 1" screws & 4 anchors
- · All caps are made from polypropylene
- · All metallic finishes are vacuum plated
- · Polypropylene caps are UV stabilized for outdoor use (does not apply to metallics)







Part #	Diameter	Finish	Part #	Diameter	Finish	Part #	Diameter	Finish	Part #	Diameter	Finish
STDC-24-BK	11/16"	Black	STDC-24-GR	11/16"	Green	STDC-24-LP	11/16"	Light Pink	STDC-24-SC	11/16"	Satin Chrome
STDC-24-WH	11/16"	White	STDC-24-BL	11/16"	Blue	STDC-24-RD	11/16"	Red	STDC-24-CH	11/16"	Bright Chrome
STDC-24-BR	11/16"	Brown	STDC-24-OR	11/16"	Orange	STDC-24-TQ	11/16"	Turquoise	STDC-24-BRS	11/16"	Bright Brass
STDC-24-BE	11/16"	Beige	STDC-24-PL	11/16"	Purple	STDC-24-YW	11/16"	Yellow	STDC-24-SCOP	11/16"	Satin Copper
STDC-24-LG	11/16"	Light Gray	STDC-24-DB	11/16"	Dark Blue	STDC-24-FG	11/16"	Forest Green	STDC-24-COP	11/16″	Bright Copper

### **Eco Lite Wall Mount**



MATERIAL = 202 Stainless Steel FINISH = Brushed Stainless (BSS)



Part #	Diameter
STD-32AMC-BSS	1″
STD-48AMC-BSS	1-1/2"






### **Eco Wall Mount** Signage Caps



MATERIAL = 201 Stainless Steel FINISHES = Brushed Stainless (BSS) Polished Stainless (PSS)





Part #	Diameter
STDE-32CAP-BSS	1″
STDE-32CAP-PSS	1″

### Finishes:




Polished Stainless Stainless

### **Eco Solid Stainless** Wall Mount



for indoor & outdoor use

MATERIAL = 202 Stainless Steel **FINISH** = Brushed Stainless (**BSS**)











Part #	Diameter
STD-C2P20-BSS	5/8"
STD-C2P24-BSS	3/4"
STD-C2P32-BSS	1"




Please visit page C-26 for our wall anchor selections

### **Premium Steel Wall Mount Signage Caps**



MATERIAL = Solid Carbon Steel **FINISHES** = Polished Chrome (\*PC), Matte Chrome (\*MC), Black Nickel (\*BN), Bright Brass(\*BB), Brushed Stainless (\*BSS)

Part #	Diameter
STD-24CAP-*	3/4"
STD-40CAP-*	1-1/4"











Brushed Stainless






### Premium Aluminum **Wall Mount Signage Caps**



**MATERIAL** = Aluminum **FINISHES** = Polished Chrome (PC), Polished Stainless (PS)




Part #	Diameter
STDA-24CAP-PC	3/4"
STDA-24CAP-PS	3/4"
STDA-40CAP-PC	1-1/4"
STDA-40CAP-PS	1-1/4"





**Insert Nuts** 



### **Button It**



**MATERIAL** = Chrome Plated Solid Brass **FINISHES** = Polished Chrome (PC), Matte Chrome (MC)

- Used to make "Sandwich" style signs
- Tightens with 2mm Hex Key included (One per order)



	Panel	
Part #	Thickness	Diameter
STD-13CAPSET-PC	Up to 1/2"	9/16"
STD-13CAPSET-MC	Up to 1/2"	9/16"

**Need Extra Hex Keys?** 2 mm Hex Key STD-ALANKEY-2





Matte Chrome








### **LED**

### Perfect for lobbies & reception areas

### 12V **MATERIAL** = Aluminum

• The standoff wire is 38" long

• Up to 10 pieces can be connected to one power supply



**Maximum Recommended Spacing:** 20" x 20" for 4 Standoffs

### Finishes:







Matte Chrome Chrome

Black

### **Lighting Specifications**

Color Temperature	CW: 6000K-6500K
Beam Spread	120°
Lumens	CW: 30-40
Color Rendering Index	CW: 70
Rated Average Life	CW: 10,000 hrs.
Chip Size	SMD2908







Part#	Color Temp	Finish	(when graphic is routed)	Barrel Length	Thread Length	Diameter	# of LED	Total Wattage
STD-LED-2525-PC	Cool White	Polished Chrome	Up to 1/2"	1″	3/4"	1"	6	.4W
STD-LED-2525-MC	Cool White	Matte Chrome	Up to 1/2"	1″	3/4"	1"	6	.4W
STD-LED-2525-BK	Cool White	Black	Up to 1/2"	1″	3/4"	1"	6	.4W
STD-LED-2525-M-*	Red (*RD) Blue (*BL) Green (*GR)	Matte Chrome	Up to 1/2"	1″	3/4"	1"	6	.4W
STD-LED-2525-B-*	Red (*RD) Blue (*BL) Green (*GR)	Black	Up to 1/2"	1″	3/4"	1"	6	.4W





### **Invisi Series Standoffs**




### **Eco Invisible Standoffs**



**MATERIAL** = Polycarbonate **FINISH** = Clear

- No screws visible on the letter or sign front
- For letters & signs weighing up to .75 lbs.
- Available with or without adhesive
- #8 flat head screw & drywall anchor included






	71
	11/16"
← 1/2" →	

		Barrel	
Part #	Description	Length	Diameter
STDI-6875	Invisible Standoff	11/16"	9/16"
STDI-6875-A	Invisible Standoff with Adhesive	11/16"	9/16"




### **Casper Invisible Standoffs**


MATERIAL = Polycarbonate & Brass



- No screws visible on the sign front
- Removable
- Tamper proof

### Kit Includes:





	Barrel	
Part #	Length	Diameter
STDI-CASPER	11/16"	9/16"

## Radio 3

Please visit page C-26 for our wall anchor selections




### **Crystal Round Standoffs**

**MATERIAL** = Clear Polycarbonate **FINISH** = Clear

- · Lightweight construction
- Tamper proof
- Cap snaps into body of standoff
- Metal spring clamp locks standoff in place





	Panel	Barrel	
Part #	Thickness	Length	Diameter
STD-P2026-CL	Up to 1/2"	13/16"	5/8"


### Invisi Hang **Standoffs**




### MATERIAL = ABS


- Installs quickly and easily
- Load capacity 8 lbs. (4kg) per kit
- All mounting hardware & installation instructions included












### **Wall Sign Kits**

Want a Vacation

- Complete sign kit includes:
- 2 pieces of 1/8" thick pre-drilled acrylic with polished green edges
- 4 standoffs (3/4" diameter x 3/4") in brushed stainless finish
- 4 mounting screws
- Premium Steel (-P), Eco Lite (-E) and Tamper Proof (-T) standoff kits available
- · Available in a variety of sizes for uses ranging from directory signs to name plates





Kit shown with 6" x 6" sign size





If desired, graphic can be brought to edge of acrylic

Eco Lite *(-E)	Tamper Proof *(-T)	

Need a fastener & an anchoring solution? See page G-32 for Screws & G-33 for Toggler\* Anchors


Part #	Overall Size	Reveal Size	Location of Standoffs			
STD-SIGN-63-*	6"W x 3"H	4" W x 3" H	2 holes centered on short side			
STD-SIGN-66-*	6"W x 6"H	4"W x 4" H	4 holes in the corners	D	F 134 .	T
STD-SIGN-82-*	8"W x 2"H	6"W x 2"H	2 holes centered on short side	Premium Steel *(-P)	Eco Lite *(-E)	Tamper Proof *(-T)
STD-SIGN-88-*	8"W x 8"H	61/2"W x 61/2"H	4 holes in the corners	··(-P)	··(-E)	"(-1)
STD-SIGN-811-*	81/2"W x 11"H	61/2"W x 9"H	4 holes in the corners			


### **Anchoring Solutions for Standoffs**

### TOGGLER®BRAND SnapSkru® Self Drilling Drywall Anchor

Securely hang alarms, mirrors, bathroom accessories, picture frames, drapery, lighting fixtures, smoke detectors, thermostats, electric boxes, etc.

- Material: Glass Filled Nylon
- · Positive "stop" prevents overturning
- · Can be used with a screw gun or hand drill
- Activates & locks with an audible "pop" indicating correct installation





Part #	Description	Grip	Screw ^	Screws	Box
TA-0012	SP™ drywall anchors	3/8"-5/8"	#6-#10	50	50

### ∧ # 8 Screw Preferred

#8 x 1 1/2" COMBO HEAD SCREWS INCLUDED IN TA-0012 BOXES **EACH ITEM IS SOLD IN FULL BOXES ONLY - NO BROKEN BOXES** 

### **TOGGLER® BRAND ALLIGATOR® Solid Wall Concrete Anchors**

- · Material: Self-lubricating polypropylene
- Corrosion proof when used with stainless steel screws
- · Can be used with a screw gun
- Fins prevent spinning and countersink in the hole

Part #	Description	Screw	Drill	Box
TA-3103 AF™ 3/16" dia. flanged anchors		#4-#10	3/16"	200
TA-3101	AF6™ 1/4" dia. flanged anchors	#6-#14	1/4"	100
TA-3102	AF8™ 5/16" dia. flanged anchors	#6-5/16	5/16"	100
TA-3106	AF5™ 3/16" dia. flush mount anchors	#4-#10	3/16"	200
TA-3104	AF6™ 1/4" dia. flush mount anchors	#6-#14	1/4"	100
TA-3105	AF8™ 5/16" dia. flush mount anchors	#6-5/16	5/16"	100

For ultimate tensile holding values, see the technical bulletins on our Website at www.toggler.com **EACH ITEM IS SOLD IN FULL BOXES ONLY - NO BROKEN BOXES** 

### **Economy Flush Mount Drywall Anchor**

- · Material: Polypropylene
- · Used for through the fixture mounting
- 1/4" Diameter



Part #	Screw	Drill
STD-ANCHOR	#8	1/4"
STD-ANCHOR-6	#6	1/4"

SOLD IN BOXES OF 100 - NO BROKEN BOXES

### **Economy Hollow Wall Anchor**

- Material: Polypropylene
- · Color: White

Grip: 3/8"-7/16" Screw: #9-#13 Drill: 5/16"


Box: 100


AF series = Flanged


Part # **HW-ANCHOR** 


### A series = Flushmount For through-the-fixture anchoring











Anchor also works if it hits a hidden cavity or hollow in or behind the wall. Screw thread locks into anchor's teeth.

### Anchoring Solutions for Signage

### **Insert Nuts**


- · Material: Zinc plated steel
- Thread: 1/4-20



I-NUT250

With Flange I-NUT250F

	Di	mensio	ns
Part#	Α	В	C
I-NUT250	.512"	-	.453"
I-NUT250F	.512"	.492"	.461"



Minimum clearance

behind wall:

1 7/8" (48mm)

### TOGGLER \*BRAND SNAPTOGGLE\* Toggle Bolt

Superior holding for heavy-duty anchoring in hollow walls and ceilings. Use in drywall, concrete block, plaster, tile over drywall, or tile over greenboard.

- · Material: Zinc plated carbon steel & high impact polystyrene
- · Carry twice the load in a smaller hole than standard wing toggles
- · No spinning when used with a screw gun

Ergonomic Cap Straps Ancoring Handle Channel







THREADED BOLTS ARE NOT INCLUDED— EACH ITEM IS SOLD IN FULL BOXES ONLY— NO BROKEN BOXES

For ultimate tensile holding values, see the technical bulletins on our Website at www.toggler.com

Part #	Description	Thread	Drill	Grip	Box
TA-1014	BB™ snaptoggle toggle bolt	1/4"-20	1/2"	3/8"-3-5/8"	100


See Page G-33 for more Anchors

- · An easy & affordable way to emphasize brands & your marketing message.
- $\bullet \textit{Channels can easily be cut-to-size to accommodate a variety of banner widths.}\\$ 
  - · All channels can be used as a top & bottom rail.



### 142F-

- Material: Styrolux
- Flared legs for easy graphic insertion



1		
	Holds up to 1/4" thick material	

### 670-A-

- Material: Styrolux
- · Classic universal clip design



Part # Color Length	Part #
<b>670-A-BK</b> Black 8'	670-A-B
<b>670-A-WH</b> White 8'	670-A-W

### HS-447- "Super Clamp"

Color

Clear

Black

White

Length

12'

12'

12'



Holds up to 1/4"

thick material

• Material: PVC

Part #


142F-CL

142F-BK

142F-WH

Part #


• Each 4' length piece comes with 6 hanging hardware (BH-788-H) to hang banner onto the wall or from the ceiling (see ceiling clips on page C-76)



•	
,	
•	Holds up to 1/8" thick material

### 130-"Banner Clamp"

• Material: Clear PVC or Black & White Styrene



Part #	Color	*Length
130-CL-*	Clear	(*O) O. 64
130-BK-*	Black	(*8) = 8  ft. (*10) = 10  ft.
130-WH-*	White	(-10) = 101t.

### HS-447-CL Clear 4' HS-447-BK Black 4' HS-447-WH White 4'

### 131-"Clamp It"

Color

Length


 Material: Clear PVC or Black & White Styrene





### 2326-"Banner Channel"

• Material: Black ABS with high gloss film on the front of the profile



Part #	Color	Length
2326-BK	Black	12′


_			
	Part #	Color	*Length
	131-CL-*	Clear	(*O) O ft
	131-BK-*	Black	(*8) = 8  ft. (*10) = 10  ft.
	131-WH-*	White	(*10) = 1011

### 1059-"Banner Channel"



thick material

• Material: Rigid PVC




### Holds up to .080" thick material

### **HS-2010-"The Great Gripper"**

- Material: PVC
- Each 8' length piece comes with 4 hanging hardware (BH-788-H) to hang banner onto the wall or from the ceiling

(see ceiling clips on page C-77)



Part #	Color	Length	
1059-CL	Clear	12′	

Part #	Color	Length
HS-2010-CL	Clear	8′

For any quantities less than 120 ft. add 10% to the 120 ft. price

### Sign / Banner Holders

- · An easy & affordable way to emphasize brands & your marketing message.
- Channels can easily be cut-to-size to accommodate a variety of banner widths.
  - · All channels can be used as a top & bottom rail.




Holds up to 1/8"

thick material

### PFLF-1200-


- Material: Dual Durometer PVC
- With or without adhesive



Part #	Color	Length
PFLF-1200-BK	Black	12′
PFLF-1200-SL	Silver	12'
PFLF-1200-WH	White	12′
with Adhesive		
PFLF-1200A-BK	Black	12′
PFLF-1200A-SL	Silver	12′

### PFLF-1040-

- Material: Dual Durometer PVC
- With or without adhesive




Part #	Color	Length
PFLF-1040-BK	Black	12′
PFLF-1040-SL	Silver	12'
PFLF-1040-WH	White	12′
with Adhesive		
PFLF-1040A-BK	Black	12′
PFLF-1040A-SL	Silver	12′
PFLF-1040A-WH	White	12′


### BH-788-"Banner Holder"

### w/Snap Action



- Contoured shape allows for 2 sided graphics
- Easy mount channel for hanging hardware (BH-788-H), hang banner onto the wall or from the ceiling.





Part #	Color	Length
BH-788-BK	Black	8′
BH-788-WH	White	8′


### 2799- "Mini Snap"

• Material: Rigid PVC



Holds up to 1/16"

thick material



Part #	Color	Length
2799-BK	Black	8′
2799-WH	White	8′

For any quantities less than 120 ft. add 10% to the 120 ft. price

### BH-788-H-"Universal Hanger"



Fits into channels up to 1/4" wide

- Material: Clear Polyethylene
- Easily slides into the BH-788-\* "Banner Holder", HS-2010-CL "The Great Gripper" and HS-447-\* "Mini Snap".



Part #	Color
BH-788-H	Clear

### POP&SIGN DESIGN

### "KLEMMFIX" SIGN HOLDERS

A quick & easy way to install and replace signs. Simply snap open, insert material & close. No notching or stapling required.

Available In Black, White & Clear PVC · 8 Ft. Lengths







**KLEMMFIX 36** 

### **KLEMMFIX 18**

### **KLEMMFIX 28**

DISCONTINUED

DISCONTINUED

OF OUR SALES ASSOCIATES FOR OTHER OPTIONS



Part #	Color
Without Adhesive	Backing
3000-18BK	Black
3000-18WH	White
3000-18CI	Clear

With Adhesive Backing 3000-18WH-T White 3000-18CL-T Clear



Part #	Color
3000-28BK	Black
3000-28WH	White
3000-28CL	Clear

### **END CAPS** For Klemmfix 36 **MATERIAL: Polypropylene**

Part #

3002-36BK



### HANGING CLIPS

For Klemmfix 18, 28 & 36 **MATERIAL: Polypropylene** 



Part #	Color
3001-PH-BK	Black
3001-PH-WH	White
3001-PH-CL	Clear



Opened

Color

Black

### Sign / Banner Holders




### THE "SNAP-EASE" **ALUMINUM BANNER HANGING SYSTEM**

### **CLEAR ANODIZED ALUMINUM** 24", 36", 48" & 96" LENGTHS

### **NOTE: ALL LENGTHS ARE NOMINAL**



- Clear anodized aluminum finish with 4 black plastic end caps for a "finished" look.
- The spring clips inside the rail will "snap" close to securely hold your banner in place.
- Ideal for paper, fabric and vinyl banners up to .08" thick.
- Recommend to be used at the bottom of your banner for added stability.
- Includes removable hanging clips. The banner hanging system can be attached to the wall or hung from the ceiling using our ceiling hooks shown on page C-77.



Part #	Length
SNAP-24	24"
SNAP-36	36"
SNAP-48	48"
SNAP-96	96"

### **Components To Complete Your Customization**



**SNAP-HC** 




SNAP-EC




**SNAP-SC** 



**HGR-JOIN** 



### **Snap Ease Sign Kits**



- Vertical or Horizontal mounting
- · All inclusive kits:
  - 2 length banner holders
  - 2 hanging clips
  - 4 end caps
  - 2 spring clips

Part #	Length
SNAP-KIT-8	8-1/2"
SNAP-KIT-11	11"



Cut to Size and Simply Assemble **OUICK GRIP FRAMING SYSTEM** 

**PVC FRAME PROFILES • LENGTHS: 8 FT.** 

An affordable way to make "Flip Open" frames in a variety of sizes and colors.

### 2 ASSEMBLY METHODS TO CHOOSE FROM!

### **Rounded Corner** saves time!

Easy to install when frame assembled with corners!



Mitred Corner saves money!

When profile mitred, then no need to spend extra money on corners!



★ Easy to use! Simply position your hinge to the backboard of your choice & staple down. Then, slide your corner into the end of your cut frame profile & slide the your hinges. If profiles are mitred, then slide on the hinge.

# PLEASE CALL ONE OF OUR SALES ASSOCIATES FOR OTHER OPTIONS









- Slides directly into frame extrusion.
- · No tools or cutting required.



### **"THE HINGE"**

- ★ Unique & patented "Hinge" aids in the ease of use, because it does not require connecting corners & spring clips like typical front loading frames.
- · Available in black polypropylene only.
- · Must use two hinges for each side.
- It is recommended to use one hinge every 2 ft.



Rounded	Flat	
Part #	Part #	Color
35-5000-BK	28-5000-BK	Black
35-5000-GRY	28-5000-GRY	Gray
35-5000-RED	N/A	Red
35-5000-WH	28-5000-WH	White

### **CORNERS**


Rounded	Flat	
Part #	Part #	Color
35-5100-BK	28-5100-BK	Black
35-5100-GRY	28-5100-GRY	Gray
35-5100-RED	N/A	Red
35-5100-WH	28-5100-WH	White

### "THE HINGE"

Part #	
HINGE	

### **Front Loading Plastic Frame Profiles**

These plastic profiles can be easily cut & mitered to a variety of frame sizes. The flip open & snap close design will allow you to change graphics without disassembling the whole unit!



8 Ft. Lengths W/Adhesive High Gloss Black (BK)

• Material: PVC


Part #	Description
DFL-8-BK	High gloss black-
	2 piece frame



Part # Description

BIACK bullnose snap frame







12 Ft. Lengths
White (\*WH), Black (\*BK), Silver (\*SI)

• Material: Dual Durometer PVC









### 12 Ft. Lengths White (\*WH), Black (\*BK), Silver (\*SI)


- Material: Dual Durometer PVC
- Metal corner to hold miter cut

Part #	Description
PFLF-1200-*	w/o Adhesive
PFLF-1200A-*	w/ Adhesive
METAL CORNER Part #	
PFLF-1200-CORN	





### **Plastic Frame Mouldings**






EZ Frame #981 comes in two pieces that are channeled with the back piece (981b) mounted flush to the wall with double face tape for ease of installation.

There is no need to take down frames from wall to change a new picture.

### **EZ FRAME**

**12 Ft. Lengths White & Black**Up To 1/4" Thick Material


Part# 981EZ-WH 981EZ-BK




PLEASE NOTE: Our adhesive is strong but is only designed to assist in assembly. Remember always to staple or screw to substrate.

### "SNAP-EASE" FRONT LOADING FRAME PROFILES

### **MAKE YOUR OWN FRAMES WITH OUR COMPONENTS!**





For any quantities less than 120 ft. add 15% to the 120 ft. price.

### "SNAP-EASE" FRONT LOADING FRAME PROFILES

FLF-19P1-

### **MAKE YOUR OWN FRAMES WITH OUR COMPONENTS!**

Stocked in 8 ft. lengths

### 2 CORNER ASSEMBLY METHODS TO CHOOSE FROM!

MITERED • ROUNDED









FLF-19P-RND joins straight profiles (Requires 4 per frame)

### FOR 1/16" INSERT With Matching Base & Cap Finish

Part #	Base & Cap Finish
FLF-19P1-BK	Black Matte
FLF-19P1-BRN	<b>Brushed Nickel</b>
FLF-19P1-ORB	Oil Rubbed Bronze
FLF-19P1-KP	<b>Knotty Pine Wood Grain</b>
FLF-19P1-CF	Cherry Flame Wood
FLF-19P1-M	Mill


### With Mill Base & Finished Cap

Part #		Cap Finish
FLF-19P1M-AL		Clear Anodized
FLF-19P1	N-BK	Black Matte
FLF-19P1N	I-BRN	Brushed Nickel
FLF-19P1N	I-ORB	Oil Rubbed Bronze
FLF-19P1	И-КР	<b>Knotty Pine Wood Grain</b>
FLF-19P1/	M-CF	Cherry Flame Wood









### **REQUIRED ACCESSORIES**



**FLF-19P-CORNER** joins mitered profiles (Requires 4 per frame)




**FLF-19P-SPRING** to open/close frame . (min. 2 per 10")

FLF-8-






















### **REQUIRED ACCESSORIES**



**FLF-CORNER** joins mitered profiles (Requires 4 per frame)



**FLF-SPRING** to open/close frame (min. 2 per 10")

### FOR 1/8" INSERT With Matching Base & Cap Finish

Part #	Base & Cap Finish
FLF-8-AL	Clear Anodized
FLF-8-BK	Black Matte
FLF-8-BRN	Brushed Nickel
FLF-8-ORB	Oil Rubbed Bronze
FLF-8-KP	Knotty Pine Wood Grain
FLF-8-CF	Cherry Flame Wood
FLF-8-M	Mill

### With Mill Base & Finished Cap

Part #	Cap Finish
FLF-8M-AL	Clear Anodized
FLF-8M-BK	Black Matte
FLF-8M-BRN	Brushed Nickel
FLF-8M-ORB	Oil Rubbed Bronze
FLF-8M-KP	Knotty Pine Wood Grain
FLF-8M-CF	Cherry Flame Wood

### FOR 1/4" INSERT With Mill Base & Finished Cap

Part #	Cap Finish		
FLF-8QM-AL	Clear Anodized		
FLF-8QM-BK	Black Matte		
FLF-8QM-BRN	Brushed Nickel		
FLF-8QM-ORB	Oil Rubbed Bronze		
FLF-8QM-KP	Knotty Pine Wood Grain		
FLF-8QM-CF	Cherry Flame Wood		
FLF-8Q-M	Mill		

### "SNAP-EASE" FRONT LOADING FRAME PROFILES

### AVE VOUD OWN EDAMES WITH OUR COMPONENTS!

Stocked in 8 ft. lengths


### **FLF-19N-**











### REQUIRED ACCESSORIES



FLF-19N-CORNER joins mitered profiles (Requires 4 per frame)



FLF-19N-SPRING to open/close frame (min. 2 per 10")

### FOR 1/8" INSERT

### With Matching Base & Cap Finish

Part #	Base & Cap Finish	
FLF-19N-AL	Clear Anodized	
FLF-19N-BK	Black Matte	
FLF-19N-BRN	Brushed Nickel	
FLF-19N-ORB	Oil Rubbed Bronze	
FLF-19N-KP	Knotty Pine Wood Grain	
FLF-19N-CF	Cherry Flame Wood	
FLF-19N-M	Mill	

### With Mill Base & Finished Cap

Part #	Cap Finish	
FLF-19NM-AL	Clear Anodized	
FLF-19NM-BK	Black Matte	
FLF-19NM-BRN Brushed Nickel		
FLF-19NM-ORB	Oil Rubbed Bronze	
FLF-19NM-KP	Knotty Pine Wood Grain	
FLF-19NM-CF	Cherry Flame Wood	
FOR 1/4" INSERT		

### With Mill Base & Finished Cap


Part #	Cap Finish	
FLF-19NQM-AL	Clear Anodized	
FLF-19NQM-BK	Black Matte	
FLF-19NQM-BRN	Brushed Nickel	
FLF-19NQM-ORB	Oil Rubbed Bronze	
FLF-19NQM-KP	Knotty Pine Wood Grain	
FLF-19NQM-CF	Cherry Flame Wood	
FLF-19NQ-M	Mill	
FLF-19NQM-ORB FLF-19NQM-KP FLF-19NQM-CF	Oil Rubbed Bronze Knotty Pine Wood Grain Cherry Flame Wood	

### **FLF-37S-**









### REQUIRED ACCESSORIES



FLF-37S-CORNER joins mitered profiles (Requires 4 per frame)



FLF-37S-SPRING to open/close frame (min. 2 per 10")

### FOR 1/8" INSERT With Matching Base & Cap Finish

Part #	Base & Cap Finish		
FLF-37S-AL	Clear Anodized		
FLF-37S-BK	Black Matte		
FLF-37S-BRN	Brushed Nickel		
FLF-37S-ORB	Oil Rubbed Bronze		
FLF-37S-KP	Knotty Pine Wood Grain		
FLF-37S-CF	Cherry Flame Wood		
FLF-37S-M	Mill		

### With Mill Base & Finished Cap

Part #	Cap Finish		
FLF-37SM-AL	Clear Anodized		
FLF-37SM-BK	Black Matte		
FLF-37SM-BRN	Brushed Nickel		
FLF-37SM-ORB	Oil Rubbed Bronze		
FLF-37SM-KP Knotty Pine Wood			
FLF-37SM-CF	Cherry Flame Wood		
FOR 1/4" INSERT			

### With Mill Base & Finished Cap

Part #	Cap Finish
FLF-37SQM-AL	Clear Anodized
FLF-37SQM-BK	Black Matte
FLF-37SQM-BRN	Brushed Nickel
FLF-37SQM-ORB	Oil Rubbed Bronze
FLF-37SQM-KP	Knotty Pine Wood Grain
FLF-37SQM-CF	Cherry Flame Wood







### **Crystal Light Box**

### For Counter & Wall Mount Displays Material: Acrylic with Aluminum Post

- Super thin 3/8"
- Available in wall mount & counter top
- Power supply included
- Includes On / Off Switch



### **WALL MOUNT**










Constant

Chip Size



### **Lighting Specifications** CW: 6100K **Color Temperature** CLB-LED-0811-W: 186 CLB-LED-1117-W: 93 CLB-LED-1620-W: 102 CLB-LED-1020-W: 102 CLB-LED-2228-W: 121 CLB-LED-2436-W: 167 CLB-LED-0811-C: 186 CLB-LED-1117-C: 93 Lumens **Color Rendering Index** CW: 70 50,000 hrs. **Rated Average Life**

Voltage

SMD2835

		Graphic	Reveal Dimensions	Overall Dimensions	Total
Part #	Color Temp	Size	(Nominal)	(Nominal)	Wattage
CLB-LED-0811-W	Cool White	8.5" x 11"	8" x 10-5/8"	10-13/16" x 13-5/16"	1.8
CLB-LED-1117-W	Cool White	11" x 17"	10-5/8" x 16-5/8"	13-3/4" x 19-3/4"	3.6
CLB-LED-1620-W	Cool White	16" x 20"	15-1/2" x 19-3/4"	18-1/4" x 23-11/16"	6
CLB-LED-2228-W	Cool White	22" x 28"	21-9/16" x 27-9/16"	24-3/4" x 30-3/4"	9
CLB-LED-2436-W	Cool White	24" x 36"	23-1/2" x 35-5/8"	27-1/8" x 39-1/8"	11
CLB-LED-0811-C	Cool White	8.5" x 11"	8" x 10-5/8"	10-13/16" x 13-5/16"	1.8
CLB-LED-1117-C	Cool White	11" x 17"	10-5/8" x 16-5/8"	13-3/4" x 19-3/4"	3.6

Clear Cover

LED

+½" Dia.→

Cap

"Depth

Available for either wall mount (-w) or counter top (-c) applications.







### **Fully Assembled Front Loading Aluminum Frames**

### Material: Aluminum Frame with Acyclic Light Guide Panel

- Comes ready to use: Clear PVC cover, mounting hardware & power supply included
- Easy front load feature
- Can be used either landscape or portrait
- Low profile, should meet ADA requirements
- Plug & Play

### **FRONT VIEW**






### SUPER BRIGHT! EVEN ILLUMINATION!

SHOWN ILLUMINATED



### **BACK VIEW**





BEVELED EDGE PROFILE



**Lighting Specifications** 

Color Temperature	WW: 7500K-8500K
Lumens	FLF-LED-0811: 275 FLF-LED-1117: 475 FLF-LED-1620: 625 FLF-LED-2228: 1000 FLF-LED-2436: 1250
Color Rendering Index	CW: 75-80
Rated Average Life	50,000 hrs.
Chip Size	SMD2835

			Graphic	Reveal Dimensions	Overall Dimensions	Total
Part #	Color Temp	Finish	Size	(Nominal)	(Nominal)	Wattage
FLF-LED-0811	Cool White	Anodized Aluminum	8.5" x 11"	8-1/8" x 10-11/16"	10-1/8" x 12-3/4"	3
FLF-LED-1117	Cool White	Anodized Aluminum	11" x 17"	10-5/8" x 14-3/8"	12-1/2" x 18-5/16"	4
FLF-LED-1620	Cool White	Anodized Aluminum	16" x 20"	15-19/32" x 19-5/8"	17-3/8" x 21-3/8"	6
FLF-LED-2228	Cool White	Anodized Aluminum	22" x 28"	21-1/2" x 27-1/2"	23-3/8" x 29-3/8"	10
FLF-LED-2436	Cool White	Anodized Aluminum	24" x 36"	23-5/8" x 35-1/2"	25-1/2" x 37-3/8"	13

# Fully Assembled, Front Loading Aluminum Frames

#### **ATTRACTIVE AND EASY-TO-USE!**

Built-in spring loaded hinge enables you to change graphics in a snap without disassembling the frame.




- Fully assembled frame comes with clear non-glare lens and back panel
- Strong aluminum construction
- Snap/Spring loaded


ALUMINUM PROFILES

- Screw holes on the back for easy mounting - portrait or landscape
- Screws and drywall anchors are included
- Custom sizes and finishes available at a minimum.
   Please inquire for more details.






#### 1" Easy-Frame With Clear Anodized, Black Powder Coat Or Woodgrain Finish









	Graphic	Reveal	Overall	
Part #	Size	Dimensions	Dimensions	Finish
FRM-O8511-SIL	8-1/2" x 11"	7-3/4" x 10-1/4"	9-3/4" x 12-1/4"	Clear Anodized
FRM-08511-WG	8-1/2" x 11"	7-3/4" x 10-1/4"	9-3/4" x 12-1/4"	Woodgrain

Custom sizes & finishes can be produced. Please Inquire.

Packed 5 per carton. Broken box fee (BB5) for less than full carton.

Built-in spring loaded hinge enables you to change graphics in a snap without disassembling the frame.


#### 1" Frame With Clear Anodized Or Black Powder Coat Finish











		Graphic	Reveal	Overall	
	Part #	Size	Dimensions	Dimensions	Finish
Ī	FRM-8511-SIL	8-1/2" x 11"	7-5/8" x 10-1/8"	9-11/16" x 12-3/16"	Clear Anodized
	FRM-8511-BK	8-1/2" x 11"	7-5/8" x 10-1/8"	9-11/16" x 12-3/16"	Black Powder Coat
Ī	FRM-1117-SIL	11" x 17"	10-1/4" x 16-3/16"	12-1/4" x 18-3/16"	Clear Anodized
	FRM-1117-BK	11" x 17"	10-1/4" x 16-3/16"	12-1/4" x 18-3/16"	Black Powder Coat
Ī	FRM-1620-SIL	16" x 20"	15-1/8" x 19-1/8"	17-3/16" x 21-3/16"	Clear Anodized
	FRM-1620-BK	16" x 20"	15-1/8" x 19-1/8"	17-3/16" x 21-3/16"	Black Powder Coat


#### 1-1/4" Frame With Clear Anodized Or Black Powder Coat Finish













		Graphic	Keveal	Overall	
	Part #	Size	Dimensions	Dimensions	Finish
ĺ	FRM-2228-SIL	22" x 28"	21-5/8" x 27-11/16"	24-1/8" x 30-1/8"	Clear Anodized
	FRM-2228-BK	22" x 28"	21-5/8" x 27-11/16"	24-1/8" x 30-1/8"	Black Powder Coat
	FRM-2436-SIL	24" x 36"	23-1/2" x 35-5/8"	26-1/8" x 38-1/8"	Clear Anodized
	FRM-2436-BK	24" x 36"	23-1/2" x 35-5/8"	26-1/8" x 38-1/8"	Black Powder Coat

#### 1-1/4" Frame With Clear Anodized Finish





	•	
	Mounts Portrait or Landscape	
•	Single hole on each side	•



Backer: 1.5mm Gray Polystyrene (for N8511 & N1117) or 3mm Foam Board (for N1620, N2228 & N2436) Overall

Part #	Graphic Size	Reveal Dimensions	Overall Dimensions
FRM-N8511-SIL	8-1/2" x 11"	8-1/16" x 10-5/8"	10-3/16" x 13-3/16"
FRM-N1117-SIL	11" x 17"	10-1/4" x 16-3/16"	12-3/16" x 18-1/8"
FRM-N1620-SIL	16" x 20"	15-1/2" x 19-1/2"	18" x 22-1/8"
FRM-N2228-SIL	22" x 28"	21-5/8" x 27-5/8"	24-1/8" x 30-1/8"
FRM-N2436-SIL	24" x 36"	22-5/8" x 35-1/2"	26-1/4" x 38-1/16"

Custom sizes & finishes can be produced. Please Inquire.

Packed 5 per carton. Broken box fee (BB5) for less than full carton.


# Fully Assembled, Front Loading Aluminum Frames

Built-in spring loaded hinge enables you to change graphics in a snap without disassembling the frame.


#### 1-1/4" Frame With High Quality Anodized Satin Silver Finish



#### 1-7/16" Frame With High Quality Anodized Satin Silver Finish




#### 1-5/8" Frame With High Quality Anodized Satin Silver Finish



# Fully Assembled, Front Loading Aluminum Frames

Built-in spring loaded hinge enables you to change graphics in a snap without disassembling the frame.

#### 1-3/4" Frame With High Quality Anodized Satin Silver Finish




#### 1-1/4" Jumbo Frame With Clear Anodized Finish



#### 1-3/4" Jumbo Frame With Clear Anodized Finish



#### 1-1/4" Lockable Waterproof Frame With Clear Anodized Or Black Powder Coat Finish



Custom sizes & finishes can be produced. Please Inquire.

Packed 5 per carton. Broken box fee (BB5) for less than full carton.

#### Slide In Frames

#### Single Sided Slide In Frame


- Comes with mounting hardware (2 Screws & 2 Anchors)
- Anti-Glare 3mm PVC Lens
- White Backer Board
- · Silver (Clear Anodized) Finish
- Can be used for either portrait or landscape orientation
- 4 Mounting Holes at 5/32" Diameter
- Frame Profile is 1"Wide
- Frame Thickness is 9/16" Thick


Part #	<b>Graphic Size</b>	<b>Reveal Dimensions</b>	Overall Dimensions
HGR-SL-845	8-1/2" x 11"	7-9/16" x 10-1/16"	9-13/16" x 12-5/16"
HGR-SL-1117	11" x 17"	10-1/16" x 16-1/16"	12-5/16" x 18-5/16"
HGR-SL-1824	18" x 24"	17-1/16" x 23-1/16"	19-5/16" x 25-5/16"
HGR-SL-2228	22" x 28"	21-1/16" x 27-1/16"	23-5/16" x 29-5/16"
HGR-SL-2436	24" x 36"	23-1/16" x 25-1/16"	25-5/16" x 27-5/16"











#### Hang It Up Graphic Holders


#### Snap Graphic Grippers<sup>™</sup> (Patented)

**Material:** Aluminum crossbar with co-extruded PVC gripper **Finishes:** Satin Silver & Matte Black

- Quality gripper securely holds graphic after inserted into holder!
- Accepts single or double sided graphics
- Simply open plastic gripper, place graphic and snap close & load into aluminum casing
- Holds graphic up to .070 thick
- A variety of mounting options available for wall slatwall and ceiling (See Below)
- No assembly required, simply take out of the box and use!

•			
	Part #	Length	Finish
	LRC-SGG-22-*	22"	
	LRC-SGG-24-*	24"	
	LRC-SGG-28-*	28"	Carla Cilara X(CII)
	LRC-SGG-36-*	36"	Satin Silver *(SIL) Matte Black *(BK)
	LRC-SGG-48-*	48"	Watte Diack (DK)
	LRC-SGG-60-*	60"	
	LRC-SGG-72-*	72"	

#### Stainless Steel 3mm Cable with 2 Cable Sleeves



#### STAINLESS STEEL 3mm CABLE WITH 2 CABLE SLEEVES

Part #	Description
LRF-CLP6-1	1'Long Cable Assembly
LRF-CLP6-18	18" Long Cable Assembly
LRF-CLP6-2	2' Long Cable Assembly
LRF-CLP6-3	3' Long Cable Assembly
LRF-CLP6-4	4' Long Cable Assembly
LRF-CLP6-6	6' Long Cable Assembly

# A set of 2 universal hanging clips are included for the top bar Oval shaped aluminum casing 1" H x 7/8" W Textured matte black endcaps

**Unit Includes** 

Top & Bottom Aluminum Casing
Top & Bottom Plastic Grippers

• 2 Clear Plastic Hanging Clips

• 4 Black Plastic End Caps





#### Accessories For Snap Graphic Grippers



Wall Mount Kit
Set of 4 brackets for top & bottom cross bar
LRC-SGA-WMK



Slatwall Bracket Kit
Set of 2 for top bar & maximum length of 36"
LRC-SGA-SWB-SIL
Finish: Satin Silver



Perpendicular Wall Mount Bracket Set of 2 for top bar & maximum length of 36" LRC-SGA-WMB-\*

Finish: Satin Silver \*(SIL) or Matte Black \*(BK)





Horizontal Joiner
Set of 4 join top & crossbars horizontally
Allows casings to be joined in series
LRC-SGA-HJ

#### Hem Graphic Bar

#### *Material:* Lightweight aluminum bars *Finishes:* Satin Silver

- Simply hem your graphics for top and bottom tubes
- Accommodates banner widths from 18" to 240"
- Ideal for vinyl banners
- Hem your graphics to fit a 7/8" or 1-1/4" diameter tube
- Hem bar is sold with eye bolt at the top crossbar and can be hung with cable and hooks
- For banner widths up to 72" long: No assembly required-ships in one section
- For banner widths greater than 72": Crossbar ships in 2 to 4 sections

Part #	<b>Banner Width</b>	Diameter	Sections
LRC-HGB-*18-SIL	18"	7/8"	1
LRC-HGB-*22-SIL	22"	7/8"	1
LRC-HGB-*24-SIL	24"	7/8"	1
LRC-HGB-*28-SIL	28"	7/8"	1
LRC-HGB-*36-SIL	36"	7/8"	1
LRC-HGB-*48-SIL	48"	7/8"	1
LRC-HGB-*60-SIL	60"	7/8"	1
LRC-HGB-*72-SIL	72"	7/8"	1
LRC-HGB-*96-SIL	96"	1-1/4"	2
LRC-HGB-*120-SIL	120"	1-1/4"	2
LRC-HGB-*144-SIL	144"	1-1/4"	2
LRC-HGB-*180-SIL	180"	1-1/4"	3
LRC-HGB-*240-SIL	240"	1-1/4"	4


\*Eye bolts can be placed at ends

#### Stainless Steel 3mm Cable with 2 Cable Sleeves



#### STAINLESS STEEL 3mm CABLE WITH 2 CABLE SLEEVES

Part #	Description
LRF-CLP6-1	1'Long Cable Assembly
LRF-CLP6-18	18" Long Cable Assembly
LRF-CLP6-2	2' Long Cable Assembly
LRF-CLP6-3	3' Long Cable Assembly
LRF-CLP6-4	4' Long Cable Assembly
LRF-CLP6-6	6' Long Cable Assembly



Multiple section units connect with solid aluminum turned bushing




Top & Bottom Crossbars
 Eye Bolts For Each Top Crossbar
 Black Plastic End Caps



#### **Light Duty Channel Mount Hanging System**


- Material: All Steel Construction Cable & Toggle Hook
- Carbon Steel Hooks in Polished Chrome finish include
- 4 ft. of 2.5mm Steel Cable (Field cuttable)
- · Hooks have push button adjustment along the length of cable
- Aluminum mounting channel works with both roller and toggle style hooks





Clear Anodized **Aluminum Mounting Channel** 






#### Roller Style Hook Kit

Clearance

Sale

35% Off




Need a fastener & an

anchoring solution?

See page G-32 for Screws,

G-33 for Toggler\* Anchors


#### Toggle Style Hook Kit



#### **Loop End Hook Kit**



#### **Locking Toggle Style Hook Kit**



#### **Adjustable Cable Hook** Sign Hanging Hardware

#### Locking Adjustable Cable Hook Kit

w/Top Fitting

#### Material:

Galvanized Steel Cable with Polished Chrome Steel Hook & Top Fitting

#### Wire Gauge:



FWH-15-PC


15 ft. Cable

#### Locking Adjustable Cable Hook Kit

w/2" Loop End

#### • Material:

Galvanized Steel Cable & Loop with Chrome Plated Steel Hook



#### **Secure Twist Ceiling Kit**

w/Standard Pear Clip


#### Kit Includes:

#### SECURE METAL TWIST **CEILING LOOP CLIP**

- · Material:
- White Painted Steel
- 1"W x 1-1/2" Long with 3/16" Diameter hole
- Fits most hooks

#### STANDARD PEAR CLIP

#### Material: Zinc Plated Steel





Part # 1215

#### Secure Twist Ceiling Kit


w/Threaded Locking Pear Clip

#### **Kit Includes:**

#### SECURE METAL TWIST **CEILING LOOP CLIP**

- · Material: White Painted Steel
- 1"W x 1-1/2" Long with 3/16" Diameter hole
- Fits most hooks

#### THREADED LOCKING PEAR CLIP





Part # 1216


#### Material: 1/8" Thick Non-Glare Clear Acrylic

- Can be used for both single sided and double sided applications
- Comes complete with all hanging hardware: (Pictured below)
  - 2 10 ft. length chains
  - 4 S-hooks (1-3/4" long)
  - 2 sets of ceiling clips (Right & Left)

• 3 sizes available

Complete System
Allows you to hang
signage from ceiling,
maximizing visibility!






Part #	Size
CHS-2228-K	22"W x 28"H
CHS-2436-K	24"W x 36"H
CHS-3040-K	30"W x 40"H

#### **Wall Sign Kits**

Want a Vacation

- Complete sign kit includes:
- 2 pieces of 1/8" thick pre-drilled acrylic with polished green edges
- 4 standoffs (3/4" diameter x 3/4") in brushed stainless finish
- 4 mounting screws
- Premium Steel (-P), Eco Lite (-E) and Tamper Proof (-T) standoff kits available
- Available in a variety of sizes for uses ranging from directory signs to name plates





Kit shown with 6" x 6" sign size





If desired, graphic can be brought to edge of acrylic

Eco Lite *(-E)	Tamper Proof *(-T)	Need a fastener solution? See page

Need a fastener & an anchoring blution? See page G-32 for Screws & G-33 for Toggler\* Anchors

	r b	1					
	Part #	Overall Size	Reveal Size	Location of Standoffs			
ĺ	STD-SIGN-63-*	6"W x 3"H	4" W x 3" H	2 holes centered on short side	Premium Steel	Eco Lite Tan *(-E)	Tamper Pro
	STD-SIGN-66-*	6"W x 6"H	4"W x 4" H	4 holes in the corners			
	STD-SIGN-82-*	8"W x 2"H	6"W x 2"H	2 holes centered on short side			
	STD-SIGN-88-*	8"W x 8"H	61/2"W x 61/2"H	4 holes in the corners			
	STD-SIGN-811-*	81/2"W x 11"H	61/2"W x 9"H	4 holes in the corners			

# **STANDARD**Duty Cable System

1.5mm Cable & Fittings
Supports up to 110 lbs. per cable



This low cost system includes **1.5mm** cables with **aluminum** fittings. This system is designed for small display areas up to **6′6″** high.



# Contents

3 in 1 Cable Hardware Kits For Both Standard 1.5mm & Heavy Duty 3mm	C-49
Standard 1.5mm Ceiling to Floor Cable Signage	C-50
Heavy Duty 3mm Ceiling to Floor Cable Signage	C-51
Standard 1.5mm Ceiling to Sign Cable Signage	C-52
Heavy Duty 3mm Ceiling to Sign Cable Signage	C-53
15 Series Cable Signage Kit	C-54
30 Series Cable Signage Kit Illuminating	C-55
30 Series Cable Shelving	56~57
Adjustable Cable Hook Sign Hang Hardware & Double Loop Cables	



# **HEAVY**Duty Cable System

3mm Cable & Fittings Supports up to 220 lbs per cable




This premium system includes **3mm** cables with **solid brass** fittings. This system is designed for large display areas up to **13'** high.

A wide range of shelving options are possible with this system as well as illuminated and non-illuminated signage options.



# 3 in 1 Cable Hardware Kits For Both Standard 1.5mm & Heavy Duty 3mm









English measurements converted from metric. Metric is the most accurate.

#### Standard 1.5mm 3 in 1 Kit

MATERIAL = Aluminum (Fittings) 304 Grade Stainless Steel (Cable)

**FINISH** = Clear Anodized

- Aluminum universal fittings are hinged to allow or use in Wall-to-Wall and Wall-to-Floor applications
- For 8-1/2" x 11" and 11" x 17" graphics
- Can be used for single or double sided displays

#### **Each Hardware Kit Contains:**

- 1 universal top fitting
- 1 universal bottom fitting
- 1 cables 13' length -1.5mm thick (trimmable)



For 1.5mm: Horizontal Sign Clamps & Clear Acrylic Sign Holders, See Page C-50

#### Heavy Duty 3mm 3 in 1 Kit

**MATERIAL** = Solid Brass (*Fittings*) 304 Grade Stainless Steel (*Cable*)

FINISHES = Polished Chrome (\*PC) & Satin Chrome (\*SC)

- Solid Brass universal fittings are hinged to allow for use in Wall-to-Wall, Wall-to-Floor and Floor-to-Ceiling applications
- For 8-1/2" x 11" and 11" x 17" graphics
- Can be used for single or double sided displays


#### **Each Hardware Kit Contains:**

- 1 universal top fitting
- 1 universal bottom fitting
- 1 cables 13' length -3mm thick (trimmable)



For 3mm: Horizontal Sign Clamps & Clear Acrylic Sign Holders, See Page C-51

#### Standard 1.5mm Ceiling to Floor Cable Signage



#### English measurements converted from metric. Metric is the most accurate.

#### 1. Mounting Channel

#### CSK-ALU

Material: Aluminum Finish: Clear Anodized Cable Diameter: 1.5mm Length: 6'6"



#### 2. Channel/Ceiling Top Fitting

#### **CSKE-CHTF-ALU**

Material: Aluminum Finish: Clear Anodized

Cable Diameter: 1.5mm

Comes with both toggle & screw mount



#### 3. Ceiling Top Fitting

#### CSKE-CSTF-ALU

Material: Aluminum Finish: Clear Anodized Cable Diameter: 1.5mm





#### 4. Channel/Floor Bottom Fitting

#### **CSKE-CHBF-ALU**

Material: Aluminum Finish: Clear Anodized Cable Diameter: 1.5mm

Comes with both toggle & screw mount




#### 5. Bottom Fitting

#### **CSKE-BF-ALU**


Screw

Material: Aluminum Finish: Clear Anodized Cable Diameter: 1.5mm




#### 6. 1.5mm Bulk 304 Grade Stainless Steel Cables

Part #	Description	Cable Length	Carton Qty.
	304 Stainless Steel Cables		
CSKE-CABLE	Standard 7x7 Construction	13′	50
	Coated Stainless Steel Cables		
CSKE-CABLE-C	Nylon Coating Over 7x7 Cable	13′	50




#### **Horizontal Sign Clamps CSKE-SSGC-ALU CSKE-DSGC-ALU** Double Material: Aluminum Material: Aluminum 5/8" (16mm) Finish: Clear Anodized Single Finish: Clear Anodized Cable Diameter: 1.5mm 5/8" (16mm) Cable Diameter: 1.5mm Use 3mm Hex Key Use 3mm Hex Key 1½"



Part #	A (Graphic Size)	B (Overall Size)
CSK-ASH-7P	7"W x 11"H	8.25"W x 11"H
CSK-ASH-8P	8.5"W x 11"H	9.75"W x 11"H
CSK-ASH-8L	11"W x 8.5"H	12.25"W x 8.5"H
CSK-ASH-11P	11"W x 17"H	12.25"W x 17"H
CSK-ASH-11L	17"W x 11"H	18.25"W x 11"H
CSK-ASH-22P	22"W x 28"H	23.25"W x 28"H
CSK-ASH-22L	28"W x 22"H	29.25"W x 22"H

#### Heavy Duty 3mm Ceiling to Floor Cable System





#### 1. Mounting Channel

#### **CSK-ALU**

Material: Aluminum Finish: Clear Anodized Cable Diameter: 3mm Length: 6'6"





#### 3. Ceiling Top Fitting

#### CSK-CSTF-\*

Material: Solid Brass Finish: Satin Chrome (\*SC) & Polished Chrome (\*PC) Cable Diameter: 3mm






#### 5. Bottom Fitting

#### CSK-BF-\*

Material: Solid Brass Finish: Satin Chrome (\*SC) & Polished Chrome (\*PC) Cable Diameter: 3mm




#### 6. 3mm Bulk 304 Grade Stainless Steel Cables Cable Carton Part # Description Length Qty. Stainless Steel Cables **CSK-CABLE** 13' 25 **CSK-CABLE-26** Standard 7x7 Construction 26' 10 CSK-CABLE-100 100' 10 **Coated Steel Cables**


Nylon Coating Over 7x7 Cable


13'

25


CSK-CABLE-C







#### Standard 1.5mm Ceiling to Sign Cable Signage







#### 1. Mounting Channel

#### **CSK-ALU**

Material: Aluminum Finish: Clear Anodized Cable Diameter: 3mm Length: 6'6"



#### 2. Channel/Ceiling Top Fitting

#### CSKE-CHTF-ALU

Material: Aluminum Finish: Clear Anodized Cable Diameter: 1.5mm

15 (24

Comes with both toggle & screw mount



#### 3. Ceiling Top Fitting

#### **CSKE-CSTF-ALU**

Material: Aluminum Finish: Clear Anodized Cable Diameter: 1.5mm






#### 4. Sign Fitting (Holds 3/16" Thick Signage)

#### **CSKE-CSSC-ALU**


Material: Aluminum Finish: Clear Anodized Cable Diameter: 1.5mm

Use 3mm Hex Key



# Vertical Double Sign Clamp CSK-DSSC-\*


Material: Solid Brass Finish: Satin Chrome (\*SC) & Polished Chrome (\*PC) Cable Diameter: 1.5mm Use 3mm Hex Key






#### 6. 1.5mm Bulk 304 Grade Stainless Steel Cables

Part #	Description	Cable Length	Carton Qty.
	304 Stainless Steel Cables		
CSKE-CABLE	Standard 7x7 Construction	13′	50
	Coated Stainless Steel Cables		
CSKE-CABLE-C	Nylon Coating Over 7x7 Cable	13′	50



#### Heavy Duty 3mm Ceiling to Sign Cable System



English measurements converted from metric. Metric is the most accurate.



#### 1. Mounting Channel

#### CSK-ALU

Material: Aluminum Finish: Clear Anodized Cable Diameter: 3mm Lenath: 6'6"




#### 2. Channel/Ceiling Top Fitting

#### CSK-CHTF-\*

Material: Solid Brass Finish: Satin Chrome (\*SC) & Polished Chrome (\*PC)

Cable Diameter: 3mm 15/16 (24mm

Comes with both toggle & screw mount



#### 3. Ceiling Top Fitting

#### CSK-CSTF-\*

Material: Solid Brass Finish: Satin Chrome (\*SC) & Polished Chrome (\*PC)

17/16" Cable Diameter: 3mm (36mm)



#### 4. Sign Fitting (Holds 3/16" Thick Signage)

#### CSK-CSSC-\*

Material: Solid Brass Finish: Satin Chrome (\*SC) & Polished Chrome (\*PC)

Cable Diameter: 3mm Use 3mm Hex Key





#### 4. Sign Fitting (Holds 1/2" Thick Signage)

#### CSK-CSSC12-\*

**Material:** Solid Brass Finish: Satin Chrome (\*SC) & Polished Chrome (\*PC) Cable Diameter: 3mm

Use 3mm Hex Key






Cabla Cartan

#### Vertical Double Sign Clamp

#### CSK-DSSC-\*

Material: Solid Brass Finish: Satin Chrome (\*SC) & Polished Chrome (\*PC) Cable Diameter: 1.5mm


Use 3mm Hex Key





#### 6. 3mm Bulk 304 Grade Stainless Steel Cables

Part #	Description	Length	Qty.
	Stainless Steel Cables		
CSK-CABLE		13′	25
CSK-CABLE-26	Standard 7x7 Construction	26'	10
CSK-CABLE-100		100'	10
	Coated Steel Cables		
CSK-CABLE-C	Nylon Coating Over 7x7 Cable	13′	25



#### 15 Series Cable Signage Kit Non-Illuminating



#### Complete Graphic Kit

**MATERIAL** = Aluminum (*Fittings*) 304 Grade Stainless Steel (Cable)

**FINISH** = Clear Anodized

- Aluminum universal fittings are hinged to allow or use in Wall-to-Wall and Wall-to-Floor applications
- For 8-1/2" x 11" and 11" x 17" graphics
- Can be used for single or double sided displays

















#### **Each kit contains:**

- 2 universal top fittings
- 2 universal bottom fittings
- 2 cables 6'6" length 1.5mm thick (trimmable)
- 12 mounting screws & anchors
- 1 hex key
- 4 sign clamps per graphic holder
- 1/8" thick clear acrylic graphic holders w/polished edges

#### Hinged Fittings are adjustable:




	Part #	Size	Type
2	CSKE-LITKIT2-8-*	8½" x 11"	
Graphic Kit	CSKE-LITKIT2-11-*	11" x 17"	
3	CSKE-LITKIT3-8-*	8½" x 11"	Portrait (*P)
<b>Graphic Kit</b>	CSKE-LITKIT3-11-*	11" x 17"	Landscape (*L)
4	CSKE-LITKIT4-8-*	8½" x 11"	
Graphic Kit	CSKE-LITKIT4-11-*	11" x 17"	



3 Graphic Kits

4 Graphic Kits



#### Illuminate your signs all night, without breaking your budget!


#### **Complete Illuminating Graphic Kit**

MATERIAL = Solid Brass (Fittings) 304 Grade Stainless Steel (Cable)


**FINISH** = Polished Chrome

- · Solid Brass universal fittings are hinged to allow for use in Wall-to-Wall, Wall-to-Floor and Floor-to-Ceiling applications
- For 8-1/2" x 11" and 11" x 17" graphics
- Illuminated

Hinged Fittings are adjustable:







Portrait (\*P)



Landscape (\*L)

**Total** 



- 2 universal top and bottom fittings
- 2 cables 13' length 3mm thick (trimmable)
- 12 mounting screws & anchors
- 1 hex key
- 1 UL 12V power supply w/plug
- 1/8" thick clear acrylic graphic holders w/polished edges






(15 Series)

**Lighting Specifications** 

Color Temperature	Cool White CW: 6100K	
Lumens	CSK-CLB-8*: 186 CSK-CLB-11*: 93	
Color Rendering Index	CW: 70	
Rated Average Life	CW: 50,000 hrs.	
Constant	Voltage	
Chip Size	SMD 2835	





**Graphic Kit** 

**Graphic Kit** 

Insert and remove graphic from top



Graphic

**U-Shaped Cut Out** 



Can be set to varying heights



Beveled edge creates outer glow illumination!

#### 2 Graphic Kits


CSK-ILITKIT2-8-P


Reveal Dimensions




Overall Dimensions













CSK-ILITKIT4-8-P

CSK-ILITKIT4-11-P



CSK-ILITKIT4-8-L

CSK-ILITKIT4-11-L

#### 30 Series Cable Shelving

#### **Shelf Hardware Sets**

**MATERIAL** = Solid Brass (*Fittings*), 304 Grade Stainless Steel (*Cable*) **FINISHES** = Polished Chrome (\*PC), Satin Chrome (\*SC)

• Load Rating: 220 lbs. per cable





Wall-to-Wall





Note: 2 Sets needed for single unit display

Wall-to-Floor







Part # Description

CSK-WFSH-6-\* w/ 6" Shelf Stabilizer

CSK-WFSH-8-\* w/ 8" Shelf Stabilizer

Note: 2 Sets needed for single unit display


#### Floor-to-Ceiling





Note: 4 Sets needed for single unit display

#### A Few Examples of the Many Possible Shelving Configurations:



- 1
   CSK-WWSH-\*/Shelf Hardware Set
   pg. C-56

   2
   CSK-ASH-11P/Acrylic Sign Holder
   pg. C-51

   3
   CSK-SSGC/Horizontal Sign Clamp
   pg. C-51

   4
   CSK-SHF-1212/Clear Acrylic Flat Shelf
   pg. C-57

   5
   CSK-SHF-1224/Clear Acrylic Flat Shelf
   pg. C-57
- 6 CSK-SSC-\*/Horizontal Shelf Clamp pg. C-57

# Wall-to-Floor

1 CSK-WFSH-\*/Shelf Hardware Set pg. C-56
2 CSK-SSC-\*/Horizontal Shelf Clamp pg. C-57
3 CSK-DSC-\*/Double Horizontal Shelf Clamp pg. C-57
4 CSK-SHF-1224/Clear Acrylic Flat Shelf pg. C-57

# Floor-to-Ceiling 1 CSK-FC-\*/Shelf Hardware Set pg. C-56 2 CSK-CUBE/Clear Acrylic Display Cube pg. C-57 3 CSK-FSHF-12/Clear Folded Acrylic Display Shelf pg. C-57

#### 30 Series Cable Shelving


Single

#### **Acrylic Shelves**

#### **Clear Folded Acrylic Display Shelves with Polished Edges**



**THICKNESS** = 1/4" nominal



**Overall Size** Part # **CSK-FSHF-12** 12"D x 12"L x 6"H CSK-FSHF-24 12"D x 24"L x 6"H \*Nominal Size




**Polished Chrome Mounting Clamps** Included

#### **Clear Acrylic Display Cubes with Polished Edges**



THICKNESS = 1/4" nominal



**Overall Size** Part # **CSK-CUBE** 12"W x 12"L x 12"D \*Nominal Size



Polished Chrome **Mounting Clamps** Included

#### **Clear Acrylic Flat Shelves with Polished Edges**



**THICKNESS** = 1/4" nominal

Part # **Overall Size CSK-SHF-1212** 12"W x 12"D CSK-SHF-1224 24"W x 12"D

Shelf Clamps Sold Separately

\*Nominal Size

**Clear Acrylic Angled Shelves** with Polished Edges

ACRYLIC THICKNESS = 1/4" nominal

> Part # **Overall Size CSK-ASHF-9** 9"W x 11-1/2"L x 1" Lip



#### **30 Series Shelf Clamps**

#### **Horizontal Shelf Clamps**

MATERIAL = Solid Brass

**FINISHES** = Polished Chrome (\*PC). Satin Chrome (\*SC)

- Works with material up to 5/16" thick
- Use 3mm Hex Key

Part #	Type
CSK-SSC-*	Single
CSK-DSC-*	Double



Double

180

Rotation

#### Adjustable Sign/Shelf Clamps

MATERIAL = Solid Brass

**FINISHES** = Polished Chrome (\*PC), Satin Chrome (\*SC)

- Rotates for sign or shelf applications
- Works with material up to 5/16" thick
- Use 3mm Hex Key



#### **Undermount Shelf Support**

**MATERIAL** = Solid Brass

**FINISHES** = Polished Chrome (\*PC), Satin Chrome (\*SC)

- Shelf support for use under drilled or slotted shelves
- Works with material up to 5/16" thick
- Hole Size: 5/16" 3/8" (8-10mm)
- Slot Size: 1/8" (3.5mm)
- Use 3mm Hex Key Part #







#### **Optional Cable Display Accessories**



#### Adjustable Cable Hook Sign Hanging Hardware

## Locking Adjustable Cable Hook Kit w/Top Fitting

#### • Material:


304 Grade Stainless Steel Cable with Polished Chrome Steel Hook & Top Fitting

• Wire Gauge:

1.5mm



#### Field Cuttable to Any Length



## Locking Adjustable Cable Hook Kit w/2" Loop End

#### • Material:


304 Grade Stainless Steel Cable with Polished Chrome Steel Hook & Top Fitting

• Wire Gauge:

1.5mm







Part #	Description	
GSH-8	8 ft. Cable	
GSH-15	15 ft. Cable	

#### Double Loop Cables




Part #	Length	Carton Qty.
LRF-CLP6-1	1′	25
LRF-CLP6-18	18"	25
LRF-CLP6-2	2′	25
LRF-CLP6-3	3′	25
LRF-CLP6-4	4′	25
I RE-CI P6-6	6'	25










#### 12V **MATERIAL** = Polished Chrome Steel

- Works With Any 30 Series Cable System
- 180° Rotation of lamp holder
- Built in heat sink
- Energy efficient
- Adjustable
- MR16, 5W bulb included








	Part#	Color Temp	Width Adjusts From:	# Of LED Chips	Total Wattage
	CSK-MR16-100-WW	Warm White	White 5-7/8" to 7-7/8"	4	5W
	CSK-MR16-100-CW	Cool White	5-7/8 10 7-7/8		
Ī	CSK-MR16-200-WW	Warm White	11 12/16// 15 2/4//		
	CSK-MR16-200-CW	Cool White	11-13/16" to 15-3/4"		



Color Temperature	CW: 5500K-6500K WW: 2700K-3500K
Beam Spread	30°
Lumens	CW: 340 WW: 290
Color Rendering Index	WW: 75 CW: 80
Rated Average Life	CW/WW: 30,000-50,000 hrs.
Constant	Voltage
Chip Size	SMD2835







#### Power Supply (3A / 12V / 36W)

- 3.41"L x 2.31"W x 1.26"H
- 18AWG Output Cord: 6'
- Polarized 2 Prong Plug

LED-12V-3A

# Picture & Art Hanging Systems

Our hanging systems allows you to easily add, reposition/remove art or wall objects without wall damage.

- Hanging & display solutions for residential & commercial use
- Easy to adjust and change artwork
- Eliminates wall repairs and repainting
- No tools needed
- Aluminum track load capacity: 110 lbs per length
- Nylon cable load capacity: 33 pounds per length
- Stainless cable load capacity: 44 pounds per length











New! Click Track

Versatile • Discreet • Easy to Install

The Click Track is secured to the wall using click buttons that conceal all fittings and wall anchors

Secure Click Buttons to Wall




**Track Attaches to Click Buttons** 




Slide Fitting in to Track & Install End Cap











#### **Trackless 2mm Cable Hanging System** For Wall & Ceiling

#### Option 1: Stand Alone 2mm Cables

1. Adjustable Hinged Fitting Cable Mounts on

Walls & Ceilings



2. Standoff **End Cable** Mounts on Walls



	Part #	Cable Material	Length	Ctn. Qty.
1	GPX-ADJ48-N	Ni. da	48"	50
1	GPX-ADJ120-N	Nylon	120"	50
1	GPX-ADJ48-SS	Stainless Steel	48"	50
1	GPX-ADJ120-SS	Stairliess Steel	120"	50
2	GPX-STD48-N	Nylon	48"	50
2	GPX-STD120-N	Nyion	120"	50
2	GPX-STD48-SS	Stainless Steel	48"	50
2	GPX-STD120-SS	Stanness Steel	120"	50

#### Option 2: Bulk 2mm Cable- Make Your Own

2MM Nylon Cable

#### **GPX-CABLE-100**

Material: Nylon Cable Diameter: 2mm Length:100'



**Economy Cable Looper** 

#### GPXE-HK41-M

Material: Aircraft **Grade Aluminum** Finish: Mill

Cable Diameter: 2mm



#### **Cable Looper**

**GPX-HK41-NP** 

Material: Solid Brass Finish: Bright Nickel Cable Diameter: 2mm









#### Option 3: Premade Single Loop 2mm Cable with Ferrule









Part #	Material	Length	Ctn. Qty.
· u· · ·	material	Lengun	۷٠,٠
GPX-L48-N	Mulan	48"	50
GPX-L120-N	Nylon	120"	50
GPX-L48-SS	Stainless Steel	48"	50
GPX-L120-SS	Stairness Steel	120"	50

# Trackless 2mm Cable Hanging System For Wall & Ceiling






#### **Accessories For All Cables**









#### **Apartment Hanger**

#### **HGHB-APT-\***

- Material: Aluminum
- No drill, easy to install
- Foam liner, so no damage to walls
- Wall bracket holes drilled every inch
- Patented/Made in USA

The Hangman Apartment Hanger consists of two aluminum interlocking brackets modeled after the French Cleat featuring a built in level which ensures an accurate installation. The aircraft grade aluminum brackets will not corrode and can be used indoors or outdoors. The system uses small nails which leave pin size holes and a foam back to protect walls from scuffs and marks. Once installed it can be adjusted left or right.








		Load	<u>Hardware Includes:</u> (1) Mounting Bracket	
Part #	Size	Rating	#8 x 5/8" Screws	Nails
HGHB-APT-6	6" Long	50 lbs.	2	5
HGHB-APT-12	12"Long	100 lbs.	3	14
<b>HGHB-APT-18</b>	18"Long	150 lbs.	5	20

#### **Heavy Duty Mirror & Picture Hanger**

#### **HGHB-HM-\***

- Material: Aluminum
- Wall bracket holes drilled every inch
- Brackets are angled to ensure a flush mount
- Patented/Made in USA

The Hangman Heavy Duty Mirror & Picture Hanger is our classic and best selling product. It consists of two aluminum interlocking brackets modeled after the French Cleat featuring a built in level which ensures an accurate installation. The aircraft grade aluminum brackets will not corrode and can be used indoors or outdoors on all surfaces. The system includes walldog anchorless fasteners.







		Load	(1) Mounting Bracket, (1) Bubble Leve	
Part #	Size	Rating	#8 x 5/8" Screws	Walldog Screws
HGHB-HM-6	6" Long	75 lbs.	2	2
HGHB-HM-10	10"Long	100 lbs.	3	3
HGHB-HM-12	12"Long	100 lbs.	3	3
HGHB-HM-18	18"Long	200 lbs.	5	5
HGHB-HM-30	30" Long	300 lbs.	8	8
HGHB-HM-42	42" Long	300 lbs.	10	10



#### **Professional French Cleat Hanger**

#### **HGHB-CBH-\***

- Material: Aluminum
- Two piece system includes inset mounting bracket for a flush fit
- · Aircraft grade aluminum
- Patented/Made in USA

The Hangman Professional French Cleat Hanger is a variation of the Heavy Duty Hangman and has several unique features. The overlapping design of the mounting bracket provides high torque leverage for use in hanging cantilevered shelves. The wall track is punched every inch making it easy to hit at least one stud. In addition to hanging shelves, it works great on cabinets, mirrors, and other heavy wall déco.





		Load	Hardware Include (1) Mounting Brack	<u>s</u> : (1) Wall Bracket, et, (1) Bubble Level,
Part #	Size	Rating	#8 x 5/8" Screws	Walldog Screws
HGHB-CBH-18	18"Long	200 lbs.	5	5
HGHB-CBH-30	30"Long	300 lbs.	8	8
HGHB-CBH-42	42"Long	300 lbs.	10	10

#### Self Leveling Flushmount Hanger

#### **HGHB-SCH-2**

- Material: Aluminum
- · Inset for a flush fit
- Aircraft grade aluminum
- Patented
- Works well with open back canvas

The Hangman Self Leveling Flushmount Hanger is a single piece hanger that attaches to the back of your canvas and hangs on the provided Bear Claw Hanger. The inset created allows the canvas to hang flush

against the wall. Ideal for unframed canvas art. Also works on wooden frames.





#### **Hardware Includes:**

- (2) #4 x 5/8" Screws
- (2) Double Headed Bear Claw Screws
- (2) Sawtooths

		Load
Part #	Size	Rating
HGHB-SCH-2	38 x 22 mm	20 lbs.

#### Canvas Hanger

#### **HGHB-CH-5**

- Material: Aluminum
- · Brackets are angled to ensure a flush mount
- Patented/Made in USA

#### **Hardware Includes:**

- (2) #4 x 5/8" Screws
- (2) #8 x 1" Screws
- (1) Bubble Level
- (1) Mounting Bracket
- (1) Wall Bracket

The Hangman Canvas Hanger is a two piece bracket system that hangs giclees, gallery wraps, canvas or open back frames flush to the wall.

The wall track includes a bubble level for an accurate installation.





Part #	Size	Load Rating
HGHB-CH-5	5"Long	20 lbs.



#### Hangman® Hanger Products

# HANGMAN WHOLESALER

#### **Aluminum Frame Hanger**

#### **HGHB-ALH-5**

- Material: Aluminum
- Offset almost flush


Hardware Includes:
• (2) Walldog Screws
• (1) Bubble Level
• (1) Frame Hanger

• Single piece wall hanger

The Hangman Aluminum Frame Hanger is a one bracket system that is designed to hook into standard aluminum frames or specially designed wooden frames with an undercut.

The track includes a bubble level and anchorless Walldog fasteners for a fast and accurate installation.





		Load
Part #	Size	Rating
HGHB-ALH-5	5"Long	60 lbs.

#### **Z-Hanger**

HGZ-6948-\* Z-Hanger HGZL-6986-\* Z-Lite Hanger

- Material: Aluminum
- Load Rating: 100 lbs. per ft. (HGZ-6948-\*) 60 lbs. per ft. (HGZL-6986-\*)
- Offset .22" (5.6 mm)
- Alternating holes every 1" (3/16" dia. & 1/4" dia.)
- Sold as pairs, including:
  1" walldog screws & 5/8" bear claw screws
- **HGZL-6986-\*:** Slight flexibility allows for easier engagement on non-plumb walls
- Sold in full cases only, where indicated (■)

The Hangman Z-Hanger consists of two aluminum interlocking brackets modeled after the French Cleat. The aircraft grade aluminum brackets will not corrode and can be used indoors or outdoors on all surfaces. The system is compatible with various fasteners, and can be adjusted left or right. Hangman's unique Z-Hanger comes with alternating holes punched every inch.





		Load	<u>Hardware Includes</u> : (1) Wall Bracket, (1) Mounting Bracket,		Case
Part #	Size	Rating	#8 x 5/8" Screws	Walldog Screws	Quantity
HGZ-6948-18	18" Long	120 lbs./ft.	5	5	-
HGZ-6948-30	30" Long	120 lbs./ft.	8	8	-
■ HGZ-6948-18-12	18" Long	120 lbs./ft.	Hardware N	lot Included	6 sets
■ HGZ-6948-30-12	30" Long	120 lbs./ft.	Hardware N	lot Included	6 sets
■ HGZL-6986-18-12	18" Long	60 lbs./ft.	Hardware N	lot Included	6 sets
■ HGZL-6986-30-12	30"Long	60 lbs./ft.	Hardware N	lot Included	6 sets

#### **Z-Man Mounting Bracket**

#### HGZM-6318-\*

- Material: Aluminum
- Slight flexibility allows for easier engagement on non-plumb walls
- · Aircraft grade aluminum
- Alternating holes every 1" (3/16" dia. & 1/4" dia.)
- Easily cuttable with a carbide tip saw
- Load Rating: 60 lbs. per ft.
- Sold in full cases only, 6 sets/case



Part #	Size	Load Rating
HGZM-6318-18-12	18" Long	60 lbs./ft.
HGZM-6318-30-12	30" Long	60 lbs./ft.



#### Machine Thread Double-Headed Screw

#### **HGSCR-MT-\***

- Material: Steel
- #10-24 x 2-1/4" Long
- · Machine screw threading
- Double-headed hanging surface
- Load Rating: 100 lbs.
- Works w/Toggler TA-1013 snap-toggle
- · Sold in full cases only

	Case
Part #	Quantity
HGSCR-MT-10P	10 pcs.
HGSCR-MT-100	100 pcs.
HGSCR-MT-1000	1000 pcs.

#### **Walldog Screws**

#### **HGSCR-WDS-\***

- Material: Steel
- 1-1/4" Screws
- #8 Pan head
- Hi-Lo thread, 1/4" bore hole
- Load Rating: 60 lbs. sheer, 40 lbs. tension in drywall
- Sold in full cases only

The Hangman Walldog Screws are an all steel, one piece, threaded fastener, which is used to fasten various fixtures directly to drywall. Walldog fasteners are fast. Unlike conventional screw anchors, which require the secondary step of threading a sheet metal screw into an anchor, the Walldog is installed directly through the fixture into the drywall.

	Case
Part #	Quantity
HGSCR-WDS-100	100 pcs.
HGSCR-WDS-1000	1000 pcs

#### **Walldog Safety Hanger**

#### **HGSH-WDH-\***

- Material: Aluminum
- · Aircraft grade aluminum
- Security lip prevents wire from slipping out
- 8 wide pivot point prevents frames from slipping
- Patented/Made in USA

The Hangman Walldog Safety Hanger is an extruded aluminum track that has a security lip to prevent picture hanging wire from slipping out. The wire is easy to insert and won't come out if bumped. The brackets are installed using anchorless Walldog fasteners that require no drilling and no stud. Friction bumpers included to keep walls clean and keep art from shifting.




		Load	
Part #	Length	Rating	Hardware Includes:
HGSH-WDH-40	1-1/2"	40 lbs.	(1) Walldog, (1) Pair Bumper, (1) Hanger
HGSH-WDH-80	3"	80 lbs.	(2) Walldogs, (1) Pair Bumper, (1) Hanger

#### **Bear Claw Hanger**


#### **HGSCR-\***

- Material: Steel
- · Self-drilling tip, no pilot hole required
- Works with D-rings, wire, keyhole & sawtooths
- Load Rating: 30 lbs. drywall, 100 lbs. stud
- Sold in full cases only

The Hangman Black Bear Claw Hangers work with D-rings, wire, sawtooths and keyholes for simple mirror and picture hanging solutions. Installs with a hand-held Phillips screwdriver. Self-drilling tip for easy installation.



	Part #	Length	Description	Case Quantity
	HGSCR-BCD-10P			10 pcs.
Α	HGSCR-BCD-100	#8 x 1-1/4"	Black Oxide	100 pcs.
	HGSCR-BCD-1000			1000 pcs.
	HGSCR-BCK-10P			10 pcs.
В	HGSCR-BCK-100	#8 x 1"	Zinc Plated	100 pcs.
	HGSCR-BCK-1000			1000 pcs.
	HGSCR-BCO-10P		Special	10 pcs.
C	HGSCR-BCO-100	#8 x 1-5/8"	Outdoor	100 pcs.
	HGSCR-BCO-1000		Coating	1000 pcs.
	HGSCR-KH-10P	#8 x 1"	.25" Head	10 pcs.
D	HGSCR-KH-100		Size	100 pcs.
	HGSCR-KH-1000		Size	1000 pcs.



# HANGMAN WHOLESALER

#### **Christmas Light Hangers**

#### **HGSH-QH-\***

- Material: Stainless Steel
- Screws have an open loop (5/32" opening)
- Load Rating: 100 lbs. in wood beam or stud
- · Sold in full cases only

The Hangman Christmas Light Hangers are an all year outdoor stainless steel wire holder. A simple way to hang holiday lights, bird feeders, bird houses, wind chimes, etc. Installs easily and is wind and weather resistant with a lifetime warranty. These are made to last.





#### Part # Size Quantity HGSH-QH-12 HGSH-QH-20 38 x 22 mm 12 pcs. 20 pcs.

#### **Elephant Hook Ceiling Hook**

- Material: Steel
- Weather resistant coating
- Swivels & locks
- Load Rating: Holds 20 lbs. in drywall, 100 lbs. in wood

#### **Hardware Includes:**

- (1) Elephant hook
- (1) #8 x 1-1/4" Double-headed screw
- (1) Snap skru

Part #	Finish
HGH-EH-B	Bronze
HGH-EH-N	Nickel
HGH-EH-W	White

Elegant and easy, the Elephant Hook ceiling hook installs in under a minute. No drilling or pilot hole necessary. Simply screw in the self-drilling double-headed Bear Claw Hanger. Snap the Elephant Hook in place over the exposed collar. Swivel to desired angle and allow the weight of your item to lock into place. Comes in three finishes to match decor. For use indoor or outdoors, holds 100 lbs. in wood, 20 lbs. in drywall.



**HGH-EHO-N** Nickel



HGH-EHO-B Bronze



**HGH-EHO-W** White

#### **Push and Hang**

#### **HGSH-PSH-\***

- Material: Steel Plating
- Pushed directly into drywall
- · Creates an easy hanging surface
- · Sold in full cases only

Push and hang. Absolutely the simplest and easiest to use picture hanger on the planet! Simply push into drywall, no tools needed.

Part #	Size	Load Rating	Case Quantity
HGSH-PSH-S-100	9 x 26 mm	10 lbs.	100 pcs.
HGSH-PSH-S-1000	9 X 20 IIIII	10 105.	1000 pcs.
HGSH-PSH-L-100	16 x 35.5 mm	20 lbs.	100 pcs.
HGSH-PSH-L-1000	10 X 33.5 MM	20 105.	1000 pcs.





#### Furniture Anti-Tip Kit

#### **HGA-TK-400**

- Material: Steel
- · Aircraft grade steel cables
- Secures dressers, curio cabinet, chests and entertainment centers
- Load Rating: 400 lbs.
- · Also available for leaner mirrors

#### **Hardware Includes:**

- (2) #8 x 5/8" Screws
- (2) #8 x 1-1/2" Screws
- (2) Steel Brackets
- (2) Clevis Pins
- (2) Hair Pins
- (1) 6" Stainless Steel Cable

The Hangman Furniture Anti-Tip Kit consists of an aircraft grade steel cable that connects on one end to your furniture with a bracket installed into a stud on the wall. The cable prevents the furniture from tipping over. This kit is a leader in furniture safety.







#### No Stud TV Hanger

#### HGA-S2040-A

- Material: Aluminum
- Built-in level
- Hangs 26" 55" flat screen TV's
- 1" Clearance from the wall
- · No stud, no anchors required
- Won't damage walls, installs with tiny picture hanging nails
- Installs in 10 minutes
- Security cable included
- · Black anodized finish
- UL rated to hold 80 lbs.
- Easy tilt for access to cablesOnly tools required are a hammer
- and a screwdriver

   Bracket length is 18"

#### **Hardware Includes:**

- (1) 18"TV mount bracket
- (1) 18" wall bracket
- Hardware

HGA-S2040-A

The Hangman No Stud TV Hanger will hang any LED thin screen TV in less time than it takes to unpack it. Consists of two 18" interlocking aircraft-grade aluminum brackets. One bracket attaches to the back of the TV and the other bracket installs on the wall. Once installed a 1" clearance from the wall provides easy access and space for cords and cables. The wall track has a foam backing to minimize wall damage. Once removed all that is left behind are tiny pinholes that can be easily covered up. Comes in Black Anodize Finish. Patented & UL Rated.







#### **Gallery Track**

#### **HGGS-GT-\***

- Material: Aluminum
- Paintable

The Hangman Gallery Track is a part of Hangman's new gallery track system. They are a professional system that can be used at home or the office. Enjoy the ease of changing frames whenever you desire without damaging your walls. Available in 2', 3', 4', 6' and 8' lengths.





		Hardware Includes:
Part #	Length	(1) Connector, (1) Pair of End Caps, +
HGGS-GT-24	24"	(2) #8 x 1-1/2" Screws, (2) Anchors, (2) Sliders
HGGS-GT-36	36"	(2) #8 x 1-1/2" Screws, (2) Anchors, (3) Sliders
HGGS-GT-48	48"	(3) #8 x 1-1/2" Screws, (3) Anchors, (4) Sliders
HGGS-GT-72	72"	(3) #8 x 1-1/2" Screws, (3) Anchors, (6) Sliders
<b>HGGS-GT-96</b>	96"	(3) #8 x 1-1/2" Screws, (3) Anchors, (8) Sliders



#### **Accessories for Gallery Track**

#### **GALLERY HOOKS**

- Material: Chrome Plated Zinc
- Tension hooks grip when pulled down
- Push button to move upwards





#### **GALLERY WIRE**

- Material: Chrome Plated Zinc
- High Grade Wire
- Works only with our gallery track
- · Can be coiled to control length
- Available in 8' lengths



**HGGS-GT-8W** 8 ft. Length

#### GALLERY HANGING BRACKET

- Material: Chrome Plated Zinc
- Works only with our gallery track
- Slides left or right for positioning
- Holds our gallery track cables





#### GALLERY TRACK CONNECTOR

- Material: Chrome Plated Zinc
- · Makes aligning tracks easy



#### **GALLERY TRACK END CAPS**

- Material: Plastic
- · Gives a finished look



#### **Folding Brochure Holders**



- Holds 8-1/2" x 11" literature and brochures
- Locking mechanism will securely keep unit in upright position while in use
- Canvas carry bag included

#### **ZIG ZAG STYLE**

#### MATERIAL: Aluminum & Steel W/Acrylic Shelves

#### **Product Dimensions:**

 Set up:
 11-1/8"W x 57-1/4"H x 10-3/4"D

 Folded:
 11-1/8"W x 4-1/2"H x 15-3/4"D

 Shelves:
 10"W x 12-7/8"H x 1"Lip

**Shelf:** 1/8"Thick **Base:** 11-1/8"W x 15-3/4" D

Weight: 12 lbs.





	Number Of Literature	
Part #	Shelves	Finish
FBH-1	5	Brushed Aluminum

#### **VERTICAL STYLE**

#### **MATERIAL: Steel W/Acrylic Products**



#### **Product Dimensions:**

Set up: 10-1/4"W x 62"H x 11"D Folded: 10-1/4"W x 17-1/2"H x 11"D Pockets: 9-1/2"W x 14"H x 1-1/2"D Base: 10-1/2"W x 11"D

Weight: 12 lbs.



	Number Of Literature	
Part #	Shelves	Finish
FBH-2	4	Matte Silver

#### Flip Through Frame Displays

### MAKE THE MOST OUT OF VALUABLE RETAIL AND SHOWROOM SPACE WITH THESE READY TO USE ARTWORK, ADVERTISEMENT AND LITERATURE HOLDERS.

#### **OFFICE & RETAIL SERIES**

- Holds 8-1/2" x 11"
- Perfect for retail countertops or office environments when quick access to info is needed.



#### **WALL MOUNT UNIT**

#### **FTF-T291**

#### Material:

Cold Rolled Steel Frame

#### Features

- Powder coated black frame with assorted color framed protective sleeves
- Wall mount units can be mounted side by side for larger displays
- Snap on index tabs & mounting hardware included
- · No assembly required

#### **Maximum Number of:**

Double Sided Frames: 10 Images Displayed: 20

**Overall Size:** 10"D x 20"W x 12-1/2"H

Weight: 2 lbs.



#### **FLOOR STAND UNIT**

#### **FTF-T963**

#### Material:

Cold Rolled Steel Frame

#### Features:

- Powder coated black frame with black framed protective sleeves
- Assembly hardware included
- Some assembly required

#### **Maximum Number of:**

Double Sided Frames: 10 Images Displayed: 20


#### **Overall Size:**

15"D x 20"W x 54-1/2"H

Weight: 14 lbs.

#### Make Your Own Flip Frame Display!

Incorporate a Flip Frame into any display or any space where you need it! Ideal for displaying samples of Carpeting, Flooring, Tiles ...



Our self stick easel backs are attractive, sturdy and easy to use. Simply Peel and Stick.

SINGLE WING



#### **QUICK, EASY AND EXTREMELY ECONOMICAL!**

Single Wing

Jiligic Wilig		
Part #	Size	Color
L328-1233B	3″	White
L328-1234B	5"	White
L328-1230B	7"	White
L328-1231B	9"	White
L328-1232B	12"	White
L328-3303B	3"	Black
L328-3305B	5"	Black
L328-3307B	7"	Black
L328-3309B	9"	Black
L328-3312B	12"	Black



DOUBLE WING

Double Wing		
Part #	Size	Color
L328-1236B	7"	White
L328-1237B	9"	White
L328-1239B	15"	White

#### **Universal Counter Cards**

#### **FREE STANDING**

- Clear plastic sleeve covers
- Heavy White Boards
- Durable construction
- Self standing easel back

#### REAR VIEW







	Size
Part #	(W x H)
UNI-45	4" x 5"
<b>UNI-57</b>	5" x 7"
UNI-810	8" x 10"
UNI-8511	8.5" x 11"
UNI-912	9" x 12"
UNI-1014	10" x 14"
UNI-1114	11"x 14"
UNI-1117	11" x 17"
UNI-1215	12" x 15"
UNI-12175	12" x 17.5"
UNI-15175	15" x 17.5"
UNI-1620	16" x 20"
UNI-1722	17" x 22"
UNI-1824	18" x 24"

c:--

Measurements are width x height; if you need height x width, please inquire.

#### **Brochure Pockets**


#### **PEEL & STICK**



	Dimensions
Part #	(W x H x Inside Dim.)
POC-1	<b>Business Card Holder</b>
POC-2	3.5" x 4.25" x 1.25"
POC-3	4" x 4.25" x 1.25"
POC-4	4.5" x 4.25" x 1.25"
POC-5	5.5" x 4.25" x 1.25"
POC-6	6.5" x 4.25" x 1.25"
POC-8	8.5" x 8" x 1.25"

#### **Warehouse Price Tag** Job Ticket/Card Holder

#### **OPEN LONG SIDE CONFIGURATION (OSL)**



Part #	Dimensions	
CVP-1312-OSL <sup>^</sup>	6" x 4"	
CVP-1019-OSL	6-3/4" x 5"	
CVP-1249-OSL	8-7/8" x 5-1/2"	
CVP-1022-OSL	9" x 6"	
CVP-1210-OSL	12" x 9"	

#### **OPEN SHORT SIDE CONFIGURATION (OS)**



Part #	Dimensions
CVP-312-OS^	4" x 6"
CVP-019-OS	5" x 6-3/4"
CVP-249-OS	5-1/2" x 8-7/8"
CVP-022-OS	6" x 9"
CVP-210-OS	9" x 12"

- · Clear scan through
- Document Holder/Card Holder comes with two magnetic strips on back, (One strip for 4" x 6")
- Has an open top sleeve with 1/4" drop-down opening on short or long side with beaded edges and round corners.
- · Use on shelving racks, equipment, filing cabinets, etc.



^Comes with only one magnetic strip.

#### MATERIAL: GLOSSY SHATTER-PROOF PVC

#### Removable! Reusable! Affordable! Convenient!



Perfect for Stores,
Offices, Hotels,
Restaurants, Hospitals,
Schools, Libraries, banks,
Homes, Cars, etc...

#### Repositionable Adhesive

#### 2-Sided Window And Wall Sign Holders For Any Smooth Surface

- Stick-It & Sticky Sign works best when applied to clear, dry & smooth surfaces
- Molecular gel needs no tools, holes, screws, wires, accessories to hold firmly
- Instantly protecting & displaying sign in any orientation, on glass from both sides
- Removable holder/adhesive is reusable
- Adhesive is renewable rinse off dirt with water & air dry
- Minimize direct sun exposure & temperature above 120°F / 50°C



Stick-It			Graphic	Overall
Part #	Description	Thickness	Size	Size
PMF-2WH	White border on two short sides ^	.3mm	8-1/2" x 11"	8-1/2" x 13"

^ Other colors available- please inquire

#### Magnetic

- · Instantly protects & displays sign in any orientation on metal surfaces
- · Holds up to 10 sheets of 80gm paper
- · Removable & reusable
- · Easy load style



			Grapnic	Overali	
Part #	Description	Thickness	Size	Size	
TMF-7CL	Crystal clear magnetic backed pocket - easy load style	.55mm	8-1/2" x 11"	8-7/8" x 11-1/2"	

#### Attract attention to your advertisement by using one of these hanging ceiling solutions


#### **WORKS WITH STANDARD 1" CEILING GRID**

#### **Grid Clips / Hooks**

#### TWIST LOK CEILING CLIP

- Material: White Styrene
- Easy to remove and relocate
- Includes 6 ft. cord





#### TWIST-A CEILING LOOPS

- Material: White Styrene
- Easy to remove and relocate
- Large loop accommodates a variety of hanging devices

Part # 7100WH






#### **SNAP ON CEILING GRID CLIP**

- · Material: Clear ABS
- 3/4" x 3/4" Clip with 3/16" Diameter hole
- · Maximum 10 lb. weight capacity

Part # 70-CG



#### SECURE METAL TWIST CEILING LOOP CLIP

- · Material: White Painted Steel
- 1"W x 1-1/2" Long with 3/16" Diameter hole
- Fits most hooks






#### STURDY GRILL CEILING HOOKS

- · Material: Aluminum
- Hook measures 1-1/4" L x 1"W with 1/4" hook opening
- Use a right & left to create a strong hook
- · Use 2 rights or 2 lefts to create a closed-end hook


Part # CH-1R CH-2L



#### SNAP-EEZ™ HOOK HOLDER

- Material: White Styrene
- 1-1/4" x 7/8" Grid clip hook holder
- Works with slide hooks to hold graphics

Part # CH-7021



Part # CH-1000

#### SNAP-EEZ™ SLIDE HOOKS

- Material: Crystal Clear Lexan™
- Available in 4.5" or 16" Long hooks
- · Works with hook holder to hold and display graphics

Part #	Length		
CH-45	4.5" Long		
CH-16	16" Long		



#### · Material: White Styrene

- 1" x 1" Peel & Stick base pad with J-Style hook
- Can be used for vertical and horizontal applications

Part # 70-HK





#### **Universal Hooks / Clips**

#### **UNIVERSAL PLASTIC CEILING HOOK**

- · Material: White Styrene
- Barbed on one side and designed to work with standard ceiling grid but also attaches to pipes, cables, hooks, etc.
- Includes 6' Long white cord

Part # HWC-6



#### · Material: White Styrene

- 3/4" x 3/4" Peel & Stick base with 3/16" Diameter loop
- · Works with most hooks
- Can be used for vertical and horizontal applications

Part # 70-CL

6". 12". 18"







#### PLASTIC DOUBLE "C" HOOKS

- Material: Clear Polycarbonate
- 3/8" Hook opening on each end
- 5/32" Diameter
- Three Lengths: 6", 12", 18"
- · Works with any of our ceiling grid hooks



Part #	Length
RBS-6CL	6"
RBS-12CL	12"
RBS-18CL	18"

• SPRING TENSION CLIPS ARE EQUIPPED WITH SOCKET JOINT (S) THAT ROTATE AND TILT IN ALL DIRECTIONS • MADE OF CLEAR POLYCARBONATE (Except where noted differently)

#### Roto Clips Up To 3/8" Thick Material

#### **DOUBLE ROTO CLIP SIGN HOLDER**

- · Clips and holds material up to 3/8" thick.
- Clip is 3/4" W x 1-1/2" H
- Overall clip is 3-3/4" L

Part # RTC-10



#### **ROTO CLIP SIGN HOLDER**

- Clips and holds material up to 3/8" thick.
- Clip is 2"W
- Overall clip is 2-7/8"L

Part # RTC-20



#### **FLEXIBLE DOUBLE ROTO CLIP**

- Clips and holds material up to 3/8" thick.
- Clip is 3/4" W x 1-1/2" H
- Overall clip is 6" L

RTC-40



#### **ROTO CLIP EXTENDA SIGN HOLDER**

- Clips and holds material up to 3/8" thick.
- Clip is 1"W x 5/8" H
- Overall clip is 7-1/2"L

Part # RTC-30



#### Roto Clips Up To 1" Thick Material

#### **ROTO CLIP SENIOR SIGN HOLDER**

- · Sign holds material from .008" to .020" thick.
- Clip measures 2"W x 7/8"H
- Overall clip is 4" L



Part # RTC-50

#### **ROTO CLIP EXTENDA** SENIOR SIGN HOLDER

- Sign holds material from .008" to .020" thick.
- Sign holder measures 2"W x 7/8"H
- Overall clip is 6" L

Part # RTC-60



- 5-1/2" W x 3-1/2" H crystal clear sign holder holds



#### **ROTO CLIP EXTENDA PRINT PROTECTOR SIGN HOLDER**

- material up to 4"W x 2"H.
- Overall clip is 8-1/2" L



#### **ROTO CLIP MULTI-CHANNEL SIGNBOARD**

- Black plastic sign board holds one sign 4-1/16" H x 4" W or two signs 4"W x 2"H.
- Overall clip is 6" L

Part # RTC-39



#### **ROTO CLIP JUMBO SIGN HOLDER**

- Holds material up to 1/4" thick
- · Sign holder measures 3-1/8"W x 4-1/4"H.
- Overall clip is 4-1/4"L



#### **ROTO CLIP EXTENDA JUMBO SIGN HOLDER**

Super strong 3-1/8"W sign holder holds material up to 1/4" thick.

• Overall clip is 6-1/2" L



Part # RTC-80

#### **ROTO CLIP W/PRINT PROTECTOR SIGN HOLDER**

- Holds material 5-1/2"W x 3-1/2"H and up to 1/32" thick.
- Overall clip is 6-1/2" L



Part # RTC-35

#### **Surface Mount Roto Clips**

#### • SPRING TENSION CLIPS ARE EQUIPPED WITH SOCKET JOINT (S) THAT ROTATE AND TILT IN ALL DIRECTIONS MADE OF CLEAR POLYCARBONATE (Except where noted differently)

#### **ROTO CLIP** WITH SUCTION CUP

- Suction cup base with wobble extenda arm.
- Clips and holds material up to 3/8" thick.
- Clip is 3/4"W x 1-1/2"H
- Overall clip is 7" L

Part # RTC-90



#### **ROTO CLIP SIGN HOLDER** WITH PEEL AND STICK BASE

- 3-1/2" Diameter peel and stick base w/rotate and tilt capability.
- 3-1/2"W holds material up to 1/4" thick.
- Overall clip is 7" L

Part # RTC-75



#### **ROTO CLIP SPIRAL WIRE WITH MAGNET**

- Magnetic base with bendable white PVC wire clad completely bends and adheres to all steel surfaces.
- Clip holds material up to 1/32" thick.
- Overall clip is 12" L



Part # RTC-26

#### **Pear Clips**


#### For Banner Hanging or Sample Swatches

#### **STANDARD**

Material: Zinc Plated Steel










#### **THREADED LOCKING**

Material: Chrome Plated Steel



**GST-PEAR** 

#### **Metal Squeeze Clip**

- · Material: Steel
- 1-5/8"W x 3-3/8"L
- Easy squeeze clip for quick installation




T250

#### **Metal Sign Clip**

- Material: Zinc Plated Steel
- Fasten signage to clip
- Clip is 1"W x 1-3/4"H overall
- Fits up to .375" dia. wire
- 1/4" hole use RA-4375 rivet (see page B-16)

Part # SGN-CLP



#### S-Hooks

- · Material: Bright Plated Steel
- These hooks not only work with the above ceiling applications, but with wire, shelving, hooks, etc.

Part #	Size
T230	1" x .080 Dia.
T235	1-3/4" x .135 Dia.

