





The System  
with profile  
since 1965

# Introducing... Fabric Flex Framing System

For Silicone Edge  
Graphics (SEG)

Your Fabric...  
Our Framing System!












10 Aluminum Profile Options for  
Single, Double Sided Signage with or without LED Illuminations & Cube Application

**2 OPTIONS TO CHOOSE FROM!**


Buy Components In Bulk or Mitered Frames Shipped Knock Down  
*Please Inquire*



FRAME OPTIONS				MOUNTING OPTIONS				LIGHTING OPTIONS	
	Profile Width	Single	Double	FOGA® Exhibition	Free Standing Bases	Wall	Hanging	Illuminated	Non-Illuminated
 FSB01TX-CL	15.5mm (.61")	✓	×	×	×	✓	×	×	✓
 FSB41TX-CL	40mm (1.58")	✓	×	×	×	✓	✓	✓	✓
 FSB43TX-CL	40mm (1.58")	✓	✓	✓ For use with 194 Series	✓	×	✓	×	✓
 FSB92TX-CL	40mm (1.58")	✓	✓	✓ For use with 194 Series	✓	✓	✓	×	✓
 FSB80TX-CL	80mm (3.15")	×	✓	✓ For use with 80S	✓	×	✓	×	✓
 FSB81TX-CL	80mm (3.15")	✓	×	✓ For use with 80S	✓	✓	✓	✓	✓
 FSB150TX-CL	150mm (5.91")	✓	✓	×	✓	✓	✓	✓	✓
 FSB02TX-CL	n/a	✓	✓	×	×	×	×	✓	✓
For use with wood frames									
 FSB92LTX-CL	n/a	Cube		✓	×	×	✓	✓	✓
For 4-sided cubes & exhibition. Design assistance required									

## SEG Profiles

*All Dimension Are In Millimeters*



**FSB01TX-CL**





Part #	Finish	Length	Graphic Sides	Corner	Mounting Options
<b>FSB01TX-CL</b>	Clear Anodized Aluminum	8 Ft.	Non-Illuminated Single	FS613	Wall only Screw to the wall

**CONVERSION CHART**

MM	4	15.5	25.5
FRACTION	5/32"	39/64"	1"
DECIMAL	.16"	.61"	1"

**FSB41TX-CL**



Part #	Finish	Length	Graphic Sides	Corner	Mounting Options
<b>FSB41TX-CL</b>	Clear Anodized Aluminum	8 Ft.	Single Illuminated, Double Non-Illuminated	FS613	Freestanding, Wall or Hanging

**CONVERSION CHART**

MM	10	35.6	40
FRACTION	25/64"	1-13/32"	1-37/64"
DECIMAL	.394"	1.402"	1.58"

All Dimension Are In Millimeters




### CONVERSION CHART

MM	4	9	40
FRACTION	5/32"	23/64"	1-37/64"
DECIMAL	.16"	.35"	1.58"



### FSB43TX-CL



Part #	Finish	Length	Graphic Sides	Corner	Mounting Options
FSB43TX-CL	Clear Anodized Aluminum	16 Ft.	Non-Illuminated Single or Double	FS613	Floor, Hanging & Foga 194 Series




### CONVERSION CHART

MM	4	9	40
FRACTION	5/32"	23/64"	1-37/64"
DECIMAL	.16"	.35"	1.58"



### FSB92TX-CL



Part #	Finish	Length	Graphic Sides	Corner	Mounting Options
FSB92TX-CL	Clear Anodized Aluminum	16 Ft.	Non-Illuminated Double	FS614	Freestanding, Wall or Hanging




### CONVERSION CHART

MM	4	9	40	80
FRACTION	5/32"	23/64"	1-37/64"	3-5/32"
DECIMAL	.16"	.35"	1.58"	3.15"



### FSB80TX-CL




Part #	Finish	Length	Graphic Sides	Corner	Mounting Options
FSB80TX-CL	Clear Anodized Aluminum	16 Ft.	Non-Illuminated Double	FS614	Freestanding or Hanging



## SEG Profiles

### FSB81TX-CL




*All Dimension Are In Millimeters*

Part #	Finish	Length	Graphic Sides	Corner	Mounting Options
FSB81TX-CL	Clear Anodized Aluminum	8 Ft.	Single Illuminated, Double Non-Illuminated	FS613	Freestanding, Wall or Hanging

#### CONVERSION CHART

MM	3	4	14	20	80
FRACTION	15/128"	5/32"	35/64"	25/32"	3-5/32"
DECIMAL	0.1181"	.16"	.55"	.79"	3.15"

### FSB150TX-CL




Part #	Finish	Length	Graphic Sides	Corner	Mounting Options
FSB150TX-CL	Clear Anodized Aluminum	8 Ft.	Single Illuminated, Double Non-Illuminated	FS613	Freestanding, Wall or Hanging

#### CONVERSION CHART

MM	4	20	40	75	80	150
FRACTION	5/32"	25/32"	1-37/64"	2-61/64"	3-5/32"	5-29/32"
DECIMAL	.16"	.79"	1.58"	2.95"	3.15"	5.91"

All Dimension Are In Millimeters



## SEG Profiles


### FSB02TX-CL For Wood Frame Applications





#### CONVERSION CHART

MM	3	4	12	14	28
FRACTION	15/128"	5/32"	15/32"	35/64"	1-7/64"
DECIMAL	.1181	.16"	.472"	.55"	1.10"

Part #	Finish	Length	Graphic Sides	Corner	Mounting Options
<b>FSB02TX-CL</b>	Clear Anodized Aluminum	16 Ft.	Single or Double	Miter To Mount Inside Frame	Mounts Inside Your Own Frame



### FSB92LTX-CL



#### CONVERSION CHART

MM	17	40	57
FRACTION	11/16"	1-37/64"	2-1/4"
DECIMAL	.67"	1.58"	2.25"

Part #	Finish	Length	Graphic Sides	Mounting Options
<b>FSB92LTX-CL</b>	Clear Anodized Aluminum	16 Ft.	For Cubes	Hanging Options - Please Call To Discuss

#### Required Accessories

Part #	Description
<b>FS614</b>	Corner Coupling, 3 Per Corner Required
<b>FST92LTX</b>	Steel End Cap

## Accessories

### CORNERS

#### FS613

**Works With:**  
FSB01TX, FSB41TX, FSB81TX,  
FSB150TX (2 per corner required),  
FSB43TX



#### FS614

**Works With:**  
FSB92TX, FSB80TX, FSB92TX



### WALL BRACKET

#### FS520

**Works With:**  
FSB41TX, FSB81TX, FSB92TX,  
FSB80TX, FSB150TX




### SUPPORT BEAM KITS

#### FS01CL-KIT-8 (8 Ft. Length)

#### FS01CL-KIT-16 (16 Ft. Length)

8 Ft. or 16 Ft. Lengths

**Works With:**  
FSB01TX



**Consists of:**  
(1) FS01CL & (2) FS600QF  
-16 ft. kit includes (1) FS604 splice connector

#### FS90CL-KIT-8 (8 Ft. Length)

#### FS90CL-KIT-16 (16 Ft. Length)

8 Ft. or 16 Ft. Lengths

**Works With:**  
FSB92TX, FSB81TX, FSB150TX,  
FSB80TX, FSB43TX




**Consists of:**  
(1) FS90CL, (1) FS600QFL & (1) FS600QFR  
-16 ft. kit includes (1) FS609 splice connector

### SPLICE CONNECTOR

#### FS609QF

**Works With:**  
FSB81TX,  
FSB150TX



Spring  
loaded  
buttons

### BASES

#### FSB-2200B

Nominal  
17-3/4" x 3-3/4" x 3/16"  
Thick Rectangle

*Ideal for Signage Under  
8' High, Use Every 3'*



#### FSB-740B

Nominal  
16" x 16" x 3/16"  
Thick Square

*Ideal for Signage Over  
8' High, Use Every 3'*




### LOCKING HOOKS WITH CABLE

#### FWH-8-PC (8 Ft. Length)

#### FWH-15-PC (15 Ft. Length)

8 Ft. or 15 Ft. Lengths

**Works With:**  
FSB73TX, FSB92TX, FSB80TX, FSB81TX,  
FSB150TX, FSB04TX, FSB41TX



TOP FITTING  
(Polished Chrome)

8 FT. / 15 FT.  
STEEL CABLE  
(1.5mm Thick)

ADJUSTABLE  
CABLE HOOK  
(Polished Chrome)

#### GSH-8 (8 Ft. Length)

#### GSH-15 (15 Ft. Length)

8 Ft. or 15 Ft. Lengths

**Works With:**  
FSB73TX, FSB92TX, FSB80TX, FSB81TX,  
FSB150TX, FSB04TX, FSB41TX



2" STEEL  
LOOP

8 FT. / 15 FT.  
STEEL CABLE  
(1.5mm Thick)

ADJUSTABLE  
CABLE HOOK  
(Chrome Plated)




## 24V FAB LED STRIP

### 2 Powerful LED Options


#### Illuminates SEG Graphics Evenly Without Hot Spots

- Designed to fit inside the frame of FSB81TX and FSB150TX-CL.
- Comes complete with finger lift hi-tack acrylic permanent tape.

#### STANDARD



#### DELUXE



Specially designed lens  
spreads light evenly,  
creating no hot spots  
or shadows

To ensure even illumination, the Fab LED Strip  
should be spaced no more than 2" apart.  
Strip Distance: 2"


- The overall width of your frame should not exceed 96", but the brightness level is greatest at 50" or less.
- Do not exceed running more lights than suggested because of voltage drop. However, if you "split" the load using a 2-way connector then you can have more lights on each side. The 2-way connector requires 2 power linking cables (LED-FBF-PWL\*) that work with these lights.

### Lighting Specifications


Color Temperature	CW: 6000K-7000K
Beam Spread	40°
Initial Lumens	LED-FBF83-CW: 550-650 per ft. LED-FBF14-CW: 1000-1100 per ft. LED-FBF7-DLX-CW: 550-650 per ft. LED-FBF84-DLX-CW: 700-800 per ft. LED-FBF18-DLX-CW: 2000-2100 per ft.
Color Rendering Index	75+
Rated Average Life	30,000 hrs.
Constant	Voltage
Chip Size	SMD3535
Warranty	3 Years Limited

## Accessories


### Required




### Optional (Pick One Option)




### Optional



### Optional




### Required



## Required

### Power Supplies

LED-24V-2.5A-HWSL Is So Slim It Can  
Now Be Concealed Inside The SEG Frame



Part #	Type	Amps	Volts	Watts	Dimensions
LED-24V-2.5A-HWSL	Hardwire	2.5A	24V	60W	11.8" L x 1.25" W x 0.78" H
LED-24V-3A	Desktop	3A	24V	72W	4.68" L x 2.34" W x 1.48" H
LED-24V-4A	Desktop	4A	24V	96W	6.77" L x 2.83" W x 1.57" H
LED-24V-6A	Desktop	6A	24V	144W	6.77" L x 2.83" W x 1.57" H

For Product Details & More Power Options, See Pages R-133~R-137

Other Options: Plug In | Hardwire | Hardwire Dimmable | Rechargeable Battery

### Power Linking Cable


Required for power supplies,  
dimmers & multi output cables.



Part #	Works With	Description	Overall Length	Finish
LED-FBF-PWL18	FAB LED Strip	Power Link Cable	18"	Black
LED-FBF-PWL40	FAB LED Strip	Power Link Cable	40"	Black


## Optional

### Multi Output Cables



Part #	Description	Finish	Arms Size	# of Arms	Overall Length	Max # of Power Linking Cables
LED-2WAY-BK	2-Way Sweep	Black	3"	2	6-3/4"	2

### Connecting Cables



Part #	Works With	Description	Finish	Length
LED-FBF-CC-12	FAB LED Strip	Allows the designer to get around unlit areas without multiple power supplies	Black & Red	12"
LED-FBF-CC-18	FAB LED Strip		Black & Red	18"
LED-FBF-CC-40	FAB LED Strip		Black & Red	40"

### Wire Bushing



Part #	Color	Height	Width	Max. Panel Thickness
FSB-WB	Black	.500"	.465"	.156"




## LED Ladder Backlight System

**Available Lengths: Nominal 20" & 40"**


**Material: Aluminum with White Coating**

- Ultra Bright: Latest 2835 chip technology produces up to 1440 lumens per length.
- Works with FSB41TX-CL (See Page D-4), FSB81TX-CL & FSB150TX-CL (See Page D-6).
- Backlight as little as 1-1/2" depth without hotspots
- Easily connect ladders together for versatile sizing
- No heat sink required



**IP33 Ladder**

Limited Protection From Touch, Tools & Splashing Water




Part #	Color Temp	Description	# Of LED Chips	Total Wattage	Max # Can Connect
LED-LDR194-CW	Cool White	4- Row 19.69" Length	24	29	5
LED-LDR196-CW	Cool White	6- Row 19.69" Length	36	43	3
LED-LDR394-CW	Cool White	4- Row 39.37" Length	48	58	2.5
LED-LDR396-CW	Cool White	6- Row 39.37" Length	72	86	1.5


### Lighting Specifications

Color Temperature	CW: 6500K
Beam Spread	168°
Lumens	436 per ft.
Color Rendering Index	85+
Rated Average Life	50,000 hrs.
Constant	Voltage
Chip Size	2835

### Required



### Optional (Pick One Option)




### Required




## Required

### Power Supplies (IP20)



Part #	Type	Amps	Volts	Watts	Dimensions
LED-12V-6A	Desktop	6A	12V	72W	4.68"L x 2.34"W x 1.48"H
LED-12V-9A	Desktop	9A	12V	108W	6.77"L x 2.83"W x 1.57"H

**For Product Details & More Power Options, See Pages R-133~137**  
**Other Options: Plug In | Hardwire | Hardwire Dimmable | Rechargeable Battery**



## SEG Made Simple...and Beautiful!

**Stock Color: Silver Aluminum**

**Material: ABS**



Graphic NOT included



### Modular system - fast and easy to assemble

- No assembly tools needed. Snaps together instantly.
- Can be pressure fit, screw-secured, or glued.
- Corner pieces and T-Connectors make unlimited size and shapes easy.
- No mitered corners / all straight cut sides.
- Cut with any hand or power saw. Custom sizes a breeze!



Slide rails into corner brackets



Simply snap together corners

### Superior to Aluminum

- Lower total cost than aluminum.
- 100% MADE IN THE USA (PAT. pending)
- Lighter weight than aluminum - easier to ship and hang.
- Breaks down to shippable sizes - NO UPS/FedEx surcharge.
- No hidden hardware or cutting charges.

### Environmentally-friendly polymer

- ABS, Non-PVC recyclable polymer

### Enhances the value of complementary products:

- Ask us for a list of approved recommend textile media.
- Works with all Latex, Dye Sub, and Eco-Solvent printers.



Unlimited length with T-Connectors



Cleat for hanging frame on wall

### Add DESIGN to your SEG frames - wrapable, paintable, designable!

- Add color easily with common spray paint (Krylon Fusion 28 colors\*)
- Match customers logo or image color!
- Let your creativity flow! "Upsell" through beautiful design.




Krylon is a registered trademark of Sherwin-Williams\*



### Works great with KederTape™ - a complete simple solution

- Enter the SEG market NOW, with no equipment cost.

**NO SEWING NEEDED!**



## SEG Made Simple...and Beautiful!

**Stock Color: Silver Aluminum**

**Material: ABS**

- Fast & easy to assemble, no mitering!
- Paintable, wrappable...designable!
- Lightweight, easy to ship!
- No aluminum, no tools, no hassle!

### Buy SEG Modular Frames In Bulk!






Part #	Description	# Of Pieces Per Case
<b>BU-SEGD15-1824</b>	15mm frame, 18" x 24" O.A.	5
<b>BU-SEGD15-2436</b>	15mm frame, 24" x 36" O.A.	5
<b>BU-SEGD15-3648</b>	15mm frame, 36" x 48" O.A.	5



## Create Any Size Frame You Want!

### Buy SEG Components Separately in Bulk and Cut Size as Needed!

Part #	Description	# Of Pieces Per Case
<b>BU-SEGD15-R15</b>	15mm side rail, 15"	48
<b>BU-SEGD15-R21</b>	15mm side rail, 21"	48
<b>BU-SEGD15-R33</b>	15mm side rail, 33"	48
<b>BU-SEGD15-R45</b>	15mm side rail, 45"	48
<b>BU-SEGD15-R110</b>	15mm side rail, 110"	60
<b>BU-SEGD15-CORNER</b>	15mm 90° corner	48
<b>BU-SEGD215-STRCON</b>	15mm internal corner	48
<b>BU-SEGD15-TCON</b>	15mm t-connector	48
<b>BU-SEGD215-STRCON</b>	15mm straight connector	48
<b>BU-SEGD15-CLEAT</b>	15mm wall cleat	48



When ordering, take overall frame size and subtract 3" from each rail. (ie) 18" - 3" = 15" rail, 24" - 3" = 21" rail. The 90° corners add 3" to meet overall frame dimension of 18" x 24".



## Make Silicone Edge Graphic (SEG) Signs without sewing by using KederTape™!

KederTape™ is a high-quality keder that is laminated with a premium pressure sensitive adhesive which allows the product to be "peel and stick" applied to textiles for SEG (Silicone Edge Graphic) applications. KederTape™ adhesive has been engineered to aggressively adhesive to textiles.






- 1.875" x 3.875" clear tab, folds to 1.875" square shape
- Works great both at corners and along banner edges
- BravoTabs® are a great grommets/eyelet replacement
- Faster to install translates to lower cost
- No neck loop for improved appearance
- Crystal clear banner tab, allowing your color graphics to shine through




## Crystal Clear BravoTabs® A Stronger Grommet / Eyelet!



**One Size Fits All - Corner and Edges**



BravoTab® Corner Mount



BravoTab® Edge Mount





4 clear tabs per sheet

Part #	# Of Pieces Per Case
<b>BU-BAN017</b>	500



- 1.5" x 3.125" clear tab, folds to 1.5" square shape
- Perfect for hanging posters & indoor banners
- Apply to corners of plastic film and then secure using a rope or stake through the center hole
- 2000 Tabs per dispenser roll; roll liner is perforated every four tabs
- Our most economical tab

## Clear Polytabs for high volume jobs



Part #	# Of Pieces Per Case
<b>BU-BAN062</b>	2000



## Clear PowerTape® Reinforce banner edges without folding or sewing a hem

- 1.5" wide, 36 yard clear roll
- Use PowerTape® to create a super strong banner of any length
- Single-sided super strong film. No need to fold hem
- Duplicates the strength of folded hem and double sided banner tape, but eliminates the hassle!
- Eliminate the risk of damage to image by post-print sewing
- Create a perfectly sharp digital banner. No rippled hem
- Fabricate a mighty banner in only 3 minutes



Part #	# Of Rolls Per Case
<b>BU-PTAPECLEAR</b>	5

## TRY A BANNER UPS® STARTER KIT

Enough for about 20 banners, The Starter Kit will let you give **Banner Ups®** a good trial and find out why so many banner makers LOVE **Banner Ups®** when it comes to custom banner finishing products!



### 100 Banner Ups® Crystal Clear BravoTabs®

Square shape works great on banner edge or corners. Durable for outdoor use.  
Use with PowerTape for banners over 6 ft.

### 1 roll of Banner Ups® Clear PowerTape®

Super-strong single sided hem tape. No folding of hem required! Perfect for double-sided banners.

### 1 Banner Ups® PowerPunch®

Perfectly sized heavy duty hole punch. Tough enough to cleanly punch tab, tape, and media.  
Great for punching 4mm corrugated plastic or foam board too!

**BU-STARTKT4AS**





## Ultra High Strength Double Sided Clear MegaTape®

**Banner hem tape that withstood winds up to 108 MPH!**

- 1.5" wide, 30 yard double sided clear roll
- Double sided banner hem reinforcing tape that is made of a super strong film
- Wind tunnel tested - improved MegaTape® banner hem tape withstood winds up to 108 MPH!
- Clear film is less visible / more attractive when used in mesh banners
- Produces a fold-finished banner edge
- Easy to apply banner hem tape. Wears like steel!
- Much cleaner appearance and twice as strong as ordinary double sided banner hem tape.



Part #	# Of Rolls Per Case
BU-MEGATAPE-CL	5



## Premium Double Sided Clear TigerTape™

**High-performance banner hem tape**

- 1" wide, 36 yard length double sided roll
- Double coated polyester (PET) carrier film (.005") on both sides with high deposition of a high tack acrylic pressure sensitive adhesive (PSA)
- A high performance banner hem tape specifically designed for the most demanding bonding applications
- Provides a permanent bond of foams, plastics, metal and composite materials subjected to a broad range of environmental conditions
- Highly UV, temperature and plasticizer resistant making it ideal for banner hemming applications




Part #	# Of Rolls Per Case
BU-TIGTAPE1036	12



## PowerPunch® -

**The perfect punch for Powertabs®**

- Powerful and durable, lightweight to handle
- Portable and much less expensive
- Cut cleanly through tabs, PowerTape® and banner media
- Cuts a 5/16" banner hole
- Easily punch holes in 4mm corrugated plastic and foamboard without deforming the board



Part #
BU-PPUNCH



## Let Our Simple Concept Form Your Great Idea!

Our Aluminum Framing System is Available in 3/4", 1" & 1-1/2" Square Tubing and corresponding Tubing Connectors & Accessories



### Great For:

- ★ **Tradeshows**
- ★ **Greenhouses**
- ★ **Menus**
- ★ **Signs**

**IDEAL FOR  
INDOOR &  
OUTDOOR USE!**



To enhance our Aluminum Framing System, we offer full services from design to production. We can help with your design, choosing the most cost effective profiles and connectors, figuring the overall sizes for the highest yield from stock lengths, to packing your order for shipment.

Our experienced design staff can work with the simplest drawings to the newest CAD drawings to produce an aesthetically pleasing, totally functional final product. Our Fabrication Department can cut all tubing to size, notch flanges, and drill or punch holes to exacting standards so the fit and finish is unmatched. Finally, we can help with packing your order so it arrives in excellent condition.

## Great Ideas Need Accessories!

**Shown 1" Tubing with Cladding Fittings & Wide Variety of LED Lighting Options**



For more information go to [www.outwater.com](http://www.outwater.com) (see lighting)




## 3/4" Square Aluminum Tubing

Lengths: 8 Ft.

### Square Tube


Wall Thickness: .050



Part #	Finish	Length
AT24-2BK-8	Black	96"
<b>New</b> AT24-2BK-92	Anodized	92-1/2"
AT24-2CL-8	Clear Anodized	96"

### 3/8" Flange


Wall Thickness: .050



Part #	Finish
AT24-3BK-8	Black Anodized
AT24-3CL-8	Clear Anodized

### 3/8" 90° Flange

Wall Thickness: .050



Part #	Finish
AT24-4BK-8	Black Anodized
AT24-4CL-8	Clear Anodized

*Clear anodized finish is suitable for indoor and outdoor use. Black for indoor only.  
For any quantities less than 120 ft. add 15% to the 120 ft. price*

## 3/4" Tubing Connectors & Accessories

**Material:** Dupont™ Super Toughened Nylon  
Available in Black or Grey



### 2Way Right Angle Connector

Part #	Finish
F24521BK	Black
F24521GY	Grey

### Straight Base Connector



Part #	Finish
F245323BK	Black
F245323GY	Grey

### Perpendicular Joiner/Splicer For 3/4" At Tubing W/3/4" Long Self Tapping Screw

**ALLOWS TO ATTACH ANY TUBING AT A PERPENDICULAR ANGLE**



Part #	Finish
F245112MCBK	Black
F245112MCGY	Grey



### 3Way Tee Connector

Part #	Finish
F24532BK	Black
F24532GY	Grey

### 4Way Connector



Part #	Finish
F24545BK	Black
F24545GY	Grey



### End Cap

**Material:**  
Low-Density Polyethylene

Part #	Color
DNW-S24-BK	Black

### Cavity Insert For 3/4" Connector Legs

This accessory fits any 3/4" connector increasing surface area for a tighter fit



Part #	Finish
F24007BK	Black
F24007GY	Grey

### 3Way Corner Connector



Part #	Finish
F24533BK	Black
F24533GY	Grey



### Straight Connector



Part #	Finish
F24500BK	Black
F24500GY	Grey

### 4Way Cross Connector



Part #	Finish
F24544BK	Black
F24544GY	Grey



### 5Way Connector

Part #	Finish
F24558BK	Black
F24558GY	Grey

### 6Way Connector



Part #	Finish
F24568BK	Black
F24568GY	Grey



# Aluminum Framing System

## 1" Square Aluminum Tubing *Wall Thickness: .044"*

Lengths: 8 Ft.


### Double Channel 90° Fits 1/8" Panel



**Part #**  
**AT-14CL-8**

**Finish**  
Clear  
Anodized


### Single Channel With 1/4" Flange Fits 1/8" Panel



**Part #**  
**AT-15CL-8**

**Finish**  
Clear  
Anodized


### Single Channel Fits 1/8" Panel



**Part #**  
**AT-17CL-8**

**Finish**  
Clear  
Anodized


### Single Channel With 1/4" Flange Fits 1/4" Panel



**Part #**  
**AT-16CL-8**

**Finish**  
Clear  
Anodized


### Single Channel Fits 1/4" Panel



**Part #**  
**AT-18CL-8**

**Finish**  
Clear  
Anodized

### 1/4" Flange



**Part #**  
**AT-19CL-8**

**Finish**  
Clear  
Anodized

*For any quantities less than 120 ft. add 15% to the 120 ft. price*

## Sliding Door Track

Peel & Stick Adhesive

**NOTE:**  
Rough Opening  
Less 7/8" = Door Size

1 Roller  
Per Running  
Foot Included

**Styrene Track  
W/Rollers &  
Peel-N-Stick  
Adhesive**

**Colors Available**  
\*BK - Black \*SG - Silver Gray

Peel & Stick  
Adhesive Mount  
to AT Tubing on  
*page B-19*

With Adhesive - Available  
In 4 & 8 Ft. Lengths

Part #	Length
<b>MT38-A4*</b>	4 ft.
<b>MT38-A8*</b>	8 ft.

*For any quantities less than 120 ft. add 15% to the 120 ft. price*

## Plastic Finger Pulls

With high quality pressure sensitive adhesive backing. No holes to drill. Peel off protective backing paper and apply directly to surface of glass.



Part #	Finish
<b>170-BK</b>	Black
<b>170-CL</b>	Clear

**Packed 100 pieces per carton.**  
**Broken box fee (BB2) for less than full carton.**




## 1" Square Aluminum Tubing *Wall Thickness: .065"*

Lengths: 8 Ft.


**We Can  
Cut To Size -  
Please Inquire**

### Square Tube



AT-2CL-8

AT-2BK-8



Part #	Finish
AT-2CL-8	Clear Anodized
AT-2BK-8	Black Anodized


### 5/8" Flange




Part #	Finish
AT-3CL-8	Clear Anodized
AT-3BK-8	Black Anodized




### Single Channel Fits 7/32" Panel




Part #	Finish
AT-6CL-8	Clear Anodized
AT-6BK-8	Black Anodized



### 5/8" 90° Flanges




Part #	Finish
AT-4CL-8	Clear Anodized
AT-4BK-8	Black Anodized




### 5/8" 180° Flanges




Part #	Finish
AT-5CL-8	Clear Anodized
AT-5BK-8	Black Anodized




### Double Channel 180° Fits 1/4" Panel




Part #	Finish
AT-7CL-8	Clear Anodized
AT-7BK-8	Black Anodized



### Triple Channel Fits 1/4" Panel



Part #	Finish
AT-8CL-8	Clear Anodized
AT-8BK-8	Black Anodized




### Slotted 1" Tubing



Part #	Finish
AT-9CL-8	Clear Anodized
AT-9BK-8	Black Anodized

*Slots are 1/8" x 1/2"-1" on center for hardware support*



**MAY BE USED WITH:**

### Steel Shelf Brackets



**Tap-In**

Part #	Description	Finish/Color
<b>Tap-In - .080 Thick Material</b>		
6KB-BC	6" Long Bracket	Bright Chrome
6KB-AL	6" Long Bracket	Almond
6KB-BK	6" Long Bracket	Black
8KB-BC	8" Long Bracket	Bright Chrome
8KB-AL	8" Long Bracket	Almond
10KB-BC	10" Long Bracket	Bright Chrome
12KB-BC	12" Long Bracket	Bright Chrome
12KB-BK	12" Long Bracket	Black
12KB-SC	12" Long Bracket	Satin Chrome
14KB-BC	14" Long Bracket	Bright Chrome
14KB-AL	14" Long Bracket	Almond
14KB-WH	14" Long Bracket	White
16KB-BK	16" Long Bracket	Black
16KB-WH	16" Long Bracket	White
16KB-BC	16" Long Bracket	Bright Chrome

### **Note: For All Tubing**

**Clear anodized finish is suitable for  
indoor and outdoor use.  
Black for indoor only.**

**For any quantities less than 120 ft. add  
15% to the 120 ft. price**

## 1" Tubing Connectors & Accessories

**Material:** Dupont™ Super Toughened Nylon  
Available in Black or Grey

### 2Way Right Angle Connector



Part #	Color
<b>F521BK</b>	Black
<b>F521GY</b>	Grey

### 3Way Tee Connector



Part #	Color
<b>F532BK</b>	Black
<b>F532GY</b>	Grey

### \*\* 3Way Connector w/Heavy Duty Caster Socket



**\*\*NOTE:** #F533C will accept a 3/8" diameter x 1" long friction fit caster stem (not included)  
*See Below for Caster*

Part #	Color
<b>F533C/BK</b>	Black
<b>F533C/GY</b>	Grey

### 3Way Corner Connector



Part #	Color
<b>F533BK</b>	Black
<b>F533GY</b>	Grey

### 4Way Cross Connector



Part #	Color
<b>F544BK</b>	Black
<b>F544GY</b>	Grey

### 4Way Connector



Part #	Color
<b>F545BK</b>	Black
<b>F545GY</b>	Grey

### 3Way Connector w/2-3/8" Dia Caster w/Friction Ring Stem



#### Without Brake

Part #	Color
<b>F533C/BK-CST</b>	Black
<b>F533C/GY-CST</b>	Grey

#### With Brake


Part #	Color
<b>F533C/BK-CSTB</b>	Black
<b>F533C/GY-CSTB</b>	Grey

### 5Way Connector



Part #	Color
<b>F568BK</b>	Black
<b>F568GY</b>	Grey

### 6Way Connector



Part #	Color
<b>F568BK</b>	Black
<b>F568GY</b>	Grey

### 3Way Connector w/Leveler 1/4-20 x 1" Long



1-3/8" Base Dia.  
w/Thread Stem  
& Insert

Part #	Color
<b>F533C/BK-LEV</b>	Black
<b>F533C/GY-LEV</b>	Grey

## 1" Tubing Connectors & Accessories

**Material:** Dupont™ Super Toughened Nylon  
Available in Black or Grey

### 90° Base Connector



Part #	Color
<b>F5323SPBK</b>	Black
<b>F5323SPGY</b>	Grey

### Straight Base Connector



Part #	Color
<b>F5323BK</b>	Black
<b>F5323GY</b>	Grey

### Perpendicular Joiner/Splicer For 1" AT Tubing with 1 x #8 3/4" Long Self Tapping Screw

ALLOWS TO ATTACH  
ANY TUBING AT A  
PERPENDICULAR  
ANGLE!



### The Invisible Coupling



Part #	Color
<b>F5101BK</b>	Black
<b>F5101GY</b>	Grey

### Straight Connector



Part #	Color
<b>F500BK</b>	Black
<b>F500GY</b>	Grey


### Stack Plug For Use With F533C Connector

GREAT FOR  
STACKING CASES!



Part #	Color
<b>F4PSPGY</b>	Grey

### All Metal Heavy Duty Shelf Rest For Glass Or Wood Shelving



Part #	Finish
<b>F514BK</b>	Black Anodized
<b>F514CL</b>	Clear Anodized

### End Cap




**Material:**  
Low-Density  
Polyethylene

Part #	Color
<b>SHK-32S-BK</b>	Black

### U-Clip


4" Lengths

Aluminum Material - Satin Finish



**FMJ557-4-S**

Fits over AT tubing  
- will hold fabric,  
plastic sheeting and  
netting in place!



### Cavity Insert For 1" Connector Legs

This accessory fits any 1"  
connector increasing surface  
area for a tighter fit



Part #	Color
<b>F007BK</b>	Black
<b>F007GY</b>	Grey

# Aluminum Framing System

## 1" Tubing Connectors & Accessories

**Fits 1" Tube &  
Holds 1/4" Panel  
Cladding Rigid Vinyl**

*Available in Clear*  
**Material:** PVC 12' lengths



*Shown in Black  
(no longer available)*

Part #	Finish
109-CL	Clear



**Casing Trim**



*All cast trim  
sides can come  
apart for easy  
access to insert  
or remove  
signage*



*Cast trim with  
adhesive tape  
is shown  
attached to  
our 1" tubing*

**Casing Trim For  
1/4" Panels 1" Base**  
*Available in Black or Nickel*

**With Adhesive Tape**  
**Material:** PVC 6' lengths



Part #	Finish
CT8NC	Nickel
CT8BK	Black

**Casing Trim for  
1/2" Panels 1" Base**  
*Available in Black or Nickel*

**With Adhesive Tape**  
**Material:** PVC 6' lengths



Part #	Finish
CT16NC	Nickel
CT16BK	Black

**Casing Trim for  
3/4" Panels 1" Base**  
*Available in Black or Nickel*

**With Adhesive Tape**  
**Material:** PVC 6' lengths



Part #	Finish
CT24NC	Nickel
CT24BK	Black

*For any quantities less than 120 ft. add 15% to the 120 ft. price*


**Material:** Dupont™ Super Toughened Nylon  
Available in Black or Grey

**Adjustable 2Way Connector**

**Material:** PVC

15° Incremental locking from  
90° to 180° for 1" Tubing

Part #	Finish
FJ22BK	Black
FJ22GY	Grey



**Adjustable Tee Style  
Connector With  
Rotating Base  
Vertical/Horizontal  
For 1" Tubing**

**Material:** PVC

Part #	Finish
FJ32BK	Black
FJ32GY	Grey

**Adjustable 2Way In-Line  
Base Connector**  
**For 1" tubing to connect  
with another tube  
at multiple angles**


**Material:** PVC

Part #	Finish
FJ31BK	Black
FJ31GY	Grey



**Adjustable 2Way  
Connector  
W/Locking Nut  
For 1" Tube**

**CAPABLE OF  
280° RADIUS**




Part #	Color
F52AJNBK	Black
F52AJNGY	Grey




## 1-1/2" Heavy Duty Aluminum Tubing

Wall Thickness: 1/8" • Lengths: 8 Ft.



AT48-2CL-8

AT48-2BK-8



Part # Finish

AT48-2CL-8 Clear Anodized

AT48-2BK-8 Black Anodized

*Clear anodized finish is suitable for indoor and outdoor use. Black for indoor only.  
For any quantities less than 120 ft. add 15% to the 120 ft. price*

## 1-1/2" Tubing Connectors & Accessories

**Material:** Dupont™ Super Toughened Nylon  
Available in Black or Grey

*Connectors fit any 1-1/2" O.D. Aluminum or Steel Tubing with 1/8" wall thickness*



**2 Way  
Right Angle  
Connector**

Part #	Color
F48521BK	Black
F48521GY	Grey

**3 Way  
Corner  
Connector**



Part #	Color
F48533BK	Black
F48533GY	Grey

**Straight  
Connector**



Part #	Color
F48500GY	Grey
F48500BK	Black



**3 Way Tee  
Connector**



Part #	Color
F48532BK	Black
F48532GY	Grey

**End Cap**



**Material:**  
Low-Density Polyethylene

Part #	Color
SHK-48S-BK	Black

**4 Way  
Connector**



Part #	Color
F48545BK	Black
F48545GY	Grey

**Perpendicular Joiner/Splicer  
with 4 x #10 1-1/4" Long Self Tapping Screws**



Part #	Color
F485112MCBK	Black
F485112MCGY	Grey



## PROTOTYPE SAMPLES

*We are happy to provide samples for prototypes & design builds.  
- Please Inquire*


## Any Angle, Any Panel, Any Display



- Join panels in thicknesses ranging from 1/8" to 3/4"!
- The Klem® connector makes it easy to create angles from 90° to 270°!
- Ideal for straight or curved walls, prisms, squares, cubes, pyramids, domes or any type of display!
- Made of nickel plated zinc alloy and synthetic rubber inserts. The Klem® connector provides great strength and long term durability.
- Standard gap between panels  
**Mini:** 1/2"  
**Super:** 3/4"
- To Close gap between panels, Notch the panels  
**Mini:** 1/4" x 15/16"  
**Super:** 5/16" x 1-3/8"



MULTIPLE PANELS



SHOWCASE



PARTITION



BMW SHOWROOM IN AUSTRIA



MUSEUMS & GALLERIES



TRADE SHOWS



**ANY PANEL! ANY ANGLE! ANY DISPLAY!**

**MINI klem®**

For panel thicknesses from 1/8" to 5/16"

Part #

**7123M-\***

**\* Please specify panel size**

**2 = 1/8", 4 = 3/16", 6 = 1/4", 8 = 5/16"**

**Example: for 1/4" panels, Part# is 7123M-6**



**SUPER klem®**

For panel thicknesses from 1/4" to 3/4"

Part #

**7123S-\***

**\* Please specify panel size**

**6 = 1/4", 10 = 3/8", 12 = 1/2", 16 = 5/8", 19 = 3/4"**

**Example: for 1/2" panels, Part# is 7123S-12**



**BODIES ONLY**  
without inserts

**MINI KLEM**  
**7123M**




Fits 3/4" Tubing

**SUPER KLEM**  
**7123S**

Fits 1-1/8" Tubing

**BODY WITH LEVELING FOOT**

**MINI KLEM**  
**7123M-LF**



To be used with a single insert or tubing

**SUPER KLEM**  
**7123S-LF**

**INSERT PAIRS ONLY**

**MINI KLEM**  
**0802PR = 1/8"**  
**0804PR = 3/16"**  
**0806PR = 1/4"**  
**0808PR = 5/16"**



**SUPER KLEM**  
**0206PR = 1/4"**  
**0210PR = 3/8"**  
**0212PR = 1/2"**  
**0216PR = 5/8"**  
**0219PR = 3/4"**

**BODY WITH TWIN WHEEL CASTER w/BRAKE**

**MINI KLEM**  
**7123M-CSTR**



Caster Diameter is 2" - Load Rating = 75 lbs per caster  
To be used with a single insert or tubing

**SUPER KLEM**  
**7123S-CSTR**

**SINGLE INSERTS ONLY**

**MINI KLEM**  
**0802 = 1/8"**  
**0804 = 3/16"**  
**0806 = 1/4"**  
**0808 = 5/16"**



To be used when connecting panels

**SUPER KLEM**  
**0206 = 1/4"**  
**0210 = 3/8"**  
**0212 = 1/2"**  
**0216 = 5/8"**  
**0219 = 3/4"**

**BODY WITH WALL MOUNT**

**MINI KLEM**  
**7123M-WM**



To be used with a single insert or tubing

**SUPER KLEM**  
**7123S-WM**

**TUBING INSERTS ONLY**

**MINI KLEM**  
**0713**  
**1/2" ROUND TUBING**



To be used when connecting tubes.

**SUPER KLEM**  
**0320**  
**3/4" ROUND TUBING**

**HEX KEY**

**MINI KLEM**  
**0160**



**SUPER KLEM**  
**0170**

**NUTS AND BOLTS**

**MINI KLEM**  
**7123M-NB**




**SUPER KLEM**  
**7123S-NB**

**MANY CONNECTION OPTIONS!**



**TUBE TO TUBE**



**TUBE TO PANEL**



**3-WAY PANEL**



**4-WAY PANEL**



**CASTER**



**LEVELING FOOT**




**WALL MOUNT**





# Classic Urn Stanchions

## WITH CRUSHED VELOUR OR BRAIDED ROPE GUIDANCE



Part #	Finish
<b>CLS-609-SS</b>	Satin Stainless
<b>CLS-609-BR</b>	Polished Brass
<b>CLS-609-CH</b>	Polished Chrome

**Packed 2 Per Carton. Broken Box Fee**



## WALL PLATE

- 1-5/8" Square with 2 Countersunk Holes
- Overall Height: 1.40"
- Thickness: 1/4"



Part #	Finish
<b>CLS-WP-BR</b>	Polished Brass
<b>CLS-WP-CH</b>	Polished Chrome

**Screws with Anchors Included**

## CRUSHED VELOUR



- Rope Dia.: 1-1/2"
- Metal Connector Diameter: 1-3/4"

### Premium Ropes With Weighted Chain

Part #	Style	Length
<b>CLS-RP4-</b>	Velour	4 ft.
<b>CLS-RP6-</b>	Velour	6 ft.

### Economy Ropes

Part #	Style	Length
<b>CLS-RP6E-</b>	Velour	6 ft.

**^ Available in Black, Blue & Burgundy**

## ROPES

### SNAP HOOK FINISH

Polished Chrome (CH)

Polished Brass (BR)

## BRAIDED



Part #	Style	Length
<b>CLS-BRD4-</b>	Braided	4 ft.
<b>CLS-BRD6-</b>	Braided	6 ft.


- Rope Dia.: 1-1/8"
- Metal Connector Diameter: 1-1/4"

**NOTE:** Please add appropriate color code & finish code to part # when ordering.  
(Example: CLS-RP4-BRG-BR = 4 ft. Velvet Rope, Burgundy with Brass Hooks)



## RETRACT-IT II

Black Powder Coated or Chrome Plated Stanchions  
with Polyester Retractable Belt




### BELT COLORS:

BLACK

RED

BLUE



### ★ PRODUCT FEATURES:



★ **NON-MARRING RUBBERIZED FLOOR RING WITH A CORROSION RESISTANT GALVANIZED STEEL BASE**

★ **ANTI-TAMPER SECURITY LATCH**



★ **BUILT-IN 4-WAY ADAPTOR EXPANDS YOUR CONFIGURATION POSSIBILITIES**

**BONUS  
FEATURE**


★ **WORKS WITH ALL MAJOR BRANDS OF STANCHIONS, ADD ON & SAVE!**

★ **SHIPS KNOCK DOWN IN A UPS SIZE CARTON!**

Part#	Post Finish	Belt Color
<b>RCT2-BLK-BLK</b>	Black Powder Coated	Black
<b>RCT2-BLK-RED</b>	Black Powder Coated	Red
<b>RCT2-BLK-BLU</b>	Black Powder Coated	Blue
<b>RCT2-CHR-BLK</b>	Polished Chrome	Black
<b>RCT2-CHR-RED</b>	Polished Chrome	Red

**PACKED 2 PER CARTON - BROKEN BOX FEE (#BB10)**

### WALL MOUNT BELT



**RCT2-WALL-\***

**SET DOES NOT INCLUDE RCT2-PLATE**

**\*(Red, Black & Blue)**

### WALL MOUNT PLATE

To be used w/stanchions



### 2-SIDED SIGN HOLDER

**WORKS WITH RETRACT-IT II**

Holds 8.5" x 11" sign  
with no-glare plastic protective plastic sheet



**RCT2-SIGN**

### POP BOWL

**WORKS WITH RETRACT-IT II**

Acrylic display bowl with aluminum axle and pull cap

Width: 13-3/8"  
Height: 5-5/16"



**RCT2-BOWL-2**

*Perfect for impulse buy items*



## Wood Stanchions



WS-223-BR  
shown

- Furniture Grade Quality
- Solid Red Oak with English Oak Stain
- Durable commercial grade finish
- Handcarved
- Pre-finished & sealed with a hand rubbed teak oil.
- Works with all standard ropes
- Exquisite Craftsmanship
- 72 Combinations
- Ships UPS
- Ropes attach at a 36 inch height

*Comes with choice of  
Brass Ring or Chrome Ring*



Brass Ring  
(BR)

Chrome  
Ring (BC)

## Ropes




See page D-25 for more  
information on ropes

Crushed  
Velour

Braided




## SQUARE EGG AND DART BASE




**WS-133-BR**  
**WS-133-BC**

Overall  
Height: 41"  
Weight:  
14 lbs.



**WS-223-BR**  
**WS-223-BC**

Overall  
Height: 41"  
Weight:  
14 lbs.



**WS-413-BR**  
**WS-413-BC**

Overall  
Height: 39"  
Weight:  
14 lbs.


Material: Solid Red Oak  
Stain: Medium English Oak  
Base: 12" Square

## PLAIN ROUND BASE




**WS-132-BR**  
**WS-132-BC**

Overall  
Height: 41"  
Weight:  
15 lbs.



**WS-222-BR**  
**WS-222-BC**

Overall  
Height: 41"  
Weight:  
15 lbs.




**WS-312-BR**  
**WS-312-BC**

Overall  
Height: 39"  
Weight:  
14 lbs.

Material: Solid Red Oak  
Stain: Medium English Oak  
Base: 13-3/4" Diameter

## ROUND ACANTHUS LEAF BASE



**WS-121-BR**  
**WS-121-BC**

Overall  
Height: 41"  
Weight:  
15 lbs.



**WS-211-BR**  
**WS-211-BC**

Overall  
Height: 41"  
Weight:  
14 lbs.



**WS-331-BR**  
**WS-331-BC**

Overall  
Height: 39"  
Weight:  
15 lbs.

Material: Solid Red Oak  
Stain: Medium English Oak  
Base: 13-3/4" Diameter


## PLASTIC STANCHIONS WITH BASE

### "Crowd Control In A Box"



Part #	Color
<b>SNB-40BK-KIT</b>	Black
<b>SNB-40WH-KIT</b>	White

- Kit Includes: - 4 plastic stanchions (2-1/2" diameter x 40" high with 14" diameter base).  
(3" diameter for polished chrome).
- 1 C-hook assembly included with each stanchion.
- 33' x 1-1/2" plastic chain (\*32' in polished chrome).
- Recommended maximum distance should not exceed 8' between stanchions.
- For added support, it is recommended that the base be filled with sand.



Plastic chain easily connects to C-hook assembly.

Remove cap to slip chain through or to connect the optional signage adaptor.




See bottom for optional sign adaptor

Part #	Description	Color
<b>SNB-40PC-KIT</b>	4 Stanchions & 32 ft. of chain	Polished Chrome
<b>SNB-40PC-KITNC</b>	4 Stanchions without chain	Polished Chrome

## PLASTIC STANCHIONS WITH BASE

### Great For Most Control Needs!




- Recommended maximum distance should not exceed 8' between stanchions
- For added support, it is recommended that the base be filled with sand
- One C-hook assembly included with each stanchion  
(C-Hook NOT removable on SNB-40PC)

Part #	Color	Description
<b>SNB-40BK</b>	Black	40"H x 2-1/2 Dia.
<b>SNB-40WH</b>	White	40"H x 2-1/2 Dia.
<b>SNB-40PC</b>	Polished Chrome	40"H x 3" Dia.

Other colors available - please inquire

## PLASTIC LANDSCAPE STANCHIONS WITH STAKE

### Great For Outdoor Events, Landscapes & Gardens!



- Recommended maximum distance should not exceed 8' between stanchions.
- One C-hook assembly included with each stanchion

Part #	Color	Description
<b>SNS-40BK</b>	Black	35"H x 2-5/8"
<b>SNS-40WH</b>	White	35"H x 2-5/8"

Other colors available - please inquire



## PLASTIC CHAINS



Available Colors

- All colors stocked in 33 ft. lengths (Polished Chrome stocked in 16 ft. lengths).
- Available in 3/4", 1", 1-1/2" and 2" links.
- Color chains must be purchased in full 33' lengths. (Polished Chrome must be purchased in 16 ft. lengths).
- All plastic chains come bagged except for 2" chain which comes on a reel.

**GREAT FOR  
P.O.P. DISPLAYS**

### \*Color Code:

**BL** (Blue)  
**RD** (Red)  
**PK** (Pink)  
**GR** (Green)  
**OR** (Orange)  
**WH** (White)  
**BK** (Black)  
**PC** (Polished Chrome)  
**YE** (Yellow)

Part #	Size
<b>PC24-*</b>	3/4"
<b>PC32-*</b>	1"
<b>PC48-*</b>	1-1/2"
<b>PC64-*</b>	2"

### POLISHED CHROME ONLY

Part #	Size
<b>PC32-PC</b>	1"
<b>PC48-PC</b>	1-1/2"

Other colors available - please inquire

## PLASTIC S-HOOKS

Colors available: White, Polished Chrome or Black

**BLACK & WHITE**  
(Color Code\* **BK**: Black, **WH**: White)

Part #	Size
<b>SH32-*</b>	1"
<b>SH48-*</b>	1-1/2"
<b>SH64-*</b>	2"

### POLISHED CHROME

Part #	Size
<b>SH32-PC</b>	1"
<b>SH48-PC</b>	1-1/2"
<b>SH64-PC</b>	2"



## PLASTIC CONNECTING LINKS

Colors available: White, Polished Chrome or Black

**BLACK & WHITE**  
(Color Code\* **BK**: Black, **WH**: White)

Part #	Size
<b>CL48-*</b>	1-1/2"
<b>CL64-*</b>	2"

### POLISHED CHROME

Part #	Size
<b>CL48-PC</b>	1-1/2"
<b>CL64-PC</b>	2"



## SPRING LOADED NYLON RETRACTABLE CONNECTING LINK



Colors available: Black or White

Part #	Color
<b>SNAP-BK</b>	Black
<b>SNAP-WH</b>	White

## PLASTIC CLOTHES PIN



Colors available: Ivory  
• Clothes pin attaches to plastic chain.

Part #	Color
<b>PC-HANGPIN</b>	Ivory