

## Plastic Vent Grilles




**G-1970-\***

Shown in White,  
Black, Silver Gray  
and Tan

**Material: Styrene**  
Available in **\*White (WH)**, **\*Black (BK)**,  
**\*Silver Gray (SG)** or **\*Tan (TN)**

Designed to provide air circulation  
where needed



**G-1971-\***  
Screw Mount

Part #	Overall Size	Hole Size	Mounting Type
<b>G-1970-*</b>	2-5/8" x 8-7/8"	2-3/8" x 8-5/8"	Glue On
<b>G-1971-*</b>	3-9/16" x 9-11/16"	2-5/8" x 8-31/32"	Screw Mount
<b>G-1972-*</b>	3-9/16" x 9-11/16"	2-5/8" x 8-31/32"	Glue On
<b>G-1975-*</b>	2-7/8" x 8-3/4"	2-7/16" x 8-3/8"	Glue On

## Round Plastic Vents

**Material: Styrene**  
Available in **\*White (WH)**, **\*Black (BK)**, or **\*Silver (SG)**

Designed to provide air  
circulation where needed



Part #	Overall Dia.	Drill Hole Dia.	Height
<b>G-200-*</b>	2-3/8"	2"	5/8"
<b>G-250-*</b>	2-11/16"	2-1/2"	3/4"
<b>G-300-*</b>	3-3/8"	3"	3/4"



**Round**



**Material: 304 Stainless Steel**  
**Satin finish**

0.4 fine mesh wire diameter  
Screws included



**Elongated  
Oval**



Part #	O.D.	I.D.	Thickness
<b>SAM-45</b>	1.8125	1.641"	.2047"
<b>SAM-60</b>	2.359	2.109"	.2362"
<b>SAM-85</b>	3-344	3.062"	0.2441"

Part #	O.D.	I.D.	Thickness
<b>SAD-150</b>	5.906" x 1.578"	5.65" x 1.339"	0.2441"
<b>SAD-200</b>	7.891" x 1.969"	7.638" x 1.732"	0.2441"



## Industrial Vents

**Material: 316 Stainless Steel**  
**Satin finish**

Screws not included




**A**



**B**



**C**



**D**

	Part #	Length	Width	Thickness
<b>A</b>	<b>1-1122</b>	8-15/32"	4-1/8"	.2362"
<b>B</b>	<b>1-1212</b>	4-17/32"	4-17/32"	.2362"
<b>C</b>	<b>1-2211</b>	8-15/32"	4-1/8"	.2362"
<b>D</b>	<b>1-2222</b>	8-15/32"	8-15/32"	.2362"

## Locking Vented Hole Plugs

All available in Black, or add a "W" for White.



Part #	Hole Dia.	Maximum Thickness	A Head Dia.	B Thickness
<b>MP-0750V</b>	0.750"	0.125"	0.906"	0.406"
<b>MP-0875V</b>	0.875"	0.125"	1.1016"	0.453"

**REMOVABLE VENTED NYLON PLUGS AVAILABLE, PLEASE INQUIRE!**

## Adjustable Panel / Glass Retainer



SOLD IN SETS

Part #

6500-\*




**Lengths:** 12 Ft.  
**Material:** RPVC  
**Accommodates all panels at 1/16", 1/8" & 1/4"**

### Colors Available

\*LB - Light Beige \*FW - Frost White \*PLT - Platinum  
*unless otherwise noted*

### Insert May Be:

- Glass • Markerboard • Tackboard
- Expanded Metal Grilles
- Woven Wire Grilles
- Decorative MDF Screening Panel



## Panel Retainer



**Lengths:** 100 Ft. / 500 Ft. Coils

**Material:** Vinyl

### Colors Available


\*WH - White \*BK - Black \*BR - Brown  
*unless otherwise noted*

### Staple Type




Part #

102-625-\*




Part #

102-680-\*




Part #

102-627-\*



Part #


102-681-\*



Part #


102-645-\*

White  
not available




Part #

102-698-\*




Part #

102-644-\*




Part #

102-778-\*




Part #

102-623-\*



Part #

102-624-\*



Part #

102-620-\*


**Lengths:** 100 Ft. / 500 Ft. Coils

**Material:** Vinyl • Use S4 or S10 Slotter

### Colors Available

\*WH - White \*BK - Black  
\*BR - Brown \*CL - Clear  
*unless otherwise noted*


### Groove Type



Also Available  
In Fruitwood  
& Clear

Part #

102-621-\*



Part #


102-646-BR

## Mirror Clip

Designed to attach mirrors, glass, decorative panels, etc. to any flat surface

### Clear

- Made of crystal styrene, ribbed
- Fits 1/4" glass thickness



Use a #5  
Flat head screw  
(Sold separately)

Part #

R45-293CL

### FLAT HEAD ZINC SCREWS


Part #

SCR-5625FHZ #5 x 5/8"


## Flush

- Retainers are **P.E. plastic**. Clear retainers are **Lexan plastic**
- Screws sold separately


### R21-10



### R21-180



### R21-183




Part #	Color	Use Screw
<b>R21-10BE</b>	Beige	<b>A</b>
<b>R21-10BK</b>	Black	<b>A</b>
<b>R21-10CL</b>	Clear	<b>A</b>
<b>R21-180CL</b>	Clear	<b>B</b>
<b>R21-183BE</b>	Beige	<b>C</b>

### R21 Series Screws

Screw Part #	Head/Finish
<b>A SCR-5625FHZ</b>	#5 x 5/8" Flat Head Zinc
<b>B SCR-6625PHZ</b>	#6 x 5/8" Pan Head Zinc
<b>C SCR-6625FHZ</b>	#6 x 5/8" Flat Head Zinc

## Recessed

- Retainers are **P.E. plastic**. Clear retainers are **Lexan plastic**
- They are for semi-permanent installations
- Screws sold separately



Part #	Color	Dim. "A"	Use Screw
<b>R21-281DB</b>	Dk. Brown	5/16"	<b>C</b>
<b>R21-281CL</b>	Clear	5/16"	<b>C</b>
<b>R21-313CL</b>	Clear	1/8"	<b>C</b>

## Grille



### BRONZE FINISH ON STEEL Overall Size: 3/8" wide x 1-3/16" long screws included.

- Screw adjustable, secure holding & quick removal of metal grilles.
- Reversible to accommodate varied glass thicknesses and door mortises.
- 7/8" vinyl tipped screw tightens and adjusts without harming glass.

### Part #

**SH-302**



## No-Route Glass / Panel Retaining Clips

- **Color:** Brown
- Designed to attach glass or decorative panels to doors without routing
- Can be screwed or stapled into place
- Straight and corner pieces available
- Available for 1/8" or 3/16" thick panels



R21-1806BR



R21-1807BR




R21-1804BR



R21-1805BR

Part #	Material Thickness	Type
<b>R21-1806BR</b>	1/8"	Straight
<b>R21-1807BR</b>	3/16"	Straight
<b>R21-1804BR</b>	1/8"	Corner
<b>R21-1805BR</b>	3/16"	Corner



# Fast Cap® Self Adhesive Cover Caps



- 9/16" (14mm) and 11/16" (18mm) Diameter
- Available in solid color PVC, PVC wood grain, PVC metallic, Unfinished solid wood and Finished solid wood.
- Unlike other caps, these do not depend on the screw for proper installation
- Does not require any additional gluing or caulking

11/16"

(actual sizes)

9/16"

## STANDARD

**9/16" PVC:** 20 Sheets with 53 caps ea.  
1060 per box

**9/16" Wood:** 20 Sheets with 52 caps ea.  
1040 per box

**11/16":** 20 Sheets with 36 caps ea.  
720 caps per box

Part#	Size
<b>PVC Solid Colors</b>	
<b>FCSP916-</b>	9/16"
<b>FCSP1116-</b>	11/16"
<b>PVC Wood Colors</b>	
<b>FCWP916-</b>	9/16"
<b>FCWP1116-</b>	11/16"
<b>PVC Metallic</b>	
<b>FCME916-</b>	9/16"
<b>FCME1116-</b>	11/16"
<b>Unfinished (Real Wood)</b>	
<b>FCSW916-</b>	9/16"
<b>FCSW1116-</b>	11/16"
<b>Prefinished (Real Wood)</b>	
<b>FCPW916-</b>	9/16"
<b>FCPW1116-</b>	11/16"

## PVC (Solids, Woodgrains and Metallics)

White (WH)	Medium Oak (MO)	Presidential Walnut (PW)	Select Cherry (SC)
Antique White (AW)	Light Oak (LO)	Imperial Walnut (IW)	Medium Cherry (MC)
Almond (AL)	Hardrock Maple (HM)	Mahogany on Walnut (MW)	Bourbon Cherry (BC)
Black (BK)	Manitoba Maple (MM)	Knotty Pine (KP)	Golden Cherry (GC)
Fog Gray (DG)	Light Maple (LM)	Beech (BE)	Dark Cherry (DC)
Folkstone Gray (LG)	Clear Maple (CM)	Brushed Brass (BR)	Heritage Cherry (HT)
Natural Oak (NO)	American Maple (AM)	Polished Brass (PBR)	Autumn Cherry (AC)
Golden Oak (GO)	Red Mahogany (RM)	Brushed Chrome (BCHR)	Fuji Cherry (FC)
Renaissance Oak (RN)	Dark Red Mahogany (DM)	Polished Chrome (PCHR)	Natural Cherry (NC)

## MINI BOX

**9/16" PVC:** 5 Sheets with 53 caps ea.  
265 per box

**9/16" Wood:** 5 Sheets with 52 caps ea.  
260 per box

**11/16":** 5 Sheets with 36 caps ea.  
180 caps per box

Part#	Size
<b>FCMB916-</b>	9/16"
<b>FCMB1116-</b>	11/16"

## Unfinished (Real Wood)

Red Oak (RO)	Cherry (CH)	Sapele (SP)	Vg Fir (VF)	Walnut (WA)
White Oak (WO)	Mahogany (MG)	Pecan (PE)	Anigre (AN)	White Birch (WB)
Maple (MP)	Pine (PN)	Teak (TK)	Ash (AS)	Natural Birch (NB)
			Hickory (HC)	Alder (AR)

## Pre-finished (Real Wood)

Ash (FAS)	Teak (FTK)	Red Oak (FRO)	Cherry (FCH)	Birch (FB)
Sapele (FSP)	Alder (FAR)	White Oak (FWO)	Mahogany (FMG)	Walnut (FWA)
		Maple (FMP)	Anigre (FAN)	Yellow Pine (FYP)

## Flush Mount Drill Bit System



- Carbide tipped
- Allows user to drill a pilot hole and countersink
- The drill bits custom stop insures that the surface cannot be marred

Part #	Description
<b>FCDB-0916-CB</b>	9/16" Drill bit



# Pop-On Screw Covers & Bases

## MATERIAL: POLYPROPYLENE


**Pop-On Screw Covers & Bases** may be used with flat head nails, countersunk wood screws, self-tapping screws rivets, drive screws, machine screws, washer faced screws and other types of fasteners. They may also be used with metric screws in M4, M4.5 and M6 screw sizes.

## POP-ON SCREW COVERS

■ Green, Blue, Orange, Purple, Dark Blue, Light Pink, Forest Green, Red, Turquoise, Yellow, Brown, Light Gray, and Beige are available in SC2-250, **WHILE SUPPLIES LAST**.

**Stock Colors & Metallics Available:** Black, White, Brite Brass, Brite Chrome, Satin Chrome, Brite Copper & Satin Copper.

• Polypropylene caps are UV stabilized for outdoor use (**does not** include metallics).




Cover#	Dimensions	
	A	B
SC2-460	.515	.215
SC2-810	.630	.225
■ SC2-250	.700	.260

**Minimums Apply:**  
SC2-460CH, SC2-460COP  
SC2-810BRS, SC2-810CH  
**Please Inquire**

Works With Cover	Base #	A	B	C	D	Screw Size
SC2-460	SC2-B04P	.115	.415	.120	.275	#4 Pan
	SC2-B069	.115	.415	.151	.275	#6 Pan
	SC2-B46F	.115	.415	.151	-	#4/#6 Countersunk
SC2-810	SC2-B8P	.125	.505	.169	.365	#8 Pan
	SC2-B10P	.125	.505	.195	.365	#10 Pan
	SC2-B810F	.125	.505	.195	-	#8/#10 Countersunk
SC2-250	SC2-B250P	.125	.620	.245	.490	1/4-20 Pan
	SC2-B250F	.130	.620	.245	-	1/4-20 Countersunk

All Bases are a Natural Nylon Color

## POP-ON SCREW BASES



## Screw Cover Caps

Standard Screw Cover Caps Only .50 in Diameter

Part #	Color
SC-1DBR	Dk. Brown
SC-1WH	White
SC-1BK	Black
SC-1AL	Almond
SC-1DG	Dove Gray

For PHILLIPS or POSI-DRIVE




Petite Screw Cover Caps Only .40 in Diameter

Part #	Color
SC-4BR	Brown
SC-4BE	Beige
SC-4LG	Light Gray

**WHILE SUPPLIES LAST**

## Hinged Screw Covers


MATERIAL: POLYPROPYLENE



■ **WHILE SUPPLIES LAST**

Part #	Color	Screw Size	A	B
SC3-460BK	Black	#4/#6 Pan	29/64"	3/16"
SC3-460WH	White	#4/#6 Pan	29/64"	3/16"
■ SC3-460BE	Beige	#4/#6 Pan	29/64"	3/16"
SC3-810BK	Black	#8/#10 Pan	35/64"	13/64"
■ SC3-810LG	Light Gray	#8/#10 Pan	35/64"	13/64"
SC3-810WH	White	#8/#10 Pan	35/64"	13/64"
■ SC3-810BE	Beige	#8/#10 Pan	35/64"	13/64"
SC3-250BK	Black	#1/4-20 Pan	45/64"	1/4"
SC3-250WH	White	#1/4-20 Pan	45/64"	1/4"
■ SC3-250BE	Beige	#1/4-20 Pan	45/64"	1/4"

## Screw Plug Button




## Lexan & Butyrate Stem Bumpers

USES: DOORS, BOTTOM of FURNITURE, ETC.



\* Pin Diameter  
Tolerance = +/- .010



Part #	Material	Color
S49-750CL	Lexan	Clear
S49-750BK	Lexan	Black




## SEALED MAGNETIC CATCHES




- Rare earth magnets
- Hermetically sealed for high corrosion resistance & eliminates metal particles
- No metal to metal contact, ideal for clean rooms
- Works with screw #8 (not included)

### Polypropylene



Part #	Magnetic Force	Color
MC-JM45WT	6.6 lbs.	White

### Polyacetal



Part #	Magnetic Force	Color
MC-JM50/BL	6.6 lbs.	Black
MC-JM50/WT	6.6 lbs.	White


### OPTIONAL STRIKE PLATES

- Hermetically Sealed
  - 304 Stainless Steel
- MC-JMP45  
MC-JM49

## Ultra Thin Magnetic Catch

### Steel with Nickel finish 304 Stainless Steel

- Rare earth magnets
- Ideal for tight spaces
- Max temperature 176°F
- Strike plate included
- Screws included




Part #	Description	Magnetic Force
MC-YN001P	Steel w/Nickel Finish	5.9 lbs.
MC-YN015SP	304 Stainless Steel	5.0 lbs.

## Ultra Thin & Strong Magnetic Catch

### Steel with Nickel finish

- Ideal for tight spaces with extra strong magnetic force
- Max temperature 176°F
- Works with screw #8 (not included)




Part #	Description	Magnetic Force
MC-159	Catch	8.8 lbs.
MC-159-PLATE	Optional Strike Plate	n/a

## Magnetic Touch Latches

### ABS housing with Nickel plated steel strike plate


- For single or double doors
- For overlay door allow a 4mm (5/32") gap between door & cabinet frame for pushing room
- Screws included

#### SINGLE



Part #	Color	Magnetic Force
ML-30S/BRN	Brown	2.6 lbs.
ML-30S/WHT	White	2.6 lbs.

#### DOUBLE




Part #	Color	Magnetic Force
ML-30W/BRN	Brown	2.6 lbs.
ML-30W/WHT	White	2.6 lbs.

## Rectangular Magnetic Touch Latch

### ABS housing with Zinc Chromate strike plate


- For overlay door allow a 3.5mm (9/64") gap between door and cabinet frame for pushing room.
- Screws included

#### SHORT



Part #	Color	Type	Magnetic Force
ML-80/BLK	Black	Short	3.5 lbs.
ML-80/BRN	Brown	Short	3.5 lbs.
ML-80/WHT	White	Short	3.5 lbs.


#### LONG



Part #	Color	Type	Magnetic Force
ML-120/BRN	Brown	Long	5.2 lbs.
ML-120/WHT	White	Long	5.2 lbs.

## PLASTIC MAGNETIC CATCHES WITH STRIKE PLATE • MATERIAL: ABS (Unless noted)

### MAG-CATCH™ 1 LB. PULL FORCE



- Material: Acrylic DR101
- Size: 7/8" L x 1/2" H x 3/8" W
- Adhesive mount

Adhesive mount solvent bonds to acrylic, polycarbonate, ABS and styrene. Eliminates unsightly screws or hardware.

Part #	Color
MC-SM-CL	Clear

### 6.6 LB. PULL FORCE



- Uses Screw **SCR-6625FHZ**  
#6 x 5/8" Flat Head Zinc
- Size: 5/8" Dia. x 3/4" Long

Part #	Color
OI-132-BK	Black
OI-132-WH	White

### MAGNETIC PUSH LATCH 8 LB. PULL FORCE



- Size: 1-3/16" L x 1-7/8" W x 3/4" H
- Screws included

Part #	Color
OI-346	Black

### 8.8 LB. PULL FORCE



- Uses Screw **SCR-6625FHZ**  
#6 x 5/8" Flat Head Zinc
- Size: 2-1/4" L x 5/8" W x 1/2" H

Part #	Color
OI-121-BK	Black
OI-121-WH	White

### DOUBLE MAGNETIC TOUCH LATCH 9 LB. PULL FORCE



- Size: 2-3/8" L x 1-7/8" W x 3/4" H
- Screws & Strike Plate included

Part #	Color
OI-347	Black

### 10 LB. PULL FORCE



- Size: 1-5/8" L x 7/8" W x 5/8" H
- Screws included

Part #	Color
OI-130-BR	Brown

### 10 LB. PULL FORCE



- Size: 1-13/16" L x 5/8" W x 1/2"
- Strike Plate Size: 1" x 7/8"
- Screws included

Part #	Color
OI-150-BK	Black
OI-150-BR	Brown
OI-150-WH	White

### SUPER STRONG MAGNETIC CATCH 12 LB. PULL FORCE



- Uses Screw **SCR-6625FHZ**  
#6 x 5/8" Flat Head Zinc
- Size: 1-7/8" L x 15/16" W x 15/16" H

Part #	Color
OI-418	Brown

### 26 LB. PULL FORCE



- Uses Screw **SCR-6625FHZ**  
#6 x 5/8" Flat Head Zinc
- Size: 3-3/8" L x 11/16" W x 9/16" H

Part #	Color
OI-312-BR	Brown

## ALUMINUM MAGNETIC CATCHES

### WITH STRIKE PLATE

### 5 LB. PULL FORCE



- **HEAVY DUTY**
- Perfect for large cabinet doors
- Suitable for institutional or commercial cabinets
- Similar to EPCO #592
- Size: 2" L x 1-3/16" W x 13/16" H
- Screws Included

Part #
OI-332-AL

### 9 LB. PULL FORCE



- Size: 3-1/8" L x 1" W x 1/2" H
- Screws Included

Part #
OI-632-AL

### 14 LB. PULL FORCE



- Size: 3-1/8" L x 1" W x 3/4" H
- Screws Included

Part #
OI-732-AL

## NON-MAGNETIC CATCHES

### DOOR CATCH with Strike Plate



- Material: Clear Acrylic
- Size: 5/8" L x 1-5/16" W
- Adhesive mount

Part #
DC-100-CL


### DOUBLE BARREL FRICTION CATCH with Strike Plate



- Material: White H.D.P.E.
- Size: 1-3/4" L x 9/16" W x 11/16" H
- Uses Screw **SCR-6625PHZ**  
#6 x 5/8" Pan Head Zinc

Part #
274-167

### DOUBLE ROLLER CATCH with Self-Locating Strike Plate



- Finishes: Antique Brass & Zinc
- Size: 1-3/4" L x 1-1/8" W x 1/2" H
- Uses Screw **SCR-6625FHZ**  
#6 x 5/8" Flat Head Zinc

Part #	Finish
OI-781AB	Antique Brass
OI-781Z	Zinc

### DOUBLE BALL CABINET CATCH Material: Solid Brass



Part #	Size	Finish
OI-881-BC	1-5/8"	Brass Plated
OI-882-BC	2"	Brass Plated
OI-884-BR	1-15-16"	Brass Plated
OI-884-NP	1-15-16"	Nickel Plated
OI-885-BR	2-3/8"	Brass Plated
OI-885-NP	2-3/8"	Nickel Plated




**LATCH BODY**

- Knob and latch combined
- Non-handed
- Low profile
- Use with door thickness 19/32" - 63/64"
- Provides 22 lbs. holding force
- Ideal for use in RV's and boats. Anywhere space is limited for application.
- Stainless Steel Screws included

**Material:** Zinc Alloy & ABS




**OVAL**



Part #	Finish
<b>DPL-OV-G</b>	Gold
<b>DPL-OV-CR</b>	Chrome



**SQUARE**



Part #	Finish
<b>DPL-SQ-G</b>	Gold
<b>DPL-SQ-CR</b>	Chrome
<b>DPL-SQ-SN</b>	Satin Nickel



**ROUND**




Part #	Finish
<b>DPL-RO-G</b>	Gold
<b>DPL-RO-CR</b>	Chrome

## Non-Magnetic Latches & Catches

### Non-Magnetic Touch Latches

**Material:** ABS Housing, Polyamide Catch Plate



**MEDIUM "Light Duty"**

- Push to latch/unlatch
- Screws included

Part #	Color	Retaining Force
<b>MC-37/BLK-1</b>	Black	
<b>MC-37/BRN-1</b>	Brown	17.6 lbs.
<b>MC-37/WHT-1</b>	White	



- Push to latch/unlatch
- Screws included

Part #	Color	Retaining Force
<b>MC-28/BLK</b>	Black	6.6 lbs.



**Material:** Glass Filled Polyamide, PBT Body, Polyacetal Strike



- **Long Stroke** 40mm (1-9/16") for Large Doors
- Push to latch/unlatch
- Adjustable Strike Plate: Vertical +/-2, Horizontal +/-3.5mm
- Open/Close Cycle Test: 100,000 cycles

Part #	Color	Retaining Force	Push Out Force
<b>MLC-100WT</b>	White	20.2 lbs.	3.1 lbs.
<b>MLC-100BL</b>	Black		

### Knuckle Catch

**Material:** Polyacetal Housing, Polyamide Catch Plate




- Grabs and holds door tightly

Part #	Color	Push In Force	Pulling Force
<b>K-CATCH/WHT-T</b>	White	12.5 lbs.	15.6 lbs.

*All measurements are nominal*

### Tension Catches


**Material:** Stainless Steel • **Finish:** Polished



- 316 Stainless Steel catch for high corrosion resistance
- Tension force is not adjustable
- Stainless Steel Screws included

Part #	Push In Force	Pulling Force	Length A	Closed B
<b>BCTS-40</b>	4.4 lbs.	2.9 lbs.	1-11/16"	1/2"
<b>BCTS-50</b>	5.0 lbs.	3.9 lbs.	1-31/32"	5/8"
<b>BCTS-70</b>	12.5 lbs.	8.5 lbs.	2-3/4"	15/16"

**Material:** Zinc Alloy Steel • **Finish:** Chrome



- Tension force is not adjustable
- Stainless Steel Screws included

Part #	Push In Force	Pulling Force	Length A	Closed B
<b>BCT-40</b>	9.7 lbs.	6.6 lbs.	1-43/64"	35/64"
<b>BCT-50</b>	9.0 lbs.	7.3 lbs.	1-31/32"	19/32"
<b>BCT-70</b>	10.1 lbs.	7.7 lbs.	2-3/4"	27/32"

### Rotary Catch

**Material:** Polyacetal Catch & Strike, Polyethylene Roller



- Grabs and holds door tightly
- Screws not included

Part #	Color	Push In Force	Pulling Force	Length A	Closed B
<b>6900/WHT</b>	White	2.4 lbs.	3.5 lbs.	1-9/64"	7/8"
<b>6901/WHT</b>	White	4.8 lbs.	7 lbs.	1-15/64"	1-1/16"
<b>6901/BRN</b>	Brown				



# Compression Draw Latches




**Material:** 304 Stainless Steel • **Finish:** Polished


- Spring loaded design compensates for tolerance and vibrations.
- Provides constant hold tension for secure latching.
- Screws not included



SCC-40/SS



SCC-60/SS



Part #	Load Capacity	Length	Width	Height
SCC-40/SS	24.2 lbs.	2-5/8"	1-7/16"	1/2"
SCC-60/SS	17.6 lbs.	3-5/8"	1-13/16"	1/2"

## Draw Latch




**Material:** 304 Stainless Steel • **Finish:** Polished

- PS31A & PS30A designed for use with a padlock (not included).
- Screws not included



PS30A





Part #	Description	Load Capacity	Length	Width	Height
PS31A	With	22 lbs.	2-1/2"	1-1/16"	9/16"
PS30A	Pad Lock Hole	33 lbs.	3-1/8"	1-1/4"	9/16"
PS31	Without	22 lbs.	2-9/16"	1"	3/8"
PS30	Pad Lock Hole	33 lbs.	3-1/8"	1-1/4"	1/2"

## Stainless Steel Hasp

**Material:** 316 Stainless Steel • **Finish:** Electro Polished

- Stainless Steel Screws included





Part #	Length	Height
HP-635S	3-1/2"	1-1/2"
HP-645S	4-1/2"	1-1/2"
HP-660S	6"	2"

## Spring Loaded Bar Latch



**Material:** 304 Stainless Steel • **Finish:** Polished

- Latch bolt snaps into the strike to prevent accidental release
- Push tab on strike to release
- Stainless Steel Screws included




Part #	Length	Height
BLL-60	2-31/64"	1-13/16"
BLL-80	3-11/32"	2-9/16"
BLL-100	4-1/8"	3-5/32"

All measurements are nominal

**Material:** 304 Stainless Steel


- Stainless Steel Mortise, Surface Strike and Screws included

**Finish:** Satin



Part #	Length	Height
<b>KR-50</b>	1-31/32"	1-29/64"

**Finish:** Polished




Part #	Length	Height
<b>KR-65</b>	2-9/16"	1-3/4"


## Spring Loaded Barrel Bolts

**Material:** 304 Stainless Steel • **Finish:** Satin

- Knob springs back into sleeve to keep bolt in locked or unlocked position
- Stainless Steel Mortise, Surface Strike and Screws included



Part #	Length	Height
<b>BL-40SS</b>	1-37/64"	1-3/64"
<b>BL-60SS</b>	2-23/64"	1-3/64"




Part #	Length	Height
<b>BLS-60</b>	2-23/64"	1-19/64"
<b>BLS-90</b>	3-35/64"	1-19/64"

## Gate Latch

**Material:** 304 Stainless Steel • **Finish:** Satin

- Gate latch with holes for padlock, (Padlock not supplied).
- Stainless Steel Screws included



Part #	Length	Height
<b>SSG-65</b>	2-9/16"	1-37/64"
<b>SSG-85</b>	3-11/32"	1-13/16"


All measurements are nominal

## Sliding Glass Door Lock

**AL719-CHR-KA**



- Material: Metal Construction
- Polished Chrome Finish
- Size: 1" Diameter x 3/8" Height
- Glass Thickness: 3/16" - 1/4"
- Keyed alike only




Spare Key: **KY-719**


## Cam Lock with Indicator

**AL705-CHR-KA-L (Left)**

**AL705-CHR-KA-R (Right)**



- Material: Metal Construction
- Polished Chrome Finish
- Size: 1-3/16" Long Cylinder - 3/4" hole required
- Lock Face: 15/16" Diameter
- For 15/16" Maximum Thickness
- Keyed alike only




Spare Key: **KY-705**

## No Bore Single Glass Door Lock

**AL707-CHR-KA**



- Material: Metal Construction
- Polished Chrome Finish
- Size: 1-13/32" Height x 1-1/4" Wide
- Glass Thickness: 3/16" - 1/4"
- Keyed alike only




Spare Key: **KY-AL5**

## No Bore Double Glass Door Lock

**AL717-CHR-KA**



- Material: Metal Construction
- Polished Chrome Finish
- Size: 1-13/32" Height x 2-1/16" Wide
- Glass Thickness: 3/16" - 1/4"
- Keyed alike only




Spare Key: **KY-AL5**

## No Bore Glass Door Lock

**AL708-CHR-KA**



- Material: Metal Construction
- Polished Chrome Finish
- Size: 1-13/32" Height x 1-1/4" Wide
- Glass Thickness: 3/16" - 1/4"
- Keyed alike only




Spare Key: **KY-AL5**

## Cam Lock

**AL709-CHR-KA**



- Material: Metal Construction
- Polished Chrome Finish
- Size: 3/4" Long Cylinder - 3/4" hole required
- Lock Face: 7/8" Diameter
- For 9/16" Max Thickness
- Keyed alike only




Spare Key: **KY-AL**

## Drawer Lock AL711-CHR-KA



- Material: Metal Construction
- Polished Chrome Finish
- Size: 13/16" Cylinder Length - 1-1/2" CC
- Drawer Thickness: 7/8"
- Keyed alike only




Spare Key: **KY-AL**



## Sliding Glass Door Lock AL710-CHR-KA



- Material: Metal Construction
- Polished Chrome Finish
- Size: 7/8" Diameter - 5-1/4" Length
- Glass Thickness: 3/16"
- Keyed alike only




Spare Key: **KY-AL**



## Mini Tubular Push Lock AL713-CHR-KA



- Material: Metal Construction
- Polished Chrome Finish
- Size: 1/2" Diameter x 3/16" Height
- Door Thickness: 3/8"
- Keyed alike only



Spare Key: **KY-713**




# Push Knob Latches

## Knob & Latch Combined PL-B51-N




- Satin Nickel Finish
- Non-Handed
- For Door Thickness: 11/16" - 15/16"



## Hook Type Push Latch With Pull PL-B52-N




- Polished Chrome Finish
- Non-Handed
- For Door Thickness: 3/4"



## Push Lock With Spring Latch PL-B100-C




- Polished Chrome Finish
- Non-Handed
- Door Thickness: 19/32" - 1"



## Plastic Hanging File Folder Mouldings


**Lengths:** 8 Ft.

**Material:** Styrene




**Material:** Black Rigid PVC


**115-2078-BK Fits 1/2"**




**115-2182-BK Fits 1/2"**



**115-2180-BK Fits 5/8"**




**115-2132-BK Fits 1/2"**



**2132-CLIP**

works with  
115-2132-BK



## File Bar Holders

**Material:** Black Acetate

- Fits Up To 1/2" Thick Drawer Sides
- Holds 1/8" x 1/2" File Bar



Part #	Description	Dimensions
R83-6100-BK	Hanging File Bar Holder	1-1/8" H x 15/16" W
R83-6120-BK	Screw Mount File Bar Holder	1-5/8" H x 1/2" W
R83-6130-BK	90° File Bar Holder	7/16" H x 15/16" W

## Penda Flex Bar

**Rectangular Bar**

**Material:** Aluminum • **Lengths:** 8 Ft.

**Finishes Available**

\*M - Mill - Dull Finish: As Extruded - May or May Not Have "Scratches"/Die Lines

\*BK - Black - Powder Coated



Part #	A	B	Length
ALU599-18-*	1/2"	1/8"	120 Ft. 600 Ft.
ALU600-18-*	3/4"	1/8"	120 Ft. 600 Ft.



## Drawer Locks

### Drawer Lock For Wooden Doors



- Material: Zinc Alloy
- Polished Chrome finish
- Size: 3/4" Long cylinder
- DL-50711:** 1-1/2" x 1-1/2" x 1/4" thick
- DL-50822:** 1-1/2" x 2" x 1/4" thick
- Drawer Thickness: 20mm wooden drawer
- Keyed different
- Comes with 2 keys
- Use #5 wood screws, (Not included)

Part #	Size
<b>DL-50711-CHR</b>	1-1/2" x 1-1/2"
<b>DL-50822-CHR</b>	1-1/2" x 2"

### Economy Push Lock For Sliding Cabinet Doors



- Material: Zinc Die Cast
- Polished Chrome finish
- Size: 7/8" Long cylinder x 3/4" Diameter
- Keyed alike only
- Comes with screws, cup strike & 2 keys

Part #
<b>PL-5</b>

### Push Lock For Wooden Drawers



- Material: Zinc Alloy
- Size: 3/4" Hole required  
Overall: 2" x 3/4" Long cylinder
- Drawer Thickness: 5/8" - 3/4"
- Keyed alike only
- Comes with 2 keys
- Use #5 wood screws, (Not included)

Part #	Color/Finish
<b>PL-604-BK</b>	Matte Black
<b>PL-604-CHR</b>	Polished Chrome

## Combination Locks

### 4 Digit Combination Lock



- Material: Zinc and Plastic
- Nickel finish
- Size: 4-3/8" x 3-1/8"
- Drawer Thickness: Up to 5/8" nominal thick plate
- Comes with 2 keys
- Screws included

Part #
<b>COM-LOK-DL01</b>

### Combination Ratchet Lock




- Material: Zinc Alloy
- Black/Chrome finish
- Size: 5-3/8" Ratchet bar
- Glass Thickness: 1/2"
- Master key included

Part #
<b>RA-7860S</b>


## Lock Aids

### Deco-Hasp



Material: Acrylic DR101 (Clear), ABS (Black)


Innovative locking hasp designed for corner or flat applications.  
No moving parts reduce breakage in the field.  
Solvent bonds to acrylic, polycarbonate, ABS and styrene.



Part #	Description
<b>DECO-HASP-LCL</b>	Clear Acrylic 7/8" L x 3/4" W x 3/4" H Flat Mount Hasp
<b>DECO-HASP-LBK</b>	Black ABS 7/8" L x 3/4" W x 3/4" H Flat Mount Hasp
<b>DECO-HASP-ZCL</b>	Clear Acrylic 1-3/8" L x 3/4" W x 7/16" H Corner Mount Hasp
<b>DECO-HASP-ZBK</b>	Black ABS 1-3/8" L x 3/4" W x 7/16" H Corner Mount Hasp

### Acrylic Hasp

- Color: Clear or Black
- 2-3/8" Long x 1-1/16" Wide x 1/8" Thick




Bottom section of hasp is reversible for either corner or flat mounting.  
**Pre-determine assembly before inserting pin completely!**

Part #	Color
<b>HSP-110-CL</b>	Clear
<b>HSP-110-BK</b>	Black

## Double Door Latch System

**Material/Color:** Black ABS with Steel Pin




- Easy to Install
- Mounts with #4 x 3/4" flat head screws, sold separately




One-door lock (Installed on the #1 latch side) is used to secure both doors

Eliminates the need to reach inside the cabinet to release an elbow catch




Pin locks Door #2 Latch when Door #1 is closed

Pin releases Door #2 Latch when Door #1 is opened



Part #	Carton Quantity
AUTO-BOLT	100



## Rotor Hasp Locks

**Material:** ABS Knob with Zamak & Steel Lock Mechanism


- Ideal for personal storage security in the workplace and public locker rooms.
- Two finishes available to complement any decor
- Works with padlock hasp diameters from 4mm to 8mm
- Works with board thickness up to 22mm (0.866")



Padlock not included



**Patented engineered break point.** If any attempt is made to damage the lock, the mechanism will fix in the locked position to help prevent theft.



Part #	Finish	Carton Quantity
ROTO-HASP-BK	Black	50
ROTO-HASP-MC	Matte Chrome	50

## Concealed Digital Lock For Cabinets

### Invisible RFID Function Digital Lock For Cabinets

- **Material:** ABS Black Housing
- **Station Mode:** Repeated use with assigned programmed master or user RFID card
- **Door/Drawer Thickness:** 16~30mm (5/8" ~ 1-1/8")
- **Included for Installation:** 1 ABS striking plate, Steel plate to affix to back side, Set of screws
- **# of Users per Lock:** Can program 1 master and up to 50 user cards
- **RFID Range:** Must touch the card to cabinet
- **Level of Security:** Master card is used to create User card or bracelet

**DGL-RF-CAB-BK**



*Easy programmability*



**Added Security - Cabinet does not appear locked from the naked eye**




**Cabinet locks without the visibility of a lock, providing a streamlined appearance**



#### Battery Information

<b>Battery Type</b>	3 AAA (Not included)
<b>Approximate Battery Life</b>	4,000 times / 6 months (24,000 Cycles)
<b>Low/Dead Battery</b>	Low battery will beep several days before it stops working. When battery dies, the lock stays in the unlock position and beeps.
<b>Battery Back-up</b>	Unlocks latch automatically when under low battery. Simply change battery for continuous function.
<b>Tools required for Battery change</b>	Easy installation of battery

*See page G-18 for Accessories*



## Concealed Digital Lock With Knob For Cabinets

### Knob Style RFID Function Digital Lock For Cabinets

- **Material:** ABS Black Housing  
ABS Matte Chrome Knob
- **Station Mode:** Repeated use with assigned programmed master or user RFID card
- **Door/Drawer Thickness:** 16~26mm (5/8" ~ 1")
- **Included for Installation:** 2 ABS striking plates, Steel plate to affix to back side, Set of screws
- **# of Users per Lock:** Can program 1 master and up to 50 user cards
- **RFID Range:** Must touch the card to knob
- **Level of Security:** Master card is used to create User card or bracelet

**DGL-RF-KNOB-SL**



*Easy programmability*



**Added Security - Cabinet does not appear locked from the naked eye**




**Looks like an ordinary knob, but is actually the lock!**



#### Battery Information

<b>Battery Type</b>	3 AAA (Not included)
<b>Approximate Battery Life</b>	4,000 times / 6 months (24,000 Cycles)
<b>Low/Dead Battery</b>	Low battery will beep several days before it stops working. When battery dies, the lock stays in the unlock position and beeps.
<b>Battery Back-up</b>	Unlocks latch automatically when under low battery. Simply change battery for continuous function.
<b>Tools required for Battery change</b>	Easy installation of battery

*See page G-18 for Accessories*



## Concealed Digital Lock For Drawer Slides

### Invisible RFID Function Digital Lock for Drawer Slides

- **Material:** ABS Black Housing  
Zinc Alloy Receiver
- **Station Mode:** Repeated use with assigned programmed master or user RFID card
- **Door/Drawer Thickness:**  
Works with 14", 16", 18", 20", 22"  
Full Extension Drawer Slides
- **Included for Installation:**  
Sensor area sticker,  
1 ABS striking plate for auto open,  
dead bolt for auto open,  
set of screws
- **# of Users per Lock:** Can program 1 master and up to 50 user cards
- **RFID Range:** Must touch the card to drawer
- **Level of Security:** Master card is used to create User card or bracelet



**Added Security - Cabinet does not appear locked from the naked eye**



**Touch card to drawer**



**Attaches to the drawer**



**Pops open when unlocked**



**Drawer opens**  
Pop-out distance approximately 4"





**Push drawer to close/lock**

#### Battery Information

<b>Battery Type</b>	3 AAA (Not included)
<b>Approximate Battery Life</b>	4,000 times / 6 months (24,000 Cycles)
<b>Low/Dead Battery</b>	Low battery will beep several days before it stops working. When battery dies, the lock stays in the unlock position and beeps.
<b>Battery Back-up</b>	Unlocks latch automatically when under low battery. Simply change battery for continuous function.
<b>Tools required for Battery change</b>	Easy installation of battery

*See below for Accessories*



**Full Extension Drawer Slides sold separately, see page H-44 for our OI-9500 Series**

**Drawer locks without the visibility of a lock, providing a streamlined appearance**

## Accessories For Concealed Digital Locks

### RFID User Bracelets



### RFID Cards



Part #	Description
<b>DGL-RF-CD-M</b>	RFID Master Card Blue
<b>DGL-RF-CD-U</b>	RFID User Card White



## Digital Cabinet Lock

### RFID & Keypad Function Digital Lock

- **Material:** ABS Black Housing  
Zinc Alloy Silver Face
- **Station or Locker Mode Options...**  
**Station Mode** is repeated use with the programmed master code, master fob, supervisor fob or user fob. Only the master code can make any changes to the stored master, supervisor or user fobs.  
**Locker Mode** is a temporary one-time user code entered and changed per use.
- **Door/Drawer Thickness:**  
13~24mm (1/2" ~ 15/16")
- **Install** as a new lock or retrofit over existing lock
- **# of Users per Lock:** 1 master code, 1 master fob, 1 supervisor fob, 5 user fobs
- **RFID Range:** Must touch fob onto lock
- **4 Levels of Security:** Master code, Master fob, Supervisor fob, User fob

#### Battery Information

<b>Battery Type</b>	4 x 1.5V AA Alkaline (Not included)
<b>Approximate Battery Life</b>	2,500 times / 6 months (15,000 Cycles)
<b>Low/Dead Battery</b>	Lock will signal low battery, with 100 openings remaining
<b>Battery Back-up</b>	9Volt can plug in front and charge the lock enough to open and change batteries
<b>Tools required for Battery change</b>	Use Phillips head screwdriver

See below for Accessories

#### DGL-RFKY-CAB-SL

Keypad & RFID Key technology





Battery easily recharged with 9Volt in front  
Stays locked if battery dies

SLIM DESIGN



Touch fob to lock



## Accessories For Digital Cabinet Lock

### RFID Fobs



Red

DGL-RF-FOB-RD

Master (Need)



Blue

DGL-RF-FOB-BL

Supervisor (Optional)



## Digital Cam Lock

### Keypad Function Digital Cam Lock

- **Material:** Zamac
- **Color:** Black or Silver
- **Station or Locker Mode Options...**  
**Station Mode** is repeated use with the programmed master, supervisor or user codes. The master is set up first and has power to add or remove supervisor or user. Supervisor is set up next and can add/remove users.  
**Locker Mode** is a temporary one-time user code entered and changed per use.
- **Door/Drawer Thickness:**  
 3/8", 5/8", 7/8", 1-1/8"
- **# of Users per Lock:** 1 master, 1 supervisor, 1 user
- **Level of Security:** Master, Supervisor, User

#### Battery Information

<b>Battery Type</b>	20mm coin (Included)
<b>Approximate Battery Life</b>	3 to 5 years (50,000 Cycles)
<b>Low/Dead Battery</b>	Yellow low battery light will illuminate
<b>Battery Back-up</b>	Battery compartment on outside for easy replacement. No reset of codes required.
<b>Tools required for Battery change</b>	None. Slide out hidden battery compartment on side of lock.


*The smallest fingerprint in the industry*

#### DGL-KY-CAM

Shown: Black, Vertical Down

**MOTORIZED LOCKING MECHANISM** is immune to shock, vibration and magnetic fields.

Retrofits any cam lock with 3/4" DD hole



Shown: Silver, Horizontal Right

**LOCK POSITION** can be vertical right or left, or horizontal up or down, (as pictured).

**90° or 180° Knob Rotation**

Shown: Black, Horizontal Left

**LATCHING MECHANISM** supplied with **straight, offset cam sizes** 3/8", 5/8", 7/8" or 1-1/8".



Shown: Silver, Vertical Up



Part #	Color	Drawer Thickness	Keypad Configuration
DGL-KY-CAM-3BK-*	Black	3/8"	*HL Horizontal Left
DGL-KY-CAM-3SL-*	Silver	3/8"	
DGL-KY-CAM-5BK-*	Black	5/8"	*HR Horizontal Right
DGL-KY-CAM-5SL-*	Silver	5/8"	
DGL-KY-CAM-7BK-*	Black	7/8"	*VU Vertical Up
DGL-KY-CAM-7SL-*	Silver	7/8"	
DGL-KY-CAM-11BK-*	Black	1-1/8"	*VD Vertical Down
DGL-KY-CAM-11SL-*	Silver	1-1/8"	



## SOLID RUBBER WOOD DRAWER BOTTOM

**Material: Solid Rubber Wood Drawer Construction Components with Clear Catalyzed Finish (Natural Light)**

Available in 5mm Birch Plywood (BIBB grade)



Part #	Height	Length	Box Qty.
DB-2160	21-7/8"	60"	3 pcs.

Ends can be joined by gluing, nailing or cutting out dovetail joinery.



## DRAWER FRONT ADJUSTER

**Material: Nylon**




Part #	Color
6310-BR	Brown

- Use on drawer fronts to provide realignment facility on fronts attached to 4-sided drawers.
- Housing is nylon with die cast threaded insert screw, plated steel.
- Housing is hammer driven into a 25MM pre-bored hole.
- Screw attaches 4th side of drawer to allow adjustment of front until fully tightened.
- Screw size is 7/8" x 8/32".

### Features:

- 2mm of adjustment in vertical or horizontal directions.
- 25mm hole boring in drawer front.
- Large head screw attachment to 4th side of drawer.
- Simple to use.



## UNDER THE DESK STORAGE SOLUTIONS

- Pen/pencil compartments with plastic tray
- All mounting hardware included
- Made in the USA



- **Material:** High Impact Polystyrene
- Available in Black
- Contoured handle for easy access
- Designed to fit desks with shorter depth
- Narrow width
- Roller slide with plastic tray

**Dimensions:**  
17.956"L x 12.75"W x 2.34"D

Part #	Color
<b>PDN-1BK</b>	Black



- **Material:** High Impact Polystyrene
- Available in Black
- Centrally located finger tab for easy opening
- Wide width
- Ball bearing slides

**Dimensions:**  
19.19"L x 21.39"W x 2.05"D

Part #	Color
<b>PDW-2BK</b>	Black



- **Material:** Polypropylene
- Available in Black or Silver
- Narrow width
- Screw mount -Rotates
- Built-In tape dispenser

**Dimensions:**  
13.625"L x 8.25"W x 1.375"D

Part #	Color
<b>PDR-451-BK</b>	Black
<b>PDR-451-SL</b>	Silver



- **Material:** High Impact Polystyrene
- Available in Black
- Ball bearing slides

**Dimensions:**  
17.95"L x 12.75"W x 2.75"D

Part #	Color
<b>PT-8931</b>	Black

## Keyboard Trays

- All mounting hardware included
- Made in the USA



- **Material:** High Impact Polystyrene
- Contoured wrist support
- Ball bearing slides

**Dimensions:**  
18.23"L x 19.95"W x 3.90"D

Part #	Color
<b>CT24-BK</b>	Black




- **Material:** High Impact Polystyrene
- Pen/pencil storage
- Reversible mouse tray for right or left hand use
- Contoured wrist support
- Ball bearing slides


**Dimensions:**  
18.20"L x 26.26"W x 3.90"D

Part #	Color
<b>CT36-BK</b>	Black

## Material: Styrene




Part # Color  
**R11-82BK** Black




Part # Color  
**R11-90BK** Black



HANGERS FOR  
 R11-90 TRAYS



R11-194




R11-197

Part # Color  
**R11-194BK** Black  
**R11-197BK** Black

- **Material:** ABS
- **Color:** Black
- 1/4" lip area
- Friction fit molded ribs
- Can be used as a cup holder or a paper clip holder.
- Other colors may be available. Minimums apply - please inquire.




36BKS



36BKD



Part # Drill Hole Diameter  
**36BKS** 2-13/16"  
**36BKD** 2-13/16"




## Insert Holder

# Drawer Essentials

## DRAWER DIVIDERS

**Material: Clear Polycarbonate**

- Holds 1/2" material
- Can be screw mounted or applied with adhesive.



Part #	Color	Description
<b>R83-941CL</b>	Clear	Screw Mount
<b>R83-941CL-A</b>	Clear w/Adh	Adhesive


## FLEXA-TOUCH™

**Material: Natural ABS**

- Designed to allow drawers to be opened just by pushing on the front
- Adjust for flush alignment from 7/8" to 3" max
- Screws included



**Part #**  
**OI-1021**



## DRAWER BUMPERS

**Material: Polyethylene**

- Put bumpers on drawers to prevent damage to cabinet doors.
- Ideal for side mount slides



Part #	Color	Thickness
<b>R51-DB51-WH</b>	White	29/64" (11.5mm)
<b>R51-DB51-BE</b>	Beige	29/64" (11.5mm)
<b>R51-DB18-WH</b>	White	23/32" (18mm)
<b>R51-DB18-BE</b>	Beige	23/32" (18mm)

## UNDERMOUNT ROLLOUT BUMPERS

**Material: Polyethylene**

- Ideally suited for use with drawers utilizing undermount slides.
- When used, will prevent damage to cabinet doors




Part #	Color
<b>R51-C47-WH</b>	White
<b>R51-C47-BE</b>	Beige

## DRAWER DIVIDER CLIPS

**Material: ABS**

- Spring action design will securely hold divider panels up to 1/4" thick.





Part #	Color	Length
<b>R83-6200-BK</b>	Black	2-3/8" L

Corner Braces can be found on page G-44

## DRAWER DIVIDER SUPPORTS

**Material: Polyethylene**

- Groove type - for 1/4" - 5/16" drawer dividers
- Supports are installed in grooves in drawer side
- Divider may be adjusted by removing it and relocating the supports





Part #	Color
<b>R83-190BE</b>	Beige

## REMOVABLE DRAWER OUTSTOP

**Material: Polypropylene**

- Mount on back of drawer to prevent from pulling out
- Tip out stop forward to remove & upon reinsertion merely push the drawer all the way in & it will automatically snap into place.



Part #	Color	A	B
<b>R51-423BE</b>	Beige	1-3/4"	3/4"
<b>R51-424BE</b>	Beige	2"	1"

**Screw Part #**

**SCR-6500FHZ**




#6 x 1/2" Flat Head Zinc

## FALSE DRAWER FRONT CLIPS

- Used to attach finished fronts to cabinet that will have limited use
- Also, ideal for access panels that must be removable yet secure
- Use #6 screw x 1/2" (sold separately below)

**Material: ABS**



**False Front Clip for 4-1/2" Opening**



Part #	Color
<b>FFDC-30</b>	Natural

**Material: Polycarbonate**

**False Front Clip with 1" Mounting Plate**



Part #	Color
<b>FFDC-10</b>	Clear

**Screw Part #**

**SCR-8625FHZ**

#8 x 5/8" Flat Head Zinc







**OUR BINNING STRIP MAKES IT EASY TO ADJUST SPACING & ACCOMMODATE YOUR NEEDS**

**Material:** Ivory, White, Black & Clear Styrene


**Versatile plastic band strip can be installed on counters, tables, cabinets, in drawers - anywhere. Accepts various types of dividers. Economical yet easily installed.**



## STANDARD BABY BINNING STRIP

**FOR 1/4" DIVIDER**



**Works independently of standard binning strip**



Part #	Description
<b>292-BK-60</b>	60"-Black-No adhesive
<b>292-CL-60</b>	60"-Clear-No adhesive
<b>292-IV-60</b>	60"-Ivory-No adhesive
<b>292-WH-60</b>	60"-White-No adhesive
<b>292A-BK-60</b>	60"-Black-w/adhesive
<b>292A-CL-60</b>	60"-Clear-w/adhesive
<b>292A-IV-60</b>	60"-Ivory-w/adhesive
<b>292A-WH-60</b>	60"-White-w/adhesive

## STANDARD BINNING STRIP



**FOR 1/4" DIVIDER**



Part #	Description
<b>282-CL-48</b>	48"-Clear-No adhesive
<b>282-CL-60</b>	60"-Clear-No adhesive
<b>282-IV-48</b>	48"-Ivory-No adhesive
<b>282-IV-60</b>	60"-Ivory-No adhesive
<b>282-WH-48</b>	48"-White-No adhesive
<b>282-WH-60</b>	60"-White-No adhesive
<b>282-BK-60</b>	60"-Black-No adhesive
<b>282A-CL-48</b>	48"-Clear-w/adhesive
<b>282A-CL-60</b>	60"-Clear-w/adhesive
<b>282A-IV-48</b>	48"-Ivory-w/adhesive
<b>282A-IV-60</b>	60"-Ivory-w/adhesive
<b>282A-WH-48</b>	48"-White-w/adhesive
<b>282A-BK-48</b>	48"-Black-w/adhesive
<b>282A-WH-60</b>	60"-White-w/adhesive
<b>282A-BK-60</b>	60"-Black-w/adhesive

## STANDARD BINNING STRIP


**FOR 1/8" DIVIDER**




Part #	Description
<b>182-CL-60</b>	60"-Clear-No adhesive
<b>182-IV-60</b>	60"-Ivory-No adhesive
<b>182-WH-60</b>	60"-White-No adhesive
<b>182-BK-60</b>	60"-Black-No adhesive
<b>182A-CL-60</b>	60"-Clear-w/adhesive
<b>182A-IV-60</b>	60"-Ivory-w/adhesive
<b>182A-WH-60</b>	60"-White-w/adhesive
<b>182A-BK-60</b>	60"-Black-w/adhesive

Bump™'s products are made of durable, resilient polyurethane polymer formulated especially for its unique high coefficient of friction, slip-resistant, non-marring features. An aggressive, high tack pressure sensitive adhesive protected with any easy release liner makes application fast & easy. Use to prevent slamming, nicking, scuffing, sliding, vibration or noise. Clear bump™s become virtually invisible, since the clarity of the polyurethane bump™s enables them to transmit any color they are placed on.

• Non-skid • Non-marring • Crack resistant • Self adhesive backing




## Clear



### Dimensions:

		English	Metric		
Part #		+/- 0.02 In.	+/- 0.5 Mm	Style	Color
A	SJ-5302	WIDTH: 0.312 HEIGHT: 0.085	7.9 2.2	Bell Shaped	Clear
B	SJ-5303	WIDTH: 0.44 HEIGHT: 0.20	11.1 5.0	Hemisphere	Clear
C	SJ-5306	WIDTH: 0.375 HEIGHT: 0.150	9.5 3.8	Hemisphere	Clear
D	SJ-5312	WIDTH: 0.50 HEIGHT: 0.14	12.7 3.5	Cylindrical	Clear
E	SJ-5318	WIDTH: 0.50 HEIGHT: 0.23	12.7 5.8	Tapered Square	Clear
F	SJ-5382	WIDTH: 0.250 HEIGHT: 0.075	6.4 1.9	Hemisphere	Clear

## Quiet Clear Series



### Dimensions:

		English	Metric		
Part #		+/- 0.02 In.	+/- 0.5 Mm	Style	Color
A	SJ-6506	DIAMETER:	0.375	Hemispherical	Clear
		HEIGHT:	0.150		
B	SJ-6512	DIAMETER:	0.500	Cylindrical	Clear
		HEIGHT:	0.140		
C	SJ-6553	WIDTH:	0.433	Hexagonal Cone	Clear
		HEIGHT:	0.120		
D	SJ-6561	LENGTH:	0.433	Hexagonal Hemisphere	Clear
		HEIGHT:	0.150		


## Bright White (Pure White)



### Dimensions:

Part #		English +/- 0.02 In.	Metric +/- 0.5 Mm	Style	Color
SJ-5412	WIDTH:	0.507	12.7	Cylindrical	Bright
	HEIGHT:	0.14	3.6		White

## Heavy Duty



### Dimensions:

Part #		English +/- 0.02 In.	Metric +/- 0.5 Mm	Style	Color
SJ-5532BR	WIDTH:	1.88	47.7	Circular Depressed	Brown
SJ-5532BK	HEIGHT:	0.66	16.7		Black

## Continuous Bumper - 50 ft. Coils



### Dimensions:

Part #		English +/- 0.02 In.	Metric +/- 0.5 Mm	Style	Color
SJ-5510BK	WIDTH:	0.50	12.7	Strip	Black
SJ-5510WH	HEIGHT:	0.15	3.8		

## Colors

EXCELLENT FOR GLASS TABLES, CABINET DOOR, LIDS & DRAWERS!


**3M™ AUTHORIZED DISTRIBUTOR**

### Dimensions:

Part #		English +/- 0.02 In.	Metric +/- 0.5 Mm	Style	Color
A	<b>SJ-5001BK</b>	WIDTH: 0.50 HEIGHT: 0.14	12.7 3.5	Cylindrical	Black
B	<b>SJ-5003WH</b>	WIDTH: 0.44	11.1	Hemisphere	^White
	<b>SJ-5003GY</b>	HEIGHT: 0.20	5.0		Grey
	<b>SJ-5003BK</b>				Black
C	<b>SJ-5007BK</b>	WIDTH: 0.40 HEIGHT: 0.12	10.2 2.5	Tapered Square	Black
D	<b>SJ-5008WH</b>	WIDTH: 0.50	12.7	Tapered Square	^White
	<b>SJ-5008GY</b>	HEIGHT: 0.12	3.1		Grey
	<b>SJ-5008BK</b>				Black
E	<b>SJ-5009WH</b>	WIDTH: 0.88	22.3	Circular Depressed	^White
	<b>SJ-5009BK</b>	HEIGHT: 0.40	10.1		Black
F	<b>SJ-5012WH</b>	WIDTH: 0.50	12.7	Cylindrical	^White
	<b>SJ-5012GY</b>	HEIGHT: 0.14	3.5		Grey
	<b>SJ-5012BR</b>				Brown
	<b>SJ-5012BK</b>				Black
G	<b>SJ-5017WH</b>	WIDTH: 0.75	19.0	Hemisphere	^White
	<b>SJ-5017BK</b>	HEIGHT: 0.38	9.6		Black
H	<b>SJ-5018WH</b>	WIDTH: 0.50	12.7	Tapered Square	^White
	<b>SJ-5018GY</b>	HEIGHT: 0.23	5.8		Grey
	<b>SJ-5018BR</b>				Brown
I	<b>SJ-5023WH</b>	WIDTH: 0.81	20.5	Tapered Square	^White
	<b>SJ-5023GY</b>	HEIGHT: 0.30	7.6		Grey
	<b>SJ-5023BK</b>				Black
J	<b>SJ-5027WH</b>	WIDTH: 0.63	16.0	Hemisphere	^White
	<b>SJ-5027GY</b>	HEIGHT: 0.31	7.9		Grey
K	<b>SJ-5076BK</b>	WIDTH: .315 HEIGHT: 0.11	8.0 2.8	Cylindrical	Black
L	<b>SJ-5508BK</b>	WIDTH: 0.50 HEIGHT: 0.12	12.7 3.1	Tapered Square	Black
M	<b>SJ-5514WH</b>	WIDTH: 0.81	20.6	Tapered Square	^White
	<b>SJ-5514GY</b>	HEIGHT: 0.52	13.1		Grey
	<b>SJ-5514BK</b>				Black
N	<b>SJ-5705BK</b>	WIDTH: 1.25 HEIGHT: 0.24	31.75 6.1	Tapered Square	Black
O	<b>SJ-5744BK</b>	WIDTH: 0.75 HEIGHT: 0.16	19.1 4.1	Cylindrical	Black

^ THE ITEMS LISTED AS WHITE  
ARE AN OFF WHITE COLOR.  
THE BRIGHT IS PURE WHITE IN COLOR.

## Top Hat




Part #	Dimensions:			Style	Color
	A	B	C		
A <b>SJ-6115</b>	.625	.093	.187	Flat Top Hat	Black
B <b>SJ-6125</b>	.625	.093	.187	Round Top Hat	Black

## Budget Friendly Clear Bumpers

Material: Polyurethane



Part #	Width	Height
<b>BFF-24</b>	.375"	.15"



Part #	Width	Height
<b>BFF-20</b>	.500"	.14"

## Polyurethane Adhesive Bumpers



PAB-001



PAB-002



PAB-003



PAB-006, PAB-106



PAB-008



PAB-009




PAB-010



PAB-012, PAB-112



PAB-016



PAB-018, PAB-023



PAB-026



PAB-029



PAB-031



PAB-032



PAB-044



PAB-050



PAB-078



PAB-057



PAB-083

Part #	Width	Height
PAB-001CL	.500"	.140"
PAB-002CL	.312"	.085"
PAB-003CL	.440"	.200"
PAB-006CL	.375"	.150"
PAB-008CL	.500"	.120"
PAB-009CL	.880"	.400"
PAB-010CL	.780"	.380"
PAB-012CL	.500"	.140"
PAB-016CL	.810"	.120"
PAB-018CL	.500"	.230"
PAB-023CL	.810"	.300"
PAB-026CL	.720"	.560"
PAB-029CL	.335"	.085"
PAB-031CL	.750"	.750"
PAB-032CL	1.810"	.600"
PAB-044CL	.750"	.160"
PAB-050CL	.787"	.886"
PAB-057CL	.500"	.060"
PAB-078CL	.400"	.118"
<b>SOFT SERIES - Softer bumper for extra sound deadening properties</b>		
PAB-083CL	.500"	.200"
PAB-106CL	.375"	.150"
PAB-112CL	.500"	.140"

**All bumpers stocked in clear**  
Please inquire for colors. Colors sold in full cases only.

## Non-Skid Pads

### EMBOSED BLACK

Our Non-Skid Pads consist of specially formulated thermoplastic rubber material fused to cross-linked polyethylene foam with adhesive backing.


**Kitchen Appliances  
Office & Desk Accessories  
Computer Terminal Equipment  
Medical Devices**

- High durability
- Non-marring
- Abrasive resistance
- Chemical & water resistant


**DIE-CUTTING AVAILABLE, PLEASE INQUIRE.**

50 Ft. Rolls	Part #	Description
	NS-1600-4	1/2" Wide x 1/8" Thick
	NS-1600-2	1/2" Wide x 1/16" Thick
	NS-3200-4	1" Wide x 1/8" Thick
	NS-3200-2	1" Wide x 1/16" Thick

Shape	Part #	Description
	NS-0016-4	1/2" Dia. x 1/8" Thick
	NS-0016-2	1/2" Dia. x 1/16" Thick
	NS-3232-4	1" x 1" x 1/8" Thick
	NS-3232-2	1" x 1" x 1/16" Thick
	NS-3264-4	1" x 2" x 1/8" Thick
	NS-3264-2	1" x 2" x 1/16" Thick
	NS-3296-4	1" x 3" x 1/8" Thick
	NS-3296-2	1" x 3" x 1/16" Thick




To calculate shelf length, use the following formula: inside cabinet width - shelf clearance = shelf size



## Steel & Flat Shelf Rests

### SPOON SHelf RESTS



	Part #	Finish	Material	A	B	C	D	Shelf Clearance
1	R25-228-NI	Bright Nickel	Steel	5mm	5/16"	3/4"	7/16"	1/8"
	R25-228-BRS	Bright Brass	Steel	5mm	5/16"	3/4"	7/16"	1/8"
	R25-228-BZ	Bronze	Steel	5mm	5/16"	3/4"	7/16"	1/8"
2	R25-128-NI	Bright Nickel	Steel	1/4"	3/8"	7/8"	1/2"	1/8"
	R25-128-BRS	Bright Brass	Steel	1/4"	3/8"	7/8"	1/2"	1/8"
3	R25-450NP-SS	Bright Nickel	Steel	7mm	3/8"	15/16"	9/16"	1/8"
	R25-450BRS-SS	Bright Brass	Steel	7mm	3/8"	15/16"	9/16"	1/8"

### STEEL SHelf RESTS w/SOFT BROWN PVC SLEEVE



	Part #	Finish	Material	A	B	C	D	Shelf Clearance
	R25-300NI	Bright Nickel	Steel w/Brown PVC Sleeve	1/4"	7/16"	1-1/4"	3/4"	1/8"
	R25-300BR	Bright Brass	Steel w/Brown PVC Sleeve	1/4"	7/16"	1-1/4"	3/4"	1/8"
	R25-305NI	Bright Nickel	Steel w/Brown PVC Sleeve	5mm	7/16"	1-1/4"	3/4"	1/8"
	R25-305BR	Bright Brass	Steel w/Brown PVC Sleeve	5mm	7/16"	1-1/4"	3/4"	1/8"

### ZINC DIECAST SPOON SHelf RESTS



	Part #	Finish	Material	A	B	C	D	Shelf Clearance
	SH-700Z	Bright Nickel	Zinc Diecast	1/4"	7/16"	1"	5/8"	1/8"
	SH-700B	Bright Brass	Zinc Diecast	1/4"	7/16"	1"	5/8"	1/8"

### STRAIGHT DOWEL SHelf RESTS



	Part #	Finish	Material	A	B	C	D	Shelf Clearance
	PSR-02CH	Chrome	Steel	5mm	5/16"	11/16"	N/A	1/8"
	PSR-02BR	Bright Brass	Steel	5mm	5/16"	11/16"	N/A	1/8"


### HOLE GROMMETS

- Designed to be used in shelf rest holes as a decorative accent
- This accepts a specific size shelf rest, therefore the drill hole will need to be slightly larger

NO BROKEN BOXES- 1000 pcs. minimum order



	Part #	Finish	Material	Pin Diameter	Overall Size
	R25-450NP-GT	Bright Nickel	Steel	7mm	1/2" Dia. x 1/4" High
	R25-128BRS-GT	Bright Brass	Steel	1/4"	25/64" Dia. x 5/16" High
	R25-128NI-GT	Bright Nickel	Steel	1/4"	25/64" Dia. x 5/16" High



### STEEL PIN SHelf REST w/PLASTIC HOUSING (Smooth)



	Part #	Color	Material	A	B	C	D	Shelf Clearance
	R25-728CL	Clear	Brite Nickel Pin w/Polycarbonate Housing	5mm	1/4"	1-1/4"	3/8"	3/16"
	R25-500CL	Clear	Brite Nickel Pin w/H.D.P.E. Housing	5mm	1/4"	11/16"	5/16"	3/16"
	R25-500BR	Brown	Brite Nickel Pin w/H.D.P.E. Housing	5mm	5/16"	5/8"	3/8"	1/8"
	R25-500WH	White	Brite Nickel Pin w/H.D.P.E. Housing	5mm	5/16"	5/8"	3/8"	1/8"

### GLASS SHelf RESTS



	Part #	Finish	Material	A	B	C	D	Shelf Clearance
	SH-138	Brite Nickel	Nickel Plated w/PVC Nonskid Pad	5mm	5/16"	1"	11/16"	1/8"




Adjustable, Holds 3/16" to 1/4" Glass

	Part #	Finish	Material	A	B	C	D
	SH-450	Brite Nickel	Nickel Plated w/PVC Nonskid Pad	3/16"	7/16"	1-1/16"	11/16"


IF YOU ARE LOOKING TO COVER SHelf REST HOLES, SEE PAGE G-5 FOR OUR FASTCAP™ SELECTIONS



# Shelf Rests



To calculate shelf length, use the following formula: inside cabinet width - shelf clearance = shelf size



## Locking Shelf Rests

### PLASTIC LOCKING SHELF RESTS (Fluted Pin)

Designed to hold shelves securely in place



	Part #	Color	Material	A	B	C	D	Shelf Thickness	Shelf Clearance
1	JPE-301-34-010-1	White	ABS	1/4"	5/16"	2-1/4"	1/2"	3/4"	1/4"
	R25-604-500-CL	Clear	Polycarbonate	1/4"	5/16"	1-3/4"	1/2"	1/2"	7/32"
2	R25-604-625-CL	Clear	Polycarbonate	1/4"	5/16"	1-7/8"	1/2"	5/8"	7/32"
	R25-604-750-CL	Clear	Polycarbonate	1/4"	5/16"	2"	1/2"	3/4"	7/32"
	R25-805-500-CL	Clear	Polycarbonate	5mm	1/4"	1-3/4"	1/2"	1/2"	7/32"
3	R25-805-625-CL	Clear	Polycarbonate	5mm	1/4"	1-7/8"	1/2"	5/8"	7/32"
	R25-805-750-CL	Clear	Polycarbonate	5mm	1/4"	2"	1/2"	3/4"	7/32"
	OPHS-1826-BK	Black	Nylon 6	5mm	15/64"	1-11/16"	1/4"	1/2"	3/16"
4	OPHS-1826-BR	Brown	Nylon 6	5mm	15/64"	1-11/16"	1/4"	1/2"	3/16"
	OPHS-1829-CL	Clear	Polycarbonate	5mm	15/64"	1-11/16"	1/4"	3/4"	3/16"
	R25-244-625WH	White	H.D.P.E.	5mm	3/8"	1-5/8"	1/2"	5/8"	7/32"
5	R25-244-750WH	White	H.D.P.E.	5mm	3/8"	1-7/8"	1/2"	3/4"	7/32"
	R25-244-750BE	Beige	H.D.P.E.	5mm	3/8"	1-7/8"	1/2"	3/4"	7/32"

## Institutional & Locking Shelf Rests



### INSTITUTIONAL LOCKING SHELF REST (Smooth Pin)

- Over 300 pound shear test
- Supports shelf loads over 500 lbs
- Ideal for commercial or institutional furniture
- For extra support, this can be screwed to the side panel of the cabinet
- Can withstand earthquakes

Part #	Color	Material	A	B	C	D	Shelf Thickness	Shelf Clearance
R25-BGD-CL	Clear	Polycarbonate	Twin 5mm	5/16"	2-1/2"	1/2"	3/4" or 1"	1/4"



### LOCKING MEDICINE CABINET SHELF REST (Smooth)

Accepts up to 1/8" shelf and designed so that the shelf will not shimmy

Part #	Color	Material	A	B	C	D	Shelf Thickness	Shelf Clearance
R25-CK	Clear	Polycarbonate	5MM	5/16"	1/2"	1/2"	1/8"	3/16"



### PLASTIC SHELF LOCKING SYSTEM - 2 PIECE 32mm

Holds shelf in place


Part #	Color	Material	A
SH-103113	White	Nylon	5MM




### GLASS SHELF RESTS

Part #	Color	Material	A	B	C	D	Shelf Thickness	Shelf Clearance
R25-605CL	Clear	H.D.P.E.	1/4"	3/8"	7/8"	1/2"	3/16"	1/8"
R25-806CL	Clear	H.D.P.E.	5mm	3/8"	7/8"	1/2"	1/4"	1/8"

IF YOU ARE LOOKING TO COVER SHELF REST HOLES, SEE PAGE G-5 FOR OUR FASTCAP™ SELECTIONS




To calculate shelf length, use the following formula: inside cabinet width - shelf clearance = shelf size



## Spoon & Locking Shelf Rests

### STANDARD DUTY SHELF RESTS (Fluted Pin)



	Part #	Color	Material	A	B	C	D	Shelf Clearance
6	<a href="#">R25-470CL</a>	Clear	Lexan	1/4"	11/32"	3/8"	3/8"	7/32"
7	<a href="#">R25-350CL</a>	Clear	Lexan	1/4"	5/16"	1"	1/2"	7/32"
8	<a href="#">R25-241CL</a>	Clear	Polycarbonate	5mm	1/4"	1"	1/2"	7/32"

### EXTRA LONG SHELF REST (Fluted)



	Part #	Color	Material	A	B	C	D	Shelf Clearance
	<a href="#">R25-471CL</a>	Clear	Polycarbonate	1/4"	3/8"	1/2"	1"	5/64"

IF YOU ARE LOOKING TO COVER SHELF REST HOLES, SEE PAGE G-5 FOR OUR FASTCAP™ SELECTIONS

## Cabinet Hardware

### Steel Pilaster




- Bright Zinc Finish
- Surface or recess mount
- Pre-Drilled screw holes & stamped numbers for easy installation
- 5/8" W x 1/8" D
- 1/2" Hole Spacing

Part #	Length
<a href="#">HB101PZ-18</a>	18"
<a href="#">HB101PZ-24</a>	24"
<a href="#">HB101PZ-30</a>	30"
<a href="#">HB101PZ-36</a>	36"
<a href="#">HB101PZ-48</a>	48"
<a href="#">HB101PZ-60</a>	60"
<a href="#">HB101PZ-72</a>	72"
<a href="#">HB101PZ-84</a>	84"
<a href="#">HB101PZ-96</a>	96"

\*Mounts with #6 or #8 screws, sold separately. See page G-32

Part #	Description
<a href="#">HB107CZ</a>	Pilaster Clips



# Flat & Pan Head Particle Board Screws

## Flat Head Screws

Zinc or Black • Phillips Drive • Coarse Thread

Part #	Finish	Size	Bulk Ctn Qty.
SCR-5500FHZ	Zinc	#5 x 1/2"	25,000
SCR-5625FHZ	Zinc	#5 x 5/8"	20,000
SCR-6500FHZ	Zinc	#6 x 1/2"	20,000
SCR-6625FHZ	Zinc	#6 x 5/8"	15,000
SCR-6100FHZ	Zinc	#6 x 1"	10,000
SCR-6150FHZ	Zinc	#6 x 1-1/2"	10,000
SCR-8625FHZ	Zinc	#8 x 5/8"	12,000
SCR-8750FHZ	Zinc	#8 x 3/4"	10,000
SCR-8100FHZ	Zinc	#8 x 1"	10,000
SCR-8150FHZ	Zinc	#8 x 1-1/2"	10,000
SCR-1625FHZ	Zinc	#10 x 5/8"	10,000
SCR-1750FHZ	Zinc	#10 x 3/4"	8,000
SCR-5500FHB	Black	#5 x 1/2"	25,000
SCR-5625FHB	Black	#5 x 5/8"	20,000
SCR-6500FHB	Black	#6 x 1/2"	20,000
SCR-6625FHB	Black	#6 x 5/8"	15,000
SCR-8625FHB	Black	#8 x 5/8"	12,000
SCR-8750FHB	Black	#8 x 3/4"	10,000
SCR-1625FHB	Black	#10 x 5/8"	10,000
SCR-1750FHB	Black	#10 x 3/4"	8,000

## Pan Head Screws

Zinc or Black • Phillips Drive • Coarse Thread

Part #	Finish	Size	Bulk Ctn Qty.
SCR-6500PHZ	Zinc	#6 x 1/2"	20,000
SCR-6625PHZ	Zinc	#6 x 5/8"	15,000
SCR-6100PHZ	Zinc	#6 x 1"	10,000
SCR-8500PHZ	Zinc	#8 x 1/2"	15,000
SCR-8625PHZ	Zinc	#8 x 5/8"	12,000
SCR-8750PHZ	Zinc	#8 x 3/4"	10,000
SCR-8100PHZ	Zinc	#8 x 1"	8,000
SCR-1625PHZ	Zinc	#10 x 5/8"	10,000
SCR-1750PHZ	Zinc	#10 x 3/4"	8,000
SCR-1875PHZ	Zinc	#10 x 7/8"	7,000
SCR-1100PHZ	Zinc	#10 x 1"	6,000
SCR-6500PHB	Black	#6 x 1/2"	20,000
SCR-6625PHB	Black	#6 x 5/8"	15,000
SCR-6100PHB	Black	#6 x 1"	10,000
SCR-8500PHB	Black	#8 x 1/2"	15,000
SCR-8625PHB	Black	#8 x 5/8"	12,000
SCR-8750PHB	Black	#8 x 3/4"	10,000
SCR-8100PHB	Black	#8 x 1"	8,000
SCR-1625PHB	Black	#10 x 5/8"	10,000
SCR-1750PHB	Black	#10 x 3/4"	8,000
SCR-1875PHB	Black	#10 x 7/8"	7,000
SCR-1100PHB	Black	#10 x 1"	6,000

## Machine Screws/Breakaway Screws

Zinc • Phillips Slotted • Round Head


Part #	Finish	Size	Bulk Ctn Qty.
SCR-8321THZ	Zinc	8 x 32 x 1"	10,000
SCR-8321THZ-BA	Zinc	8 x 32 x 1-3/4"	10,000



## Finishing Washers


COLOR: NATURAL NYLON

REACH & ROHS  
COMPLIANT



Part #	Screw Size	ID		OD		H	
		In.	Mm	In.	Mm	In.	Mm
CFW-6	6	.143	3.63	.437	11.10	.100	2.54
CFW-8	8	.171	4.34	.515	13.08	.115	2.92

## Furniture Assembly Fasteners



POSI SCREWS

250 PIECES PER CARTON

Titus

Part #	Description
OP-0071	8x33mm HI-LO Funnel Head
OP-0077	8x45mm HI-LO Funnel Head
OP-6077	8x50mm HI-LO Funnel Head



Fast, easy, secure anchoring in ALL building materials — drywall, gypsum board, brick, concrete, block, stone, plaster ...

- No special tools needed
- Stronger than any anchor of comparable screw size

## TOGGLER® BRAND SnapSku® Self Drilling Drywall Anchor



Securely hang alarms, mirrors, bathroom accessories, picture frames, drapery, lighting fixtures, smoke detectors, thermostats, electric boxes, etc.

- Material: Glass Filled Nylon
- Positive "stop" prevents overturning
- Can be used with a screw gun or hand drill
- Activates & locks with an audible "pop" indicating correct installation

Part #	Description	Grip	Screw ^	Screws	Box
TA-0012	SP™ drywall anchors	3/8"-5/8"	#6-#10	50	50

^ # 8 Screw Preferred

#8 x 1 1/2" COMBO HEAD SCREWS INCLUDED IN TA-0012 BOXES. EACH ITEM IS SOLD IN FULL BOXES ONLY - NO BROKEN BOXES




## TOGGLER® BRAND SNAPTGGLE® Toggle Bolt

Superior holding for heavy-duty anchoring in hollow walls and ceilings. Use in drywall, concrete block, plaster, tile over drywall, or tile over greenboard.

- Material: Zinc plated carbon steel & high impact polystyrene
- Carry twice the load in a smaller hole than standard wing toggles
- No spinning when used with a screw gun

Part #	Description	Thread	Drill	Grip	Box
TA-1013	BA™ snaptoggle toggle bolt	3/16"-24	1/2"	3/8"-3-5/8"	100
TA-1014	BB™ snaptoggle toggle bolt	1/4"-20	1/2"	3/8"-3-5/8"	100
TA-1015	BC™ snaptoggle toggle bolt	3/8"-16	3/4"	3/8"-2-1/2"	25
TA-1016	BD™ snaptoggle toggle bolt	1/2"-13	3/4"	3/8"-2-1/2"	25


THREADED BOLTS ARE NOT INCLUDED - EACH ITEM IS SOLD IN FULL BOXES ONLY - NO BROKEN BOXES



BA 3/16"-24 • BB 1/4"-20 =  
Drill diameter: 1/2" (13mm)

BC 3/8"-16 • BD 1/2"-13 =  
Drill diameter: 3/4" (19mm)

Minimum clearance behind wall:  
1 7/8" (48mm)



## TOGGLER® BRAND ALLIGATOR® Solid Wall Concrete Anchors

- Material: Self-lubricating polypropylene
- Corrosion proof when used with stainless steel screws
- Can be used with a screw gun
- Fins prevent spinning and countersink in the hole




Part #	Description	Screw	Drill	Box
TA-3103	AF™ 3/16" dia. flanged anchors	#4-#10	3/16"	200
TA-3101	AF6™ 1/4" dia. flanged anchors	#6-#14	1/4"	100
TA-3102	AF8™ 5/16" dia. flanged anchors	#6-5/16	5/16"	100
TA-3106	AF5™ 3/16" dia. flush mount anchors	#4-#10	3/16"	200
TA-3104	AF6™ 1/4" dia. flush mount anchors	#6-#14	1/4"	100
TA-3105	AF8™ 5/16" dia. flush mount anchors	#6-5/16	5/16"	100


EACH ITEM IS SOLD IN FULL BOXES ONLY - NO BROKEN BOXES

## TOGGLER® Specialty Anchors


- Material: Non-Corrodable polypropylene
- Vibration & shock proof
- Specially designed heads for specialized applications



Part #	Description	Grip	Screw	Drill	Box
TA-1012	TH™ picture hook anchors	3/8"-1/2"	#6-#14	5/16"	100
TA-1023	TBS1™ shelving anchors	3/8"-1/2"	#7 x 1-3/4"	5/16"	50
TA-1022	TBS2™ pegboard anchors	3/8"-1/2"	#7 x 1-3/4"	5/16"	50
TA-1024	TBW™ wire shelf anchors	3/8"-1/2"	#7 x 1-3/4"	5/16"	50



Use for hanging pictures and mirrors on hollow or solid walls. Also used to string TV cable or phone wire.



One-piece anchor with spacer for installing C-channel wall standards in perfect alignment and preventing jackout of the anchor.

## Economy Hollow Wall Anchor


- Material: Polypropylene
- Color: White

**HW-ANCHOR**  
Grip: 3/8"-7/16"  
Screw: #9-#13  
Drill: 5/16"  
Box: 100



## TOGGLER® Hollow-Wall Anchors

- Material: Non-Corrodable polypropylene
- Positive locking system provides increased holding strength
- Vibration & shock proof
- Anti-rotation fins prevent spinning in the hole



TA™  
Hollow doors & thin panels

Part #	Description	Grip	Screw	Drill	Box
TA-1009	TA™ hollow door anchors	1/8"-1/4"	#8-#12	5/16"	100
TA-1010	TB™ drywall anchors	3/8"-1/2"	#6-#14	5/16"	100
TA-1011	TC™ drywall anchors	5/8"-3/4"	#6-#14	5/16"	100
TA-1021	TD™ drywall anchors	1"	#6-#14	5/16"	50
TA-1029	T35™ drywall anchors	1-3/8"	#6-#14	5/16"	50



TB™  
Residential drywall applications

## Economy Flush Mount Drywall Anchor

- Material: Polypropylene
- Used for through the fixture mounting
- 1/4" Diameter



Part #	Screw	Drill
STD-ANCHOR	#8	1/4"
T3D-ANCHOR-6	#6	1/4"

SOLD IN BOXES OF 100 - NO BROKEN BOXES





## Fully Concealed Hidden Joining System

- Material: Glass Reinforced Nylon
- UV and Fire Rated
- Guaranteed to save on production time and labor costs because it's easy to install and you do not need to wait for glue to dry.
- Units can ship knock down. Less money will be spent on transportation.
- Reduce inventory levels on other fastening components when you switch to this system. Very cost effective and requires less fasteners.
- There is no need to buy expensive new tooling because this system allows you to use standard router, screw drivers or CNC machine.



### Striplox Pro 23



This connector has over 100 uses and can be used in a variety of applications ranging from large scale Architectural projects to hanging artwork or building floating shelves

### Striplox Pro 55



### Striplox Clip 50



Designed for small and precise applications, while providing a secure connection in the tightest of places.

### Striplox Mini 60



Allows the user to create fully concealed joints.

### Striplox Mini 120



### Striplox 90D 98



Designed to quickly and easily connect any right angle, miter box and flush joints.

### Striplox 180D



Allows you to easily join tables together at conference venues and restaurants in less than a minute.

### Striplox Griplox



Is a great alternative to traditional wood biscuits. No more glue, no more waiting time and no more bulge.

### Striplox Megalox



Megalox is ideal for bench, table top installations with mitre joints, T joints or box joints.

For Striplox Starter Kits, See Page G-39


## Striplox Pro 23 & 55

- **Type of Application:** Ceiling panels, acoustic panels, timber battens, floating shelves, furniture, bookcases, mirrors, RV and marine, exhibition/tradeshows events, shop fitting displays and signage.
- **Connection:** Male and female, ideally male is mounted to the wall, ceiling or other surfaces.
- Designed for panels, frames or components. This hidden mounting system delivers a flawless finish with a perfect alignment every time.
- Very strong and durable and will support the load capacity evenly over the entire product.
- Cabinetry or panels can be fitted permanently or removed and re-used with ease.
- 2 sizes to choose from with slim design for easy concealment.
- **Mounting Options:** Horizontal, Vertical and Ceiling Mount
- **Board or Panel Materials To Use:** Solid Wood, MDF, Composite Materials, Aluminum, Acrylic and More
- **Lock Tab:** Lock tab for permanent mounting or remove when repeated access is needed.

Part #	Description	Color
<b>SPX-P23</b>	Striplox Pro 23	Black
<b>SPX-P55</b>	Striplox Pro 55	Black

See Mounting Accessories On Page G-36


### Striplox Pro 23



- **Lift Clearance (Direction of Travel):** 1/2" (12.7mm)
- **Projection- Surface Mounted:** .38" (9.5mm)
- **Projection- Recessed Mounted:** Sits flush against the wall
- **Projection- Set Back Mounted:** .08" to .30"

- **Size of Screws:** #8 x 5/8"
- **# of Screws:** 5 pieces
- **Screw Adjustment:** Yes
- 32MM Compatible

### Striplox Pro 55



- **Lift Clearance (Direction of Travel):** 3/4" (19mm)
- **Projection- Surface Mounted:** .50" (12.8mm)
- **Projection- Recessed Mounted:** Sits flush against the wall
- **Projection- Set Back Mounted:** .15" or .35"

- **Size of Screws:** #8 x 5/8"
- **# of Screws:** 16 pieces
- **Screw Adjustment:** Yes
- 32MM Compatible

## Striplox Clip 50


- **Type of Application:** Wall, cabinetry, commercial panels, acoustic panels, signage, exhibition & shop fitting.
- **Connection:** Male and female, ideally male is mounted to the wall, ceiling or other surfaces.
- Its unique design allows you to mount your products to uneven walls.
- Can be screw or glue mounted.
- Stronger than many panel mounting options on the market today.
- **Mounting Options:** Horizontal, Vertical and Ceiling Mount
- **Board or Panel Materials To Use:** Solid Wood, MDF, Composite Materials, Aluminum, Acrylic and More
- **Lock Tab:** Lock tab for permanent mounting or remove when repeated access is needed.

- **Lift Clearance (Direction of Travel):** 1/4" (6.4mm)
- **Projection- Surface Mounted:** .38" (9.5mm)
- **Projection- Recessed Mounted:** Sits flush against the wall
- **Projection- Set Back Mounted:** .125" to .25"

- **Size of Screws:** #8 x 5/8"
- **# of Screws:** 4 pieces
- 32MM Compatible

Part #	Color
<b>SPX-C50</b>	Black

See Mounting Accessories On Page G-38



## Striplox Mini 60 & 120


- **Type of Application:** Commercial, domestic and architectural furniture, wardrobe closets, cabinetry, framing of artwork and mirrors, RV and marine fit outs and locker room.
- **Connection:** Male and female mortised into position.
- Replaces the need to use biscuit joints, fasteners or cam dowels. This saves time on labor with a quick and easy install. Completely hidden joint.
- The connectors produce a tight and strong joint either in permanent or reversible applications.
- Will not interfere with substrate finishes, such as veneers and paint.
- **Mounting Options:** Horizontal, Vertical and Lock Up Mount
- **Board or Panel Materials To Use:** Solid Wood, MDF and Other Composite Materials

Part #	Description	Color
SPX-M60	Striplox Mini 60	Black
SPX-M120	Striplox Mini 120	Black

See Mounting Accessories On Page G-38



- **Lock Tab:** Lock position is a click, no tab to remove.
- **Board Depth:** .394"




- **Lift Clearance (Direction of Travel):** 5/16" (8mm)
- **Projection- Recessed Mounted:** Fully Concealed Joints



- **Lock Tab:** Lock tab for permanent mounting or must be sanded off or sliced off with a utility knife.
- **Board Depth:** .394"
- **Lift Clearance (Direction of Travel):** 7/16" (11mm)
- **Projection- Recessed Mounted:** Fully Concealed Joints

### Striplox Mini 120





## Striplox 90D 98

- **Type of Application:** Bulk head and kickboard, furniture, shop fitting displays and signage, exhibition and tradeshow events.
- **Connection:** Male and female, ideal male is mounted to the wall ceiling or other surface. Surface mounted ideal for any right angle.
- This patented design pulls the substrate firmly together to form a strong and tight joint in one simple action by distributing the loads evenly over the entire connector and joint.
- The joint is not visible once the cover is snapped into place.
- Can create a perfect 90 degree angle.
- **Mounting Options:** Horizontal, Vertical and Side Mount
- **Board or Panel Materials To Use:** Solid Wood, MDF and Other Composite Materials
- **Lock Tab:** Cannot be removed, but can be overridden when you start the connection from the beginning of the clip.

	Part #	Color
A	SPX-90DBK	Black
	SPX-90DWH	White
B	SPX-90DBK-51	Black

See Mounting Accessories On Page G-38




## Striplox Griplox

- **Type of Application:** Anywhere traditional wood biscuits are used.
- **Connection:** Knock in (no glue required) std NO.20 biscuit slot.
- Easy to install, use standard biscuit cutter and simply knock in with a hammer.
- Unique gripping spikes on the front and back secure your project in place without glue.
- **Mounting Options:** Horizontal & Vertical
- **Board or Panel Materials To Use:** Solid Wood, MDF and Other Composite Materials

Part #	Color
SPX-GP20	Black


- **Board Depth:** .394"
- **Projection- Recessed Mounted:** Fully concealed joints



See Mounting Accessories On Page G-38

## Striplox 180D

- **Type of Application:** Conference room tables, kitchen and benchtop tables, workstations, retail displays, signage and large exhibition displays.
- **Connection:** Male and female, ideally male is mounted to the wall, ceiling or other surfaces.
- Primarily used when you need to join items at 180 degrees.
- Can be used even when board is already laminated.
- Very secure connection. The round disc locks closed by hand. Some force is required to unlock.
- **Mounting Options:** Horizontal, Vertical and Under Mount
- **Board or Panel Materials To Use:** Solid Wood, MDF and Other Composite Materials
- **Lock Tab:** Must add a screw in designated hole to make permanent.




Part #	Color
SPX-180D	Black

See Mounting Accessories Below

- Board Depth: 3/4"
- Projection- Surface Mounted: 1/2"
- Size of Screws: #8 x 5/8"
- # of Screws: 6 pieces
- 32MM Compatible

## Striplox Megalox

- **Type of Application:** Bathroom, office, toilet or locker room partitions and bench top waterfalls.
- **Connection:** Male and female mortised into position.
- When creating a waterfall, saves time and because there is no glue to dry.
- Will allow you to create a perfect alignment.
- Can support heavy panels, 650 lbs. when used vertically.
- **Mounting Options:** Horizontal, Vertical and Lock Up Mount
- **Board or Panel Materials To Use:** Solid Wood, MDF and Other Composite Materials
- **Lock Tab:** Lock tab for permanent mounting or must be sanded off or sliced off with a utility knife.



- Board Depth: 3/4"
- Projection- Recessed Mounted: Fully concealed joints
- Size of Screws: #8 x 5/8"
- # of Screws: 6 pieces
- Screw Adjustment: Yes
- 32MM Compatible

Part #	Color
SPX-MEG	Black

See Mounting Accessories Below

## Accessories

### Liquidlox Adhesive 20G

General purpose, middle viscosity, fast cure adhesive

Part #
SPX-ADH

### Grivoly Jig Set

Adds speed to install & helps determine install of hardware

Part #	Size
SPX-P23-JIG	Pro 23
SPX-C50-JIG	Clip 50
SPX-P55-JIG	Pro 55

### Router Bits


Part #	Size
SPX-7RB	7mm
SPX-10RB	10mm

▲ 7mm Router bit for Striplox Mini 60 & 120

### Striplox Template

Adds speed to install & helps determine install of hardware

Part #
SPX-TEMP






## Striplox Starter Kits

### 43 PIECE BASIC STARTER KIT



#### Kit Includes:

- 4 Pcs. Striplox Pro 55
- 4 Pcs. Striplox Pro 23
- 4 Pcs. Striplox Clip 50
- 4 Pcs. Striplox 90D, 98mm White
- 4 Pcs. Striplox Mini 60mm
- 4 Pcs. Striplox Mini 120mm
- 4 Pcs. Striplox Mega-Lox
- 2 Pcs. Striplox 180D
- 10 Pcs. Striplox Griplox Biscuits
- 1 Pc. Pro 55 Jig
- 1 Pc. Clip 50 Jig
- 1 Pc. Pro 23 Jig
- 1 Carry Case



#### Part #

**SPX-SKIT-B**

### 78 PIECE BASIC STARTER KIT



#### Kit Includes:

- 6 Pcs. Striplox Pro 55
- 6 Pcs. Striplox Pro 23
- 6 Pcs. Striplox Clip 50
- 6 Pcs. Striplox 90D, 98mm White
- 12 Pcs. Striplox Mini 60mm
- 6 Pcs. Striplox Mini 120mm
- 6 Pcs. Striplox Mega-Lox
- 4 Pcs. Striplox 180D
- 20 Pcs. Striplox Griplox Biscuits
- 2 Pcs. Pro 55 Jig
- 2 Pcs. Clip 50 Jig
- 2 Pcs. Pro 23 Jig
- 1 Carry Case

#### Part #

**SPX-SKIT-D**





## System 6: Quickfit Connectors

### 20mm SYSTEM 6 HOUSING

#### Non-Outrigger




- **MATERIAL: Nylon / Zinc**
- Works with 16mm & 19mm panels
- Drop-On application
- "Klix" locking system provides a strong, vibration proof connection
- Compatible with all screw-in and Quickfit System6 dowels
- Ideal for high volume production case goods, closets & garage storage systems
- No edge boring required
- Available in Almond **AL**, Black **BK**, Brown **BR**, Candlelight **CN**, Silver **SL** & White **WH**


AL	BK	BR	CN	SL	WH
----	----	----	----	----	----

Part #	Diameter	Type	Access	Color	Pieces Per Carton
<b>OP6-6387-AL</b>	19mm	Non-Outrigger	Drop-On	Almond	2500
<b>OP6-6387-BK</b>	19mm	Non-Outrigger	Drop-On	Black	2500
<b>OP6-6387-BR</b>	19mm	Non-Outrigger	Drop-On	Brown	2500
<b>OP6-6387-CN</b>	19mm	Non-Outrigger	Drop-On	Candlelight	2500
<b>OP6-6387-SL</b>	19mm	Non-Outrigger	Drop-On	Silver	2500
<b>OP6-6387-WH</b>	19mm	Non-Outrigger	Drop-On	White	2500
<b>OP6-6397-AL</b>	19mm	Outrigger	Drop-On	Almond	1250
<b>OP6-6397-BK</b>	19mm	Outrigger	Drop-On	Black	1250
<b>OP6-6397-BR</b>	19mm	Outrigger	Drop-On	Brown	1250
<b>OP6-6397-SL</b>	19mm	Outrigger	Drop-On	Silver	1250
<b>OP6-6397-WH</b>	19mm	Outrigger	Drop-On	White	1250
<b>OP6-6431-CN</b>	16mm	Non-Outrigger	Drop-On	Candlelight	2500
<b>OP6-6431-WH</b>	16mm	Non-Outrigger	Drop-On	White	2500
<b>OP6-6435-AL</b>	16mm	Non-Outrigger	Side Entry	Almond	2500
<b>OP6-6435-BK</b>	16mm	Non-Outrigger	Side Entry	Black	2500
<b>OP6-6435-BR</b>	16mm	Non-Outrigger	Side Entry	Brown	2500
<b>OP6-6435-WH</b>	16mm	Non-Outrigger	Side Entry	White	2500
<b>OP6-6437-BK</b>	19mm	Non-Outrigger	Side Entry	Black	2500
<b>OP6-6437-BR</b>	19mm	Non-Outrigger	Side Entry	Brown	2500
<b>OP6-6437-CN</b>	19mm	Non-Outrigger	Side Entry	Candlelight	2500
<b>OP6-6437-WH</b>	19mm	Non-Outrigger	Side Entry	White	2500
<b>OP6-6439-AL</b>	16mm	Outrigger	Drop-On	Almond	1250
<b>OP6-6439-CN</b>	16mm	Outrigger	Drop-On	Candlelight	1250

#### Outrigger



## System 6: Quickfit Dowels



- Zinc construction
- For panel-to-panel and back-to-back applications
- Works with all System 6 housing
- Depth stop collar for accurate insertion



OPHS-6402


Part #	Drill Length For Dowel Thread	Finish	Pieces Per Carton
<b>OPHS-6402</b>	(8mm) 0.315"	Zinc	5000
<b>OPHS-6406</b>	(11.5mm) 0.45"	Zinc	5000

#### Double Ended Dowel



Part #	Finish	Pieces Per Carton
<b>OP6-6416</b>	Zinc	1000

#### Expandable Dowel




- Simply slide into pre-drilled 5mm hole
- The dowel expands in the hole as the housing cam is rotated
- Can quickly and easily be moved to a different location without damaging panels

Part #	Finish	Pieces Per Carton
<b>OP6-6408</b>	Zinc	5000

## System 5: Cam & Dowels

### 15mm Cam




- Zinc construction (OP5-5644B: Zinc/Nylon)
- For 15/16mm & 18/19mm panel thickness
- "Klix" locking feature provides a strong vibration proof connection
- Linear cam profile results in smooth easy cam rotation & dowel pull out

Part #	Panel Thickness	Drilling Depth	Finish	Pieces Per Carton
<b>OP5-5644B</b>	15/16mm	(12mm) 0.50"	Black	2000
<b>OP5-5644Z</b>	15/16mm	(12mm) 0.50"	Zinc	2000
<b>OP5-5656Z</b>	18/19mm	(14mm) 0.55"	Zinc	2000

### Combi Dowel



- Zinc /Steel construction
- Greater resistance to torsion and pull out
- "Klix" locking feature provides a strong vibration proof connection
- Twinstart thread for faster and reliable insertion
- Suitable for use with all 12mm & 15mm cams





Part #	Thread Length	Drilling Depth	Drilling Distance [A]	Finish	Pieces Per Carton
<b>OP5-9423Z</b>	(11mm) 0.433"	(12mm) 0.472"	(24mm) 0.945"	Zinc	2000
<b>OP5-9424Z</b>	(11mm) 0.433"	(12mm) 0.472"	(34mm) 1.339"	Zinc	2000

## System 4: Quickloc




- Zinc construction
- For use with 5/8" and 3/4" panels
- **Drill Size: Cam:** 25mm, **Dowel:** 10mm
- **Drilling Depth: Cam:** 11mm, **Dowel:** 13mm



- One piece expanding connector
- Capable of hand insertion
- Highly tolerant and tightens in less than one turn
- Face boring product with high degree of drilling tolerance
- Only connector to provide pull-up of cabinet panels when tightened

Part #	Finish	Pieces Per Carton
<b>OP4-6802-BK</b>	Black	1500
<b>OP4-6802-DB</b>	Dark Brown	1500
<b>OP4-6802-WH</b>	White	1500

## System 3: Fasteners for Face & Edge Boring



### Housing Assembly



### Screw Dowels



- 2-Component, 1-Turn lock system
- Pre-assembled for consumer convenience
- (1") 25mm dia. housing x (1/2") 12.5mm depth
- Choice of dowels to suit drilling
- Hi-Lo screw feature for faster insertion

Part #	Description	Finish	Material	Pieces Per Carton
OPHS-3118	Housing	White	Nylon	2500
OP-3118BR	Housing	Brown	Nylon	2500


Part #	Description	Finish	Material	Pieces Per Carton
OPHS-3165	Euro Screw Dowel	Zinc	Steel	1000

## Furniture Dowels

### Modesty Block Dowels

#### Material: Polyethylene

- Moisture Resistant
- No glue necessary
- Self Locking



**BEST BUY  
GREAT VALUE**

Part #	Size	Color
R25-830	8mm x 30mm	Black

### Furniture Joiner Hardware

#### Material: Nylon\*

*For joints stronger than the wood or wood product itself*

- Reduces assembly time
- Insert manually or with most doweling machines
- Not affected by humidity - less likely to jam insertion equipment
- Forced fit - no glue necessary

**ELIMINATES GLUING  
& CLAMPING**



#### PREMIUM SERIES




Part #	Diameter x Length	Color
*R25-147	6mm x 1-1/8"	Natural
R25-604	8mm x 1-1/2"	Natural
R25-860	8mm x 1-1/2"	Natural

\* 33% Glass Filled Nylon

## Window Shutter Pins

### Standard Shutter Pin

#### Material: Nylon




A = Pin Diameter: .014"  
B = Head Diameter: .242"  
C = Pin Length: .676"  
D = Shoulder Diameter: .306"  
E = Full Length: 1.076"

Part #	Color
SP-1	Natural

### Retractable Shutter Pin

#### Material: Polyethylene

- Great for replacements & repairs



A = Pin Diameter: .014"  
B = Head Diameter: .24"  
C = Full Length: .875"


Pin pushes in, then snaps back

Part #	Color
SP-19	Natural

### Tension Control Shutter Pin

#### Material: Nylon

- Cuts down on loose slats



A = Pin Diameter: .014"  
B = Head Diameter: .24"  
C = Full Length: 1.08"  
Spring Diameter: 0.255"

- For 2-1/2" louver, use every 3<sup>rd</sup> slat
- For 3-1/2" louver, use every 2<sup>nd</sup> slat
- For 4-1/2" louver, use every slat


Part #	Color
SP-17	White

## • White Birch • \*Available Fluted or Spiral

(\*Please Specify Fluted or Spiral When Ordering)

### • Kiln Dried To 6-8% Moisture

*Which pin is better, Spiral or Fluted? ....* There is no real answer as to which pin offers better holding power. While some manufacturers dowel-inserting machinery may advise which groove suits its machinery better, both pins offer excellent dispersion of glue as well as excellent bonding qualities.



SIZE: 1/4" x 1" (*Fluted or Spiral)			
PART #	R25-2510C*	R25-2510M*	R25-2510B-*BX (Bulk)
QUANTITY	100 Pcs./Bag	1,000 Pcs./Bag	38,700 Pcs.

SIZE: 1/4" x 1-1/2" (*Fluted or Spiral)			
PART #	R25-2515C*	R25-2515M*	R25-2515B-*BX (Bulk)
QUANTITY	100 Pcs./Bag	1,000 Pcs./Bag	24,000 Pcs.

SIZE: 1/4" x 1-3/4" (*Fluted or Spiral)			
PART #	R25-2517C*	R25-2517M*	R25-2517B-*BX (Bulk)
QUANTITY	100 Pcs./Bag	1,000 Pcs./Bag	21,000 Pcs.

SIZE: 1/4" x 2" (*Fluted or Spiral)			
PART #	R25-2520C*	R25-2520M*	R25-2520B-*BX (Bulk)
QUANTITY	100 Pcs./Bag	1,000 Pcs./Bag	18,000 Pcs.

SIZE: 3/8" x 1" (*Fluted or Spiral)			
PART #	R25-3710C*	R25-3710M*	R25-3710B-*BX (Bulk)
QUANTITY	100 Pcs./Bag	1,000 Pcs./Bag	25,000 Pcs.

SIZE: 3/8" x 1-1/4" (*Fluted or Spiral)			
PART #	R25-3712C*	R25-3712M*	R25-3712B-*BX (Bulk)
QUANTITY	100 Pcs./Bag	1,000 Pcs./Bag	23,000 Pcs.

SIZE: 3/8" x 1-1/2" (*Fluted or Spiral)			
PART #	R25-3715C*	R25-3715M*	R25-3715B-*BX (Bulk)
QUANTITY	100 Pcs./Bag	1,000 Pcs./Bag	20,000 Pcs.

SIZE: 3/8" x 1-3/4" (*Fluted or Spiral)			
PART #	R25-3717C*	R25-3717M*	R25-3717B-*BX (Bulk)
QUANTITY	100 Pcs./Bag	1,000 Pcs./Bag	16,000 Pcs.

SIZE: 3/8" x 2" (*Fluted or Spiral)			
PART #	R25-3720C*	R25-3720M*	R25-3720B-*BX (Bulk)
QUANTITY	100 Pcs./Bag	1,000 Pcs./Bag	13,000 Pcs.

SIZE: 3/8" x 2-1/2" (*Fluted or Spiral)			
PART #	R25-3725C*	R25-3725M*	R25-3725B-*BX (Bulk)
QUANTITY	100 Pcs./Bag	1,000 Pcs./Bag	10,000 Pcs.

SIZE: 7/16" x 1-1/2" (*Fluted or Spiral)			
PART #	R25-4315C*	R25-4315M*	R25-4315B-*BX (Bulk)
QUANTITY	100 Pcs./Bag	1,000 Pcs./Bag	15,000 Pcs.

SIZE: 7/16" x 1-3/4" (*Fluted or Spiral)			
PART #	R25-4317C*	R25-4317M*	R25-4317B-*BX (Bulk)
QUANTITY	100 Pcs./Bag	1,000 Pcs./Bag	12,000 Pcs.

SIZE: 7/16" x 2" (*Fluted or Spiral)			
PART #	R25-4320C*	R25-4320M*	R25-4320B-*BX (Bulk)
QUANTITY	100 Pcs./Bag	1,000 Pcs./Bag	10,000 Pcs.

SIZE: 7/16" x 2-1/2" (*Fluted or Spiral)			
PART #	R25-4325C*	R25-4325M*	R25-4325B-*BX (Bulk)
QUANTITY	100 Pcs./Bag	1,000 Pcs./Bag	8,500 Pcs.

SIZE: 7/16" x 3" (*Fluted or Spiral)			
PART #	R25-4330C*	R25-4330M*	R25-4330B-*BX (Bulk)
QUANTITY	100 Pcs./Bag	1,000 Pcs./Bag	7,000 Pcs.

SIZE: 1/2" x 2" (*Fluted or Spiral)			
PART #	R25-5020C*	R25-5020M*	R25-5020B-*BX (Bulk)
QUANTITY	100 Pcs./Bag	1,000 Pcs./Bag	8,000 Pcs.

SIZE: 1/2" x 2-1/2" (*Fluted or Spiral)			
PART #	R25-5025C*	R25-5025M*	R25-5025B-*BX (Bulk)
QUANTITY	100 Pcs./Bag	1,000 Pcs./Bag	6,000 Pcs.

SIZE: 1/2" x 3" (*Fluted or Spiral)			
PART #	R25-5030C*	R25-5030M*	R25-5030B-*BX (Bulk)
QUANTITY	100 Pcs./Bag	1,000 Pcs./Bag	5,000 Pcs.

## METRIC SIZES

SIZE: 6mm x 25mm (*Fluted or Spiral)			
PART #	R25-6250C*	R25-6250M*	R25-6250B-*BX (Bulk)
QUANTITY	100 Pcs./Bag	1,000 Pcs./Bag	44,000 Pcs.

SIZE: 6mm x 30mm (*Fluted or Spiral)			
PART #	R25-6300C*	R25-6300M*	R25-6300B-*BX (Bulk)
QUANTITY	100 Pcs./Bag	1,000 Pcs./Bag	35,400 Pcs.

SIZE: 8mm x 30mm (*Fluted or Spiral)			
PART #	R25-8300C*	R25-8300M*	R25-8300B-*BX (Bulk)
QUANTITY	100 Pcs./Bag	1,000 Pcs./Bag	19,200 Pcs.


SIZE: 8mm x 32mm (*Fluted or Spiral)			
PART #	R25-8320C*	R25-8320M*	R25-8320B-*BX (Bulk)
QUANTITY	100 Pcs./Bag	1,000 Pcs./Bag	20,000 Pcs.

SIZE: 8mm x 35mm (*Fluted or Spiral)			
PART #	R25-8350C*	R25-8350M*	R25-8350B-*BX (Bulk)
QUANTITY	100 Pcs./Bag	1,000 Pcs./Bag	20,000 Pcs.

# Plastic Cabinet Components

## CORNER PROTECTORS


- Designed to protect vulnerable corners of mirrors, cabinet doors and picture frames.



**Material: HDPE**

For 3/16" or 1/4" Glass

Part #	Color
<b>GC-215</b>	White



**Material: HDPE**

Part #	Color
<b>CP-448</b>	White



**Material: Polyethylene**

Accepts Up To 1/2" Thick Material

Part #	Color
<b>GC-500</b>	White

## CORNER BLOCK WITH BARB NUT

5/16-18 Thread • Black



R44N-952BK



R44BN-952-BK







Part #	Material	Barb Nut Placement
<b>R44N-952BK</b>	Nylon	Top
<b>R44BN-952BK</b>	Nylon - reversed thread	Underside

## GLUE AND STAPLE BLOCKS

**Material: Polyethylene**


- Stapled inside the cabinet to hold the cabinet backs and sides together during the assembly process.



	Part #	Color	Size
<b>A</b>	<b>R44-250</b>	White	2"
<b>B</b>	<b>R44-300</b>	White	3"
<b>C</b>	<b>R44-400</b>	White	4"

## CORNER BRACES

- Designed to strengthen and stabilize the cabinet during the manufacturing process.
- To be installed in the top section of the base cabinet and aid in securing the countertop.




**Material: HDPE**

Part #	Color
<b>CB-2500</b>	White



**Material: Polyethylene**




Part #	Color
<b>CB-920</b>	White

## PLASTIC WEDGE & DOOR STOP

**Material: HDPE**




- Wedges are used to assure proper positioning of hinged doors
- Wedges guide doors when case is out of alignment
- Neat appearance, assures doors stay closed, economical & does not require finishing.
- May be installed at top or bottom of all doors, side of single doors.



Part #	Color
<b>R50-441DBR</b>	Dark Brown
<b>R50-441WH</b>	White

## BREAK-AWAY PLASTIC FURNITURE WEDGE

**Material: Polystyrene**



Part #	Color
<b>58-076-400</b>	Dark Brown

## FLOOR GLIDE AND PROTECTOR

**Material: Polyethylene**

- Staple to underside of cabinets or furniture
- Prevents damage to cabinets during handling and transportation.
- 1/4" (60mm) of clearance between cabinet and floor

Part #	Color	Size
<b>R32-737</b>	Natural	1-1/2"






REACH & ROHS  
COMPLIANT

## RATCHET ASSEMBLY POST &amp; SCREW

- Polypropylene
- Simply press together these screws with serrated pins for fast and easy assembly
- Works with flat panels, punched papers, key cases, catalogs, etc.
- Not intended for applications requiring removable/reusable fasteners!
- Usable in corrosive environments
- Will not mark or mar most surfaces






Part #	Color	Length
SP-250BK	Black	1/4"
SP-375BK	Black	3/8"
SP-375WH	White	3/8"
SP-500WH	White	1/2"
SP-750BK	Black	3/4"
SP-750WH	White	3/4"

REACH & ROHS  
COMPLIANT

## Natural Nylon Arrow Clips

- Natural Nylon is off-white in color
- Molded natural nylon fasteners offer an inexpensive fast method to hand assemble metal, wood and plastic composition or any other thin gauge materials.
- Reusable
- Specially designed body compresses through a pre-punched hole and springs back to shape, locking the assembled parts securely.
- Provides a vibration, abrasion and corrosion resistant connection.
- Electrically insulating




Part #	Hole Size	Panel Thickness Range	Head Dia. 'D'	Head Height 'A'	Length 'B'	Clip Dia. 'C'
AC-001	.182/.192	.062/.125	.360	.060	.400	.225
AC-003	.151/.161	.062/.125	.280	.040	.390	.196
AC-006	.182/.192	.310/.330	.370	.060	.540	.0225
AC-009	.250/.260	.125/.187	.484	.060	.575	.290
AC-015	.118/.122	.062/.125	.280	.060	.390	.150
AC-016	.250/.260	.360/.380	.610	.065	.810	.0286

OTHER SIZES AVAILABLE - PLEASE INQUIRE

REACH & ROHS  
COMPLIANT

## Plastic Fasteners

## CANOE FASTENERS

Material: Celcon  
Black & White

Part #	Color	Hole Size	Shaft	Head Dia.	Work Thickness
PF6-20BK	Black	3/16"	5/8"	13/32"	.228
PF6-20WH	White	3/16"	5/8"	13/32"	.228
PF6-31BK	Black	3/16"	5/8"	27/64"	.325
PF6-31WH	White	3/16"	5/8"	27/64"	.325

## ROW BOAT FASTENERS

Material: HDPE  
Black & White

- Fits hole size 1/4"
- Fits work thickness 1/4"



Part #	Color
CF8-20BK	Black
CF8-20WH	White

## TREE FASTENERS

Material: Nylon  
Black, White & Gray

Used for one-time applications &amp; is purposely difficult to remove

PF8-16BK




PF8-24BK



Part #	Color	Hole Size	Shaft	Head Dia.	Work Thickness
PF8-16BK	Black	1/4"	1/2"	11/16"	.180-.220
PF8-16WH	White	1/4"	1/2"	11/16"	.180-.220
PF8-20BK	Black	1/4"	5/8"	11/16"	.180-.380
PF8-20WH	White	1/4"	5/8"	11/16"	.180-.380
PF8-20GY	Gray	1/4"	5/8"	11/16"	.180-.380
PF8-24BK	Black	1/4"	3/4"	11/16"	.180-.570
PF8-28BK	Black	1/4"	7/8"	11/16"	.180-.700
PF8-32BK	Black	1/4"	1"	11/16"	.180-.820

## Table Connector

**Material: Steel & Plastic Construction**



**2 pieces required for connection**

Part#	Color
<b>CN-4790</b>	Black

**REQUIRED: #6 Panhead Screws  
(4 screws per connector)  
SCR-6100PHZ  
Zinc Finish • #6 x 1"**



*Turn to secure connectors*



*Snaps to lock in place*

## Modular Furniture Connector

**Material: Nylon**



**2 pieces required for connection**

Part#	Color
<b>CN-4792</b>	Black

**REQUIRED: #8 Panhead Screws  
(4 screws per connector)  
SCR-8125PHZ  
Zinc Finish • #8 x 1-1/4"**

*Ideal for any communal seating area in residential, commercial or educational settings.*



*Easily connected/disconnected by using integral handle*



*Modular Furniture*

## Table Aligners

**Material: HDPE**




Part#	Color
<b>CN-01</b>	Brown

**#8 Flathead Screws  
SCR-8625FHZ  
Zinc Finish • #8 x 5/8"**


**Material: Steel**



Part #
<b>H-3</b>



*Application On Table Underside:*




**#10 Panhead Screws  
SCR-1625PHZ  
Zinc Finish • #10 x 5/8"**

## Table Pins

**Material: HDPE**

- Self-lubricating for easy, smooth action; will not swell, shrink, check or rust
- No glue required
- Finishing materials will not adhere to the pin; will not mar fine table surfaces
- Table pins are also used for top & bottom glides for sliding doors



Part#	Color
<b>R25-81BE</b>	Beige

## Flip Bolt Connector

**Material: Steel**



*Flip the arm to lock in place*



Part #	Size
<b>FC-FB</b>	4-1/2"

## Black

(White where noted)

## Sponge Rubber

Recommended Temperature  
Range for General  
Product Applications  
-20° through +150°

### MANY APPLICATIONS:


Cabinets  
Doors  
Windows  
Camper Shell Doors  
Skylights  
Sunroofs  
and many others

### 114-113 (Black only)

500 Ft. Coils w/Adhesive


### 114-1033 (Black only)

500 Ft. Coils w/Adhesive



### 114-114 (Black only)

500 Ft. Coils w/Adhesive




### 114-1333 (Black)

500 Ft. Coils w/Adhesive


### 114-1333-OW (Off White)

500 Ft. Coils w/Adhesive



### 114-119 (Black only)

500 Ft. Coils w/Adhesive




### 115-500D

Black 1/2" D-Shape  
EPMD Foam Seal  
w/Bonded 3M Adhesive  
500 Ft. Coils




### 115-750D

Black 3/4" D-Shape  
EPMD Foam Seal  
w/Bonded 3M Adhesive  
200 Ft. Coils



### P-SEAL

Black 1/2" x 1-1/4" P-Shape  
Rubber Seal  
w/High Temp Adhesive  
250 Ft. Coils




### DR-1-\*

Black (\*BK), White (\*WH), Brown (\*BR)  
PVC - 8 Ft. Lengths




APPLICATION:  
DR-1,  
DR-6,




### DR-6-\*

White (\*WH), Almond (\*AL)  
Polypropylene w/Santoprene  
1000 Ft. Coils




### DR-2-\*

Black (\*BK), White (\*WH), Brown (\*BR),  
Clear (\*CL), Almond (\*AL)  
Dual Durometer/PVC - 8 Ft. Lengths



APPLICATION



Guide for Alignment  
to Cabinet door


## Ultra Pile Dust Seal / Weatherseal with Adhesive

Lengths: 50 Ft. Coils • Color: Gray

Self supporting pile is  
always on center and has the  
integrity and consistency  
to ensure a tight seal

### MANY APPLICATIONS:

Windows  
Doors  
Showcases



Part#	Description
DS-150-GY	.270 W x .150 H
DS-200-GY	.270 W x .200 H

## 7" FLAT OR 3-D

**THIS IS OUR MOST POPULAR AND VARIED LINE OF SWIVELS.**

7" SQUARE PLATES HAVE SLOTS ON 5-1/4" CENTERS. 12 GAUGE STEEL. PITCH AVAILABLE IN FLAT, 3°.

**NOTE: FLAT SWIVELS ARE FOR CHAIRS WITHOUT BACKS, 3-D SWIVELS ARE FOR CHAIRS WITH BACKS.**

**Top & Bottom Plates,  
5-1/4" Slotted Centers**  
7 Square Plate  
12 Gauge Steel  
**Pieces Per Carton: 16**



**Standard Swivel Used On Entire Trendler Pedestal Base Line.  
May Be Used In Conjunction With 3-1/4" Weld Plates.  
Four 1/4"-20 Threaded Holes On 2-1/2" Centers.**


**Pieces Per Carton: 25**

**Weight Each: 2.50 Lbs.**

**TRB3 (FLAT)**

**ALSO AVAILABLE 3-1/4" WELD PLATE:**

**TP325**




**T712F (FLAT)**

**T712 (3-D)**

## Revolving Turntables

### STEEL LAZY SUSANS

- Only 5/16" Thick (Can be recessed into surfaces for 1/8" thickness).
- Large, Full Ball Race For Maximum Stability & Smooth Gliding Rotation.
- 360° Interlock Prevents Separation.
- Electro Zinc Coated For Rust Resistance.
- Orders for less than the carton quantity are subject to a broken box fee.
- Made in the USA.



Part #	Size	Center Hole Dia.	Weight Capacity	Approx. Top Dia.	Carton Quantity
<b>S8-300C</b>	3" Sq.	1-1/4"	200 lbs.	Up to 18"	100
<b>S8-400C</b>	4" Sq.	2-5/32"	300 lbs.	12" - 25"	100
<b>S8-600C</b>	6" Sq.	4-11/16"	500 lbs.	15" - 30"	100
<b>S8-900C</b>	9" Dia.	4-1/2"	700 lbs.	17" - 35"	25
<b>S8-1200C</b>	12" Dia.	6-9/32"	1000 lbs.	20" & Over	25

### ALUMINUM LAZY SUSANS

#### LOW NOISE


- Countersunk holes for flush mounting
- Screw hole diameter is 3/16", use #8 screw
- Plastic feet on both sides of turntable
- **Low Noise:** Patented Technology provides less noise than traditional swivels and provides a smooth and quiet glide with every turn!



Top View




Bottom View



Part #	Diameter		Height C	Load Rating	Outer			Inner		
	Outside A	Inside B			Center to Center E	Thru Holes	Pads	Center to Center G	Thru Holes	Pads
<b>S8L-1200C</b>	12"	10"	9/16"	265 lbs.	11"	0	6	10"	3	6
<b>S8L-1600C</b>	16"	13"	9/16"	350 lbs.	15"	0	6	14"	3	6
<b>S8L-1800C</b>	18"	15"	9/16"	395 lbs.	16"	4	8	15"	6	6
<b>S8L-2400C</b>	24"	21"	5/8"	485 lbs.	23"	0	10	21"	4	8

• **COLOR - BLACK**

- Constructed of durable nylon or polypropylene knobs with zinc plated steel studs and inserts
- Designed for economical, light-duty securing and clamping applications
- Resistant to water and solvents



Style	Part #	Diameter	Thread Size	Type	Stud Length	Material
1	S7-F10BK	1.575"	5/16-18	Female	N/A	Polypropylene
	S7-F15BK	2.36"	5/16-18	Female	N/A	Polypropylene
	S7-F14BK	1.575"	1/4-20	Male	1.375"	Polypropylene
	S7-F17BK	1.575"	5/16-18	Male	.50"	Polypropylene
	S7-F18BK	1.575"	5/16-18	Male	.75"	Polypropylene
	S7-F19BK	1.575"	5/16-18	Male	1.375"	Polypropylene
	S7-F20BK	2.36"	5/16-18	Male	.50"	Polypropylene
	S7-F21BK	2.36"	5/16-18	Male	.75"	Polypropylene
2	S7-N12BK	1.575"	1/4-20	Female	N/A	Polypropylene
	S7-N13BK	2.36"	5/16-18	Female	N/A	Polypropylene
	S7-N22BK	1.575"	1/4-20	Male	.75"	Polypropylene
	S7-N23BK	1.575"	1/4-20	Male	1.375"	Polypropylene
	S7-N24BK	1.575"	5/16-18	Male	.50"	Polypropylene
	S7-N25BK	1.575"	5/16-18	Male	.75"	Polypropylene
	S7-N26BK	1.575"	5/16-18	Male	1.00"	Polypropylene
	S7-N27BK	1.575"	5/16-18	Male	1.375"	Polypropylene
3	S7-N28BK	2.36"	5/16-18	Male	.75"	Polypropylene
	S7-N29BK	2.36"	5/16-18	Male	1.50"	Polypropylene
	S7-K14BK	1.575"	5/16-18	Female	N/A	Polypropylene
	S7-K15BK	2.36"	5/16-18	Female	N/A	Polypropylene
	S7-A30BK	1.575"	1/4-20	Male	.75"	Polypropylene
	S7-A31BK	1.575"	1/4-20	Male	1.375"	Polypropylene
	S7-A32BK	1.575"	5/16-18	Male	.75"	Polypropylene
	S7-A33BK	1.575"	5/16-18	Male	.50"	Polypropylene
4	S7-A35BK	1.575"	5/16-18	Male	1.50"	Polypropylene
	S7-A36BK	2.36"	5/16-18	Male	.75"	Polypropylene
	S7-A37BK	2.36"	5/16-18	Male	1.50"	Polypropylene
5	S7-I31BK	2.50"	1/4-20	Female	N/A	Nylon
	S7-J21BK	1.375"	1/4-20	Male	.75"	Nylon





## 2P10 ADHESIVE KIT

2P-10 is a two-part ten-second adhesive. Just apply the adhesive, then spray the activator and stick it together for a strong permanent bond. Its greatest benefits are its speed and strength.

**Kit Includes:**

- (1) 2.25 oz. Thin for filling micro cracks
- (1) 2.25 oz. Medium for use on smooth surfaces such as laminate
- (1) 2.25 oz. Thick for use on porous surfaces such as particle board
- (1) 2.25 oz. Jel all purpose application. Will not run on vertical surfaces
- (1) 2 oz. Activator
- (1) 2 oz. Adhesive debonder
- (5) Mirco tips
- (2) Brushes
- (1) Pump spray top



**2P-10-KIT**



**GLU-BOT**

### 16 OZ. GLUE BOTTLE

The Glübot™ is designed with a 2-chamber system that pushes glue from the bottom up through the secondary side chamber which ensures fresh glue every time.

- Replaceable tips and cap storage
- Dispenses glue from the bottom first
- Includes: 1 Blade Tip, 1 Yorker Tip, 1 Red Cap

*Great for...Yellow glue, wood glue and other liquids*



**2P10-SOLO-ACT**

### 2P10 ADHESIVE ACTIVATOR

12 oz. aerosol can of adhesive activator produces a ten-second bond time when used with 2P-10 adhesives.

## 3M™ Flexible Adhesive



### 30 NF FASTBOND™ CONTACT ADHESIVE, GREEN (PROTECT FROM FREEZING)

Fastbond™ brand adhesives are industrial-quality products designed to provide innovative answers to a wide variety of non-structural bonding problems. (TECHNICAL INFO AVAILABLE UPON REQUEST)

A water dispersed high strength contact adhesive that changes color from blue to green when dry. Has high coverage, a long bonding range and good heat resistance. Can be used to bond foamed plastics, plastic laminate, wood, plywood and wood veneer, and canvas to themselves and each other, as well as for postforming operations. Meets requirements of MIL-A-24179-A. Non-flammable in the wet state.

Part #	Size	Case Quantity
<b>4276-Q</b>	Quart	12
<b>4276-G</b>	Gallon	4
<b>4276-P</b>	5 Gallon Pail	-

## Double Coated Adhesive Tapes



High-strength Scotch™ VHB tapes are used throughout the industry today to replace screws, rivets, welding, liquid adhesives and other permanent assembly methods. They offer greater design flexibility and are often the key to dramatic improvements in styling and performance. Moreover, they allow faster, easier assembly, eliminate cleanup & increase profits. (TECHNICAL INFO AVAILABLE)

### 3M™ BRAND VHB™ HIGH STRENGTH ACRYLIC FOAM TAPE

Clear, closed cell acrylic foam carrier - excellent for joining transparent materials.

Part #	Thickness	Width	Roll Size	Case Quantity
<b>4905-0500</b>		1/2"		18
<b>4905-0750</b>	.020	3/4"	72 Yds.	12
<b>4905-1000</b>		1"		9
<b>4910-0500</b>		1/2"		18
<b>4910-0750</b>	.040	3/4"	36 Yds.	12
<b>4910-1000</b>		1"		9

White, closed cell acrylic foam carrier - features an all-purpose adhesive.

Part #	Thickness	Width	Roll Size	Case Quantity
<b>4930-0500</b>		1/2"		18
<b>4930-0750</b>	.025	3/4"	72 Yds.	12
<b>4930-1000</b>		1"		9
<b>4950-0500</b>		1/2"		18
<b>4950-0750</b>	.045	3/4"	36 Yds.	12
<b>4950-1000</b>		1"		9

Very conformable black closed cell acrylic foam tape 45 mill thick, PE liner.

Part #	Roll Size	Case Quantity
<b>5952-0500</b>	36 Yds.	18
<b>5952-0750</b>	15 Yds.	12
<b>5952-1000</b>	36 Yds.	9

### 3M™ RUBBER-BASED POLYETHYLENE FOAM TAPE

\*Available in Black or White

Part #	Thickness	Width	Roll Size	Case Quantity
<b>4462-0500*</b>		1/2"		18
<b>4462-0750*</b>	.030	3/4"	72 Yds.	12
<b>4462-1000*</b>		1"		9

Part #	Thickness	Width	Roll Size	Case Quantity
<b>4466-0500*</b>		1/2"		18
<b>4466-0750*</b>	.060	3/4"	36 Yds.	12
<b>4466-1000*</b>		1"		9

**PLEASE NOTE: ABOVE TAPES ARE STOCK ITEMS.  
OTHER SCOTCH™ BRAND ADHESIVE TAPES ARE AVAILABLE**

## Rubber-Based Double Coated Adhesive Tapes

### POLYETHYLENE FOAM TAPE

#### ROLLS

Available 1/32" or 1/16" thick  
- 1/2", 3/4" or 1" Wide  
- White or Black  
- 216 Ft. Rolls



#### 1/32" THICK

Part #	Width
<b>RFT1-0500-</b>	1/2"
<b>RFT1-0750-</b>	3/4"
<b>RFT1-1000-</b>	1"

#### 1/16" THICK

Part #	Width
<b>RFT2-0500-WH</b>	1/2"
<b>RFT2-0750-WH</b>	3/4"
<b>RFT2-1000-WH</b>	1"

#### DOTS

Available 1/32" or 1/16" thick  
- 1/2", 3/4" or 1" Wide  
- White Only



#### 1/32" THICK

Part #	Dia.
<b>RFT1-120</b>	1/2"
<b>RFT1-340</b>	3/4"
<b>RFT1-100</b>	1"

#### 1/16" THICK

Part #	Dia.
<b>RFT2-120</b>	1/2"
<b>RFT2-340</b>	3/4"
<b>RFT2-100</b>	1"

### CLEAR FILM TAPE

- .5mil polyester film with 2mil adhesive
- Rubber based adhesive not recommended for direct UV exposure applications.
- Application temperature: 65°F-100°F
- Service temperature: -20°F-150°F
- Roll core: 3" Diameter -180 Ft.



#### Part #

<b>DK-0500</b>
<b>DK-0750</b>
<b>DK-1000</b>

## Adhesive Blocks

### PERMANENT ADHESIVE BOTH SIDES

- Rubber based adhesive
- Works on a variety of surfaces
- Helps signage stand out with 3D effects
- For light-weight applications or filling gaps

Part #	Size	Color	Pad Qty.	Box Qty.
<b>RFTB-501010</b>	1/2" x 1" x 1"	White	12	2400
<b>RFTB-757510</b>	3/4" x 3/4" x 1"	White	24	2400
<b>RFTB-101010</b>	1" x 1" x 1"	White	36	2520

### REMOVABLE ADHESIVE ONE SIDE, PERMANENT ADHESIVE ONE SIDE

Part #	Size	Color	Pad Qty.	Box Qty.
<b>NPAB-1-501010</b>	1/2" x 1" x 1"	White	12	2400
<b>NPAB-1-101010</b>	1" x 1" x 1"	White	36	6012

### REMOVABLE ADHESIVE BOTH SIDES

- Helps create 3D effects for your graphics
- Works with graphics in traveling exhibit booths
- Easily removable from most hard surfaces with no residue
- Good for temporary signage and displays
- Can be used as protective packaging

Part #	Size	Color	Pad Qty.	Box Qty.
<b>NPAB-2-101010</b>	1" x 1" x 1"	White	N/A	6012



## Removable Tapes

### REMOVABLE ONE SIDE, PERMANENT ONE SIDE

- Removable side leaves no residue on most hard surfaces
- Good for single use graphics

Part #	Size	Color	Coil Size
<b>NPA1-1-0500</b>	1/2" W x 1/32" T	White	216 ft.
<b>NPA2-1-0500-BK</b>	1/2" W x 1/16" T	Black	216 ft.

### REMOVABLE TWO SIDES

- Removable side leaves no residue on most hard surfaces
- Allows graphics to be used multiple times with no damage

Part #	Size	Color	Coil Size
<b>NPA-1-2-0500</b>	1/2" W x 1/32" T	White	216 ft.
<b>NPA-1-2-0500-BK</b>	1/2" W x 1/32" T	Black	216 ft.

### CLEAR REMOVABLE TAPE

- For use with glass, acrylic, polycarbonate, and more
- Removable side leaves no residue on most hard surfaces
- Allows graphics to be used multiple times with no damage

Part #	Size	Color	Coil Size
<b>NPA1-2-0500-CL</b>	1/2" W x 1/32" T	Clear	216 ft.

### REMOVABLE TAPE FOR METAL SHELVING

- Adhesive comes off metal shelves with no residue
- Change campaigns, change the shelf edge

Part #	Size	Color	Coil Size
<b>MST1-1-0500</b>	1/2" W x 1/32" T	White	216 ft.