

Sliding Door Fittings

Inlay & Bypass Door System

Floor Sliding

Furniture System


D 25



Number of
Doors Per Kit




Max Door
Weight



Door
Thickness



Door
Material



Gap Door-Guide
Gap Door-Track


- **Track Mounting:** Track must be recessed mounted top and bottom of cabinet
- **Rollers:** Ball bearing standard
- **Mounting of Rollers:** The wood door must be bored for the rollers, then attach with screws
- **Brakes:** Nylon bumpers stop the travel of the door



Track D 25 PVC



Carrier D 25



Carrier Installation
Bottom

D 25 Carrier Set For 2 Doors Includes

4 Carriers



4 Stoppers



4 Upper Guides



Screws



Carrier Kit For 2 Doors

Part #	Material	Finish
D25-KIT	Nylon composite with steel plates	Black

Inlay & Bypass Door System

Floor Sliding

Furniture System


AL 1535 Wood



Number of
Doors Per Kit



Max Door
Weight



Door
Thickness




Door
Material



Gap Door-Guide
Gap Door-Track


- **Track Mounting:** Track must be recessed mounted top and bottom of cabinet
- **Rollers:** Ball bearing premium
- **Mounting of Rollers:** The wood door must be bored for the rollers, then attach with screws
- **Brakes:** Stoppers with retention device. These nylon stoppers hold the door in place when the hardware is engaged in the retention device.
- Doors can be removed from the track once installed




Track AL 1535 Wood




Carrier AL 1535 Wood



Track AL 1535 Wood



Carrier Installation
Bottom



Top Guide Installation
Top

AL 1535 Wood Carrier Set For 2 Doors Includes

4 Carriers



4 Top Guides
with Clip Device



4 Stoppers



Screws




Carrier Kit For 2 Doors

Part #	Material	Finish
AL1535-WKIT	Nylon composite with steel plates	Black

Single Flush Mount Track

Track Lengths Are Nominal

Part #	Material	Finish	Length
ALCD-TRK6	Aluminum	Clear Anodized	6.5'
ALCD-TRK10	Aluminum	Clear Anodized	9.85'



Inlay & Bypass Door System


Floor Sliding

Furniture System


AL 1535 Glass



- **Track Mounting:** Track must be recessed mounted top and bottom of cabinet
- **Rollers:** Ball bearing premium
- **Mounting of Rollers:** The glass door must be bored for the rollers, then attach with screws
- **Brakes:** Stoppers with retention device. These nylon stoppers hold the door in place when the hardware is engaged in the retention device.



Carrier Installation
Bottom



Top Guide Installation
Top

AL 1535 Glass Carrier Set For 2 Doors Includes

4 Carriers



4 Top Guides with Clip Device



8 Finishing Caps



4 Stoppers



Screws




Carrier Kit For 2 Doors

Part #	Material	Finish
AL1535-GKIT	Nylon composite with steel plates	Black

Single Flush Mount Track

Track Lengths Are Nominal

Part #	Material	Finish	Length
ALCD-TRK6	Aluminum	Clear Anodized	6.5'
ALCD-TRK10	Aluminum	Clear Anodized	9.85'




Inlay & Bypass Door System


Floor Sliding

Furniture System


CD 30 CX




- **Track Mounting:** Track must be recessed mounted top and bottom of cabinet
- **Rollers:** Spring loaded ball bearing premium
- **Mounting of Rollers:** The rollers can be surface mounted to the door or recessed mounted by boring. Recessed mounting allows for minimal gaps when installing double doors.
- **Brakes:** Stoppers with retention device. These nylon stoppers hold the door in place when the hardware is engaged in the retention device.
- Height adjustment is possible
- Doors can be removed from the track once installed



Surface Mount Flush Mount
Carrier Installation



Carrier Installation
Bottom



Top Guide Installation
Top

CD 30 CX Carrier Set For 1 Door Includes

2 Carriers



2 Top Guides
with Clip Device



2 Upper Guides



Screws




Carrier Kit For 1 Door

Part #	Material	Finish
CD30-CX-WKIT	Nylon composite with steel plates	Steel & Black

Single Flush Mount Track

Track Lengths Are Nominal

Part #	Material	Finish	Length
ALCD-TRK6	Aluminum	Clear Anodized	6.5'
ALCD-TRK10	Aluminum	Clear Anodized	9.85'




Ducloset Double



Number of
Doors Per Kit



Max Door
Weight



Door
Thickness




Door
Material



Gap Door-Track
Gap Door-Floor


- **Track Mounting:** Track must be surface mounted to ceiling
- **Rollers:** Ball bearing premium
- **Mounting of Rollers:** The rollers are screw mounted to the surface of the door
- **Brakes:** Nylon Bumpers stop the travel of the door
- **Floor Guide:** Designed to be utilized outside the door
- Doors can be removed from the track once installed




Track Ducloset Double




Carrier Ducloset Double



Carrier Installation
Top



Floor Guide Installation
Bottom



Lateral View

Ducloset Double Carrier Set For 2 Doors Includes

4 Carriers



1 Bumper



1 Floor Guide



Screws




Carrier Kit For 2 Doors

Part #	Material	Finish
DUCL-DBL-WKIT	Nylon composite with steel plates	Steel & Black

Double Track

Track Lengths Are Nominal

Part #	Material	Finish	Length
DUCL-TRK6	Aluminum	Clear Anodized	6.5'
DUCL-TRK10	Aluminum	Clear Anodized	9.85'



Bypass Door System

Top Sliding

Furniture & Closet System


CA 4585




Number of
Doors Per Kit



Max Door
Weight



Door
Thickness



Door
Material



Gap Door-Track
Gap Door-Floor


- **Track Mounting:** Track must be surface mounted to ceiling
- **Rollers:** Ball bearing premium
- **Mounting of Rollers:** The rollers are screw mounted to the surface of the door
- **Brakes:** Stoppers with retention device. These nylon stoppers hold the door in place when the hardware is engaged in the retention device.
- **Floor Guide:** Designed to be utilized outside the door
- **Safety Clips:** To assure that the door will not jump out of track
- Doors can be removed from the track once installed




Track CA 4585



Carrier CA 4585



Carrier Installation
Top



Floor Guide Installation
Bottom

CA 4585 Carrier Set For 2 Doors Includes

4 Carriers



2 Right Stoppers
2 Left Stoppers



3 Plastic Guides



8 Safety Clips



1 Allen Key



Screws




Carrier Kit For 2 Doors

Part #	Material	Finish
CA-4585-KIT	Nylon composite with steel plates	Gray

Double Track

Track Lengths Are Nominal

Part #	Material	Finish	Length
CA-4585-TRK6	Aluminum	Clear Anodized	6.5'
CA-4585-TRK10	Aluminum	Clear Anodized	9.85'



Sliding Door Fittings

Bypass Door System

Floor Sliding

Closet System


D 52




Number of
Doors Per Kit




Max Door
Weight



Door
Thickness



Door
Material



Gap Door-Guide
Gap Door-Track

- **Track Mounting:** Track & guide must be surface mounted. Guide on the top & carrier track on the bottom.
- **Rollers:** Ball bearing premium
- **Mounting of Rollers:** The rollers can be surface mounted to the door or recessed mounted by boring. Recessed mounting allows for minimal gaps when installing double doors.
- **Brakes:** Nylon Bumpers stop the travel of the door




Guide Track D 52




Carrier D 52




Carrier Track D 52



Surface Mount Recessed Mount
Carrier Installation



Carrier Installation
Bottom



Top Guide Installation
Top

D 52 Carrier Set For 2 Doors Includes

4 Carriers



4 Top Guides



1 Bumper



Screws





Carrier Kit For 2 Doors

Part #	Material	Finish
D52-KIT	Nylon composite with steel plates	Steel & Black

Single Track For Guide & Carrier

Track Lengths Are Nominal

Part #	Description	Material	Finish	Length
D52-GD-TRK6	For Guide	Aluminum	Mill	6.5'
D52-TRK6	For Carrier	Aluminum	Mill	6.5'
D52-TRK10	For Carrier	Aluminum	Mill	9.85'



Sliding Door Fittings

Bypass Door System

Floor Sliding

Closet System


CD 40 CX




Number of
Doors Per Kit




Max Door
Weight



Door
Thickness



Door
Material




Gap Door-Guide
Gap Door-Track

- **Track Mounting:** Track must be surface mounted. Guide on the top and carrier track on the bottom.
- **Rollers:** Spring loaded ball bearing premium
- **Mounting of Rollers:** The rollers can be surface mounted to the door or recessed mounted by boring. Recessed mounting allows for minimal gaps when installing double doors.
- **Brakes:** Stoppers with retention device. These nylon stoppers hold the door in place when the hardware is engaged in the retention device.
- **Safety Clips:** To assure that the door will not jump out of track
- Doors can be removed from the track once installed




Guide Track CD 40 CX




Carrier CD 40 CX



Carrier Single Track CD 40 CX



Carrier
Installation
Bottom



Top Guide
Installation
Top

CD 40 CX Carrier Set For 2 Doors Includes

4 Carriers



4 Guides
2 Upper Right
2 Upper Left



4 Stoppers with
Retention Device



4 Secure Locks



1 M5 Key



Screws




Carrier Kit For 2 Doors

Part #	Material	Finish
CD-40CX-WKIT	Nylon composite with steel plates	Gray with Black Rollers

Track For Guide & Carrier

Track Lengths Are Nominal

Part #	Description	Material	Finish	Length
GD-TRK10	Guide Track	Aluminum	Clear Anodized	9.85'
CD40-CX-TRK6	Single Track	Aluminum	Clear Anodized	6.5'
CD40-CX-TRK10	For Carrier	Aluminum	Anodized	9.85'



Bypass Door System

Floor Sliding

Closet System


CD50-E




Number of
Doors Per Kit



Max Door
Weight



Door
Thickness



Door
Material



Gap Door-Guide
Gap Door-Track

- **Track Mounting:** Track and guide must be surface mounted. Guide on the top and carrier track on the bottom.
- **Rollers:** Spring loaded ball bearing premium
- **Mounting of Rollers:** The wood door must be bored for the rollers, then attach with screws
- **Brakes:** Nylon bumpers stop the travel of the door
- Doors can be removed from the track once installed
- **Soft Close Option Is Available**



Guide Track CD50-E



Carrier CD50-E



Carrier Track CD50-E

CD50-E Carrier Set For 1 Doors Includes

2 Carriers



2 Stoppers



2 Guides GOR



Screws




Carrier Kit For 1 Doors

Part #	Material	Finish
CD-50E-WKIT	Nylon composite with steel plates	Gray with Orange Rollers

Track For Guide & Carrier

Track Lengths Are Nominal

Part #	Description	Material	Finish	Length
CD50-E-GD-TRK6	Guide Track	Aluminum	Clear	6.5'
CD50-E-GD-TRK10	5/8" - 15/16"	Aluminum	Anodized	9.85'
CD50-E-GD-TRK6-W	Guide Track	Aluminum	Clear	6.5'
	5/8" - 1-1/4"			
CD45-TRK6	Carrier Track	Aluminum	Clear	6.5'
CD45-TRK10	5/8" - 15/16"	Aluminum	Anodized	9.85'
CF45-TRK6-DBL	Carrier Track	Aluminum	Clear	6.5'
CF45-TRK10-DBL	5/8" - 1-1/4"	Aluminum	Anodized	9.85'



Sliding Door Fittings

Overlay Door System

Folding System

Closet System


PL 2550



Number of
Doors Per Kit



Max Door
Weight




Door
Thickness




Door
Material


- **Track Mounting:** Track must be surface mounted to the ceiling of the cabinet or opening
- **Rollers:** Ball bearing premium
- **Mounting of Rollers:** The rollers are screw mounted to the top and surface of the wood door




Track PL 2550



Carrier PL 2250



Carrier
Installation
Top



PL 2250 Carrier Set For 2 Doors Includes

1 Carriers



1 Euro Hinge
For Carrier



1 Bottom
Roller Guide



5 Euro Hinges
3/4" Overlay



4 Central
Hinges To Join
The Panels



Screws




Carrier Kit For 2 Doors

Part #	Material	Finish
PL-25-WKIT	Nylon composite with steel plates	Steel & Gray

Single Track

Track Lengths Are Nominal

Part #	Material	Finish	Length
PL-25-TRK6	Aluminum	Clear Anodized	6.5'
PL-25-TRK10	Aluminum	Clear Anodized	9.85'



Inlay, Overlay & Bypass Door System

Top Sliding

Closet System


DN 50




Number of
Doors Per Kit



Max Door
Weight



Door
Thickness



Door
Material




Gap Door-Track
Gap Door-Floor

- **Track Mounting:** Track can be recessed or surface mounted to the ceiling and as a barn door with wide lateral wall brackets
- **Rollers:** Central drive technology ball bearing premium
- **Mounting of Rollers:** The rollers are screw mounted to the top of the wood door
- **Brakes:** Stoppers with retention device. These nylon stoppers hold the door in place when the hardware is engaged in the retention device.
- **Floor Guide:** A routed floor guide designed to be concealed within the bottom of the door.
- **Fascia:** Optional fascia available to conceal track, gap and hardware. Prevents extra work by allowing the track to be surface mounted to the existing ceiling.
- **Track Lateral Bracket:** Optional for use with track on barn door applications only
- Height adjustment is possible
- Doors can be removed from the track once installed



Track DN 50



Carrier DN 50




Balanced
Movement





Encapsulated
Ball Bearings



Height Regulation



Carrier Installation
Top



Guide Installation
Bottom

Inlay, Overlay & Bypass Door System

Top Sliding

Closet System


DN 50




Number of
Doors Per Kit



Max Door
Weight



Door
Thickness



Door
Material



Gap Door-Track
Gap Door-Floor



Carrier Kit

DN 50 Carrier Set For 1 Doors Includes

2 Carriers



2 Stoppers with
Retention Device



1 Floor Guide



2 Mounting
Plates



Screws




Carrier Kit For 1 Doors

Part #	Material	Finish
DN50-WKIT	Nylon composite with steel plates	Steel & Gray


Single Track

Track Lengths Are Nominal

Part #	Material	Finish	Length
DN50-TRK6	Aluminum	Clear Anodized	6.5'
DN50-TRK10	Aluminum	Clear Anodized	9.85'




Single Track



Snap On Fascia (Optional)

Track Lengths Are Nominal

Part #	Material	Finish	Length
DN50-FSC-10	Aluminum	Clear Anodized	9.85'




Snap On Fascia



Lateral Track Brackets (Optional)

Part #	Description	Material	Finish
DN-LATB	Lateral Bracket (2 Per Bag)	Aluminum	Clear Anodized
DN-LATB-W	Wide Lateral Bracket (2 Per Bag)	Aluminum	Clear Anodized



Lateral Track Bracket



Inlay, Overlay & Bypass Door System

Top Sliding

Closet / Partition System


DN 80 CF




Number of
Doors Per Kit



Max Door
Weight



Door
Thickness




Door
Material



Gap Door-Track
Gap Door-Floor


- **Track Mounting:** Track can be recessed or surface mounted to the ceiling and as a barn door with wide lateral wall brackets.
- **Rollers:** Ball bearing premium
- **Mounting of Rollers:** The rollers are screw mounted to the top of the wood door
- **Brakes:** Stoppers with retention device. These nylon stoppers hold the door in place when the hardware is engaged in the retention device.
- **Floor Guide:** A routed floor guide designed to be concealed within the bottom of the door.
- **Fascia:** Optional fascia available to conceal track, gap and hardware. Prevents extra work by allowing the track to be surface mounted to the existing ceiling.
- **Lateral Door Bracket:** Optional and can be used on MDF, plywood, aluminum and other soft material doors
- **Track Lateral Bracket:** Optional for use with track on barn door applications only.
- Doors can be removed from the track once installed
- **Soft Close Option Is Available**




Track DN 80 CF



Carrier DN 80 CF



Carrier Installation
Top



Guide Installation
Bottom

Inlay, Overlay & Bypass Door System

Top Sliding

Closet / Partition System


DN 80 CF




Number of
Doors Per Kit



Max Door
Weight



Door
Thickness



Door
Material



Gap Door-Track
Gap Door-Floor



Carrier Kit

DN 80 CF Carrier Set
For 1 Doors Includes

2 Carriers



2 Stoppers with
Retention Device



1 Floor Guide



2 Mounting
Plates



Screws




Carrier Kit For 1 Doors

Part #	Material	Finish
DN80-WKIT	Nylon composite with steel plates	Steel & Black

Single Track & End Cap

Track Lengths Are Nominal

Part #	Description	Material	Finish	Length
DN80-TRK6	Track	Aluminum	Clear	6.5'
DN80-TRK10	Track	Aluminum	Anodized	9.85'




Single Track



Snap On Fascia & End Cap (Optional)

Track Lengths Are Nominal

Part #	Description	Material	Finish	Length
DN80-CFSC-6	Fascia	Aluminum	Clear	6.5'
DN80-CFSC-10	Fascia	Aluminum	Anodized	9.85'




Snap On Fascia



Lateral Track Brackets: 2 Per Bag (Optional)

Part #	Description	Material	Finish
DN-LATB	Lateral Bracket	Aluminum	Clear
DN-LATB-W	Wide Lateral Bracket	Aluminum	Anodized



Lateral Track Bracket



Inlay, Overlay & Bypass Door System


Top Sliding

Closet / Partition System


DN 80 Concealed FT



- **Track Mounting:** Track can be recessed or surface mounted to the ceiling.
- **Rollers:** Ball bearing premium
- **Mounting of Rollers:** The rollers are installed in a groove routed at the top of the wood door. This allows for minimal gap between the track and the door. As an added bonus the track can be mounting to the ceiling without utilizing a fascia.
- **Brakes:** Stoppers with retention device. These nylon stoppers hold the door in place when the hardware is engaged in the retention device.
- **Floor Guide:** A routed floor guide designed to be concealed within the bottom of the door.
- **Safety Clip:** 2 unique mounting plates to allow for a "lift up" installation, ideal for pocket door solutions
- Doors can be removed from the track once installed
- **Soft Close Option Is Available**



Carrier Installation
Top



Guide Installation
Bottom

Inlay, Overlay & Bypass Door System

Top Sliding

Closet / Partition System

DN 80 Concealed FT



Carrier Kit

DN 80 Concealed FT
Carrier Set
For 1 Doors Includes

2 Carriers



2 Stoppers with
Retention Device



1 Floor Guide



2 Mounting
Plates



Regulation
Key



Screws



For Rolling Barn Door Hardware,
See page I-50~54




Carrier Kit For 1 Doors

Part #	Material	Finish
DN-80F-WKIT	Nylon composite with steel plates	Steel & Black

Single Track

Track Lengths Are Nominal

Part #	Description	Material	Finish	Length
DN80-C-TRK6	Single Track	Aluminum	Clear	6.5'
DN80-C-TRK10	Single Track	Aluminum	Anodized	9.85'



Single Track



Sliding Door Fittings

Inlay Door System

Folding System

Closet / Partition System

**DN 80
PL2 / PL4**




Number of
Doors Per Kit



Number of
Doors Per Kit



Max Door
Weight



Door
Thickness




Door
Material



Gap Door-Track
Gap Door-Floor


- **Track Mounting:** Track can be recessed or surface mounted to the ceiling
- **Rollers:** Ball bearing premium
- **Mounting of Rollers:** The rollers are screw mounted to the top of the wood door




Track DN 80 PL2/PL4



Carrier DN 80 PL2/PL4



Carrier
Installation
Top



Guide
Installation
Bottom



Sliding Door Fittings

Inlay Door System

DN 80 PL2 / PL4

Folding System




Number of Doors Per Kit



Number of Doors Per Kit




Max Door Weight



Door Thickness



Door Material



Gap Door-Track
Gap Door-Floor



DN80-PL2-WKIT



DN80-PL4-WKIT

Carrier Kit For 2 Doors

Carrier Kit For 4 Doors

DN 80 PL2 Carrier Set For 2 Doors Includes

1 Carrier



1 Upper Fixed Base / Pivot



1 Lower Fixed Base / Pivot



3 Central Hinges



Regulation Key



1 Aligner



1 Mounting Plate



Screws



DN 80 PL4 Carrier Set For 4 Doors Includes

2 Carrier



1 Upper Fixed Base / Pivot



1 Lower Fixed Base / Pivot



9 Central Hinges



2 Guides



Regulation Key



1 Aligner



2 Mounting Plate



Screws




Carrier Kit For 2 Doors or 4 Doors

Part #	Description	Material	Finish
DN80-PL2-WKIT	For 2 Doors	Nylon composite	Black
DN80-PL4-WKIT	For 4 Doors	with steel plates	Black


Single Track

Part #	Material	Finish	Length
DN80-C-TRK6	Aluminum	Clear Anodized	6.5'
DN80-C-TRK10	Aluminum	Clear Anodized	9.85'

Track Lengths Are Nominal



Single Track



Inlay, Overlay & Bypass Door System

Top Sliding

Partition System


DN 150 CF



Number of
Doors Per Kit




Max Door
Weight



Door
Thickness




Door
Material



Gap Door-Track
Gap Door-Floor


- **Track Mounting:** Track can be recessed or surface mounted to the ceiling and as a barn door with wide lateral wall brackets
- **Rollers:** Ball bearing premium
- **Mounting of Rollers:** Surface
- **Brakes:** Stoppers with retention device. These nylon stoppers hold the door in place when the hardware is engaged in the retention device.
- **Floor Guide:** A routed floor guide designed to be concealed within the bottom of the door.
- **Track Lateral Bracket:** Optional for use with track on barn door applications only
- **Soft Close Option Is Available**




Track DN 150 CF



Carrier DN 150 CF



Carrier Installation
Top



Guide Installation
Bottom

Inlay, Overlay & Bypass Door System

Top Sliding

Partition System


DN 150 CF



Number of
Doors Per Kit




Max Door
Weight



Door
Thickness



Door
Material



Gap Door-Track
Gap Door-Floor



Carrier Kit

DN 150 CF Carrier Set
For 1 Doors Includes

2 Carriers



2 Stoppers with
Retention Device



1 Floor Guide



2 Mounting
Plates



1 Segmenta
Key



Screws




Carrier Kit For 1 Doors

Part #	Material	Finish
DN-150C-WKIT	Nylon composite with steel plates	Steel and black with orange rollers


Single Track

Track Lengths Are Nominal

Part #	Material	Finish	Length
DN-150C-TRK6	Aluminum	Clear Anodized	6.5'
DN-150C-TRK10	Aluminum	Clear Anodized	9.85'




Single Track



Lateral Track Brackets (Optional)

Part #	Description	Material	Finish
DN-LATB-W	Wide Lateral Bracket (2 Per Bag)	Aluminum	Clear Anodized






Lateral Track Bracket



Sliding Door Hardware

Grant Single Door Sets


TOP MOUNT MEDIUM DUTY 3/4" THICK SINGLE DOOR SETS (100-150 LBS.)



- Material: Aluminum Track Metal Rollers with Nylon Bearings
- Nylon wheel carrier for 100 lb. doors and precision ball bearing rollers for 150 lb. doors
- Jump proof aluminum track design
- 3/4" vertical adjustment
- Lock nut guarantees permanent positioning



Track



Part #
ALU561-M

Part #

Description

561-100R	100 lb. nylon roller
561-150R	150 lb. precision ball bearing roller
561-PLT	Top plate with bolt and 4 screws (Sold Separately)
561-FG	White nylon floor guide pair with screws (Sold Separately)





Bumper Stop



Material: Zinc plated with rubber bumper
Track mounted

Part #
561-STOP


TOP MOUNT HEAVY DUTY 1" THICK SINGLE DOOR SETS (225-325 LBS.)



- Material: Aluminum Track Metal Rollers with Nylon Bearings
- 2 wheel precision ball bearing rollers for 225 lb. doors and 4 wheel precision ball bearing rollers for 325 lb. doors
- Jump proof aluminum design
- 1/2" vertical adjustment



Track



Part #
ALU562-M

Part #

Description

562-225R	225 lb. precision ball bearing roller
562-325R	325 lb. precision ball bearing roller
562-FG	6' long floor guide

Bumper Stop



Material: Aluminum with rubber bumper
Track mounted

Part #
562-STOP

Lengths: 12 Ft.
Material: Polypropylene

Colors Available


*WH - White *BK - Black
*BR - Brown *AL - Almond
unless otherwise noted

Upper Track

For use with:

K101-606, K101-610, K101-601

Styrene



Part #
K101-4079-*

Upper Track:
K101-4079

Locking Glide:
R26-62WH

Lower Track:
K101-606/610

Lower Double Flat Track

For 5/8" Doors



Part #
K101-606-*


For 3/4" Doors



Part #
K101-610-BR

Lower Single Flat Track

100 & 500 Ft. Coils



Part #
K101-601-*



Natural Nylon White Locking Glides

For use with:

K101-606, K101-610, K101-601



1/4" x 1/4" x 1"

Nylon Glides Are Recessed Into the Door
Mounts onto 1/4" mortise on the bottom of each door with a brad nail.

Part #
R26-62WH

For Light Weight Doors

No Glides or Wheels Needed

Lengths: 12 Ft.
Material: Styrene
Colors Available


*WH - White *BK - Black
*BR - Brown *BE - Beige

Complete Set Consists Of:

• 1 Upper Track • 1 Lower Track




For 1/8" Doors
*** 5/32" gap**




Part #
180-*

For 1/4" Doors
*** 5/16" gap**




Part #
140-*

For 1/2" Doors
*** 9/16" gap**



Part #
120-*

For 3/4" Doors
*** 13/16" gap**



Part #
340-*

NOTE: ALL TRACK CAN BE MADE AVAILABLE WITH PRESSURE SENSITIVE TAPE. PLEASE INQUIRE.

SLIDING DOOR TRACK SYSTEM WITH WHEELS


Material: Styrene • With or Without Adhesive

Colors Available

***BK - Black *SG - Silver Gray**

High Quality **Easy-Roll** Metal Ball Bearings
with **Economy** of Plastic Track

For 1/4" Doors



NOTE:
Rough Opening
Less 7/8" = Door Size

Complete Set Consists Of:

- 1 x 12 Ft. Length Upper Track
- 1 x 12 Ft. Length Lower Track
- 1 Wheel Per Running Ft.

Without Adhesive - Available In 12 Ft. Lengths

Part #

MT38-*

With Adhesive - Available In 4 & 8 Ft. Lengths

Part #

Length

MT38-A4-*

4 ft.

MT38-A8-*

8 ft.

With or Without
Peel & Stick
Adhesive



**Additional
Wheels**

Part #

MTR




Plastic Miracle Track II

SLIDING DOOR TRACK SYSTEM WITH WHEELS

Lengths: 12 Ft. • Material: PVC • Silver Gray

- Lower track has sidewalls to prevent rollers from slipping off track
- 1" (25.4mm) shoe allows superior gripping of glass or plywood doors
- Deep upper track to allow extra clearance and easy installation
- Zinc plated rollers with plastic wheel
- Track & shoe material is rigid PVC

For 1/4" Doors




- OUR MOST POPULAR ASSEMBLY-

Complete Set Consists Of:

- 1 x 12 Ft. Length Upper Track
- 1 x 12 Ft. Length Lower Track
- 1 x 12 Ft. Length Shoe
- 1 Wheel Per Running Ft.

Part #

MT39-SG



**Additional
Wheels**

Part #

MTR2




NOTE: ALL TRACK CAN BE MADE AVAILABLE WITH PRESSURE SENSITIVE TAPE. PLEASE INQUIRE.

Lengths: 12 Ft.

Finishes Available

M - Mill - Dull Finish: As Extruded - May or May Not Have "Scratches"/Die Lines

Recommended for Glass or Wood Doors



Recommended for Wood Doors


No Glides or Wheels Needed

Complete Set Consists Of:

- 1 Upper Track • 1 Lower Track


For 1/8" Doors

Part #
ALUT18-M



For 1/4" Doors


Part #
ALUT14-M
ALUT14-CL



CLEAR ANODIZED
COMING SOON!


For 1/2" Doors

Part #
ALUT12-M



For 3/4" Doors

Part #
ALUT34-M



For 3/4" Doors


Part #
ALUT134SP-M



Ultra Pile Dust Seal / Weatherseal w/Adhesive

Lengths: 50 Ft. Coils • Color: Gray


Self supporting pile is always on center and has the integrity and consistency to ensure a tight seal.



Part#	Description
DS-150-GY	.270 W x .150 H
DS-200-GY	.270 W x .200 H

Hidden Bookcase Door

Available in Unfinished Cherry, Maple & Red Oak

Don't wait any longer to add an  hidden bookcase door to your home. Our in stock and ready to ship kits come assembled and ready to install with our unique pivot hinge.



The hidden bookcase door can be hinged to open in or out and swing left or right. They are sized to fit standard 2'-8" or 3'-0" W door openings.




Turn a plain doorway into something unexpected & fun with the added function of creating a hidden space!

Two standard sized bookcases with optional casings, doors, threshold & jambs create a finished look...a completely hidden look!

Build your own bookcase!

Hinge Kits -


See pages H-81~82 for our Pivot Hinge & Bi-Fold Hinge kits.



32" or 36" Hidden Unfinished Bookcases



Unfinished Cherry



Unfinished Maple



Unfinished Red Oak

O.A.D. 30-7/8" W x 79" H x 8" D

32"

HBC-3279-CH

HBC-3279-MP

HBC-3279-RO

O.A.D. 35" W x 79" H x 8" D

36"

HBC-3679-CH

HBC-3679-MP

HBC-3679-RO

Seamlessly add a hidden bookcase to your home with this unfinished bookcase.

Kits Include:

- 1 - Book Shelf (assembled) w/One Fixed Shelf
- 1 - Pivot Hinge Kit w/Fasteners
- 3 - Adjustable Shelves
- 12 - Shelf Supports
- 1 - Support / Stop
- Instructions

Optional Accessories:
Cabinet Doors
Jamb / Threshold
Trim Moulding Kit
Extra Shelves

see next page



Completely Closed



Partially Opened



Completely Opened

OPTIONAL ACCESSORIES for Hidden Bookcase

Available in Unfinished Cherry, Maple & Red Oak



Create a Finished Look!

Unfinished Flat Panel Doors for 32" or 36" Bookcase

13-13/16" W x 28" H each

HBC-FPD32-CH

HBC-FPD32-MP

HBC-FPD32-RO

32"

15-13/16" W x 28" H each

HBC-FPD36-CH

HBC-FPD36-MP

HBC-FPD36-RO

36"



Doors are prepared for hinges. Hinges & fasteners included.

Unfinished Extra Shelf for 32" or 36" Bookcase

27-3/4" W x 6-3/4" H x 3/4" D

HBC-SHELF32-CH

HBC-SHELF32-MP

HBC-SHELF32-RO

32"

31-3/4" W x 6-3/4" H x 3/4" D

HBC-SHELF36-CH

HBC-SHELF36-MP

HBC-SHELF36-RO

36"

3-1/2" Unfinished Trim Moulding Kit



HBC-TRIM-CH

HBC-TRIM-MP

HBC-TRIM-RO

(2) 84" W x 3-1/2" H x 3/4" D

(1) 48" W x 3-1/2" H x 3/4" D

Unfinished Inswing Jamb / Threshold Kit



HBC-JMB36IN-CH

HBC-JMB36IN-MP

HBC-JMB36IN-RO

Side Jamb (2)

3/4" Thick x 4-1/2" Deep x 81" High

Upper Jamb (1)

3/4" Thick x 4-1/2" Deep x 36-1/2" High

Threshold (1)

3/4" Thick x 7" Deep x 36-1/2" High

Unfinished Outswing Jamb / Threshold Kit



HBC-JMB36OUT-CH

HBC-JMB36OUT-MP

HBC-JMB36OUT-RO

Side Jamb (2)

3/4" Thick x 4-1/2" Deep x 81" High

Upper Jamb (1)

3/4" Thick x 4-1/2" Deep x 36-1/2" High

Threshold (1)

3/4" Thick x 4-1/2" Deep x 36-1/2" High

Steel Sliding Door Hardware Kits



**Designed for the American Market:
16" Center On Center Hole Spacing**



Our new line of Barn Door Hardware fuses superior construction and exceptional functionality with a refined aesthetic appeal that will elegantly blend into any traditional or contemporary setting in which it is utilized.



Hidden mechanisms ensure doors gently glide to a controlled soft close.

Powder Coated Iron

Classic Strap

*SDH-SW4**



- 16" center on center hole spacing
- Complete single sliding wood door hardware kit with all fittings.
- Works with 1-3/8" through 1-3/4" thick doors up to 39" wide and 240 lbs.
- Reinforced 1-1/2" x 3/16" solid steel rail will not bend or bow.
- *Available In: Black, Espresso, Oil Rubbed Bronze & Satin Nickel
- Heavy-duty steel door rollers provide smooth, whisper quiet operation.
- Roller Size: 11-1/2" L x 1-9/16" W
- Clearance above door: 5"
- 8' Kits Available



Classic Top Mount

SDH-SW5-BLK



- 16" center on center hole spacing
- Complete single sliding wood door hardware kit with all fittings.
- Works with 1-3/8" through 1-3/4" thick doors up to 39" wide and 240 lbs.
- Reinforced 1-1/2" x 3/16" solid steel rail will not bend or bow.
- Heavy-duty steel door rollers provide smooth, whisper quiet operation.
- Ideal for use with solid or hollow core interior doors.
- Roller Size: 4-5/8" L x 5-1/3" W
- Clearance above door: 5"
- 8' Kits Available



Classic Strap II

SDH-DW4-BLK



- 16" center on center hole spacing
- Complete double sliding wood door hardware kit with all fittings.
- Works with 1-3/8" through 1-3/4" thick doors up to 34" wide and 240 lbs. per door.
- Reinforced 1-1/2" x 3/16" solid steel rail will not bend or bow.
- Heavy-duty steel door rollers provide smooth, whisper quiet operation.
- Roller Size: 11-1/2" L x 1-9/16" W
- Clearance above door: 5"



Classic Top Mount II

SDH-DW5-BLK



- 16" center on center hole spacing
- Complete double sliding wood door hardware kit with all fittings.
- Works with 1-3/8" through 1-3/4" thick doors up to 34" wide and 240 lbs. per door.
- Reinforced 1-1/2" x 3/16" solid steel rail will not bend or bow.
- Heavy-duty steel door rollers provide smooth, whisper quiet operation.
- Ideal for use with solid or hollow core interior doors.
- Roller Size: 4-5/8" L x 5-1/3" W
- Clearance above door: 5"

*Measurements Are Approximate
Hardware Only, Doors Not Included*

Powder Coated Iron

**HEAVY
DUTY**
UP TO
285 LB



The Reserve SDH-SW6-BLK

- 16" center on center hole spacing
- Complete single sliding wood door hardware kit with all fittings.
- Works with 1-3/8" through 1-3/4" thick doors up to 39" wide and 285 lbs.
- Reinforced 1-1/2" x 3/16" solid steel rail will not bend or bow.
- **Extra heavy-duty 285 lb capacity kit** with steel door rollers provide smooth, whisper quiet operation.
- Roller Size: 9-7/8" L x 6-1/4" W
- Clearance above door: 5-1/2"

Vintage Industrial

Classic Top Mount SDH-SW4IND-BLK

**HEAVY
DUTY**
UP TO
330 LB



- Large 4-3/4" diameter vintage industrial style spoked wheels.
- 16" on center hole spacing
- Works with 1-3/8" through 1-3/4" thick doors up to 39" wide and up to 330 lbs.
- Reinforced 1-1/2" x 1/4" solid steel will not bow or bend.
- Available In: Black
- **Extra heavy-duty 330 lb capacity** rollers with friction reducing wheels provide smooth, whisper quiet operation.
- Roller Size: 7-1/2" L x 1-1/2" W
- Clearance above door: 7-5/8"

Vintage Industrial

Classic Strap SDH-SW5IND-BLK

**HEAVY
DUTY**
UP TO
330 LB



- Large 4-3/4" diameter vintage industrial style spoked wheels.
- 16" on center hole spacing
- Works with 1-3/8" through 1-3/4" thick doors up to 39" wide and up to 330 lbs.
- Reinforced 1-1/2" x 1/4" solid steel will not bow or bend.
- Available In: Black
- **Extra heavy-duty 330 lb capacity** rollers with friction reducing wheels provide smooth, whisper quiet operation.
- Roller Size: 14" L x 1-1/2" W
- Clearance above door: 7-5/8"

Spoked Wheel

Classic Strap SDH-SW02-BLK

**LIGHTER
DUTY**
UP TO
150 LB



- 3-1/2" diameter spoked wheels.
- 16" on center hole spacing
- Works with 1" through 1-3/8" thick doors up to 39" wide and up to 150 lbs.
- Reinforced 1-1/2" x 3/16" solid steel rail will not bend or bow.
- Available In: Black
- **Lighter-duty 150 lb capacity**
- Roller Size: 15-3/8" L x 1" W
- Clearance above door: 5-5/8"

The By-Passing Classic Strap

BP-DW4-BLK



- 16" center on center hole spacing
- Complete by-passing sliding wood door hardware kit with all fittings.
- Works with 1-3/8-in. through 1-3/4-in. thick doors up to 39-in. wide
- 240 lbs. per door.
- Reinforced 1-1/2-in. x 3/16-in. solid steel rail will not bend or bow.
- Heavy-duty steel door rollers provide smooth, whisper quiet operation.
- Roller Size: 11-1/2" L x 1-9/16" W



Measurements Are Approximate
Hardware Only, Doors Not Included

Heavy Duty 304 Grade Stainless Steel

The Townhouse

SDH-SW03-SS



- Complete single sliding wood door hardware kit with all fittings.
- Works with 1-3/8-in. through 2-in. thick doors up to 39" wide and 240 lbs.
- Reinforced 1-in. dia. x 1/16-in. 304 grade stainless steel rail will not bend or bow.
- Heavy-duty 304 grade stainless steel door rollers provide smooth, whisper quiet operation.
- Ideal for use with solid or hollow core interior doors.
- Roller Size: 4-1/2" L x 2-7/8"W
- Clearance above door: 4-1/2"
- 8' Kits Available



The Townhouse II

SDH-DW03-SS

- Complete double sliding wood door hardware kit with all fittings.
- Works with 1-3/8-in. through 2-in. thick doors up to 34" wide & 240 lbs. per door.
- Reinforced 1-in. dia. x 1/16-in. 304 grade stainless steel rail will not bend or bow.
- Heavy-duty 304 grade stainless steel door rollers provide smooth, whisper quiet operation.
- Ideal for use with solid or hollow core interior doors.
- Roller Size: 4-1/2" L x 2-7/8"W
- Clearance above door: 4-1/2"



The Loft

SDH-SW12-SS

- Complete single sliding wood door hardware kit with all fittings.
- Works with 1-3/8-in. through 1-3/4-in. thick doors up to 39" wide and 260 lbs.
- Reinforced 1-in. dia. x 1/16-in. 304 grade stainless steel rail will not bend or bow.
- Heavy-duty 304 grade stainless steel door rollers provide smooth, whisper quiet operation.
- Roller Size: 8-1/4" L x 1-3/16"W
- Clearance above door: 4"



The Loft II

SDH-DW12-SS

- Complete double sliding wood door hardware kit with all fittings.
- Works with 1-3/8-in. through 1-3/4-in. thick doors up to 34" wide & 260 lbs. per door.
- Reinforced 1-in. dia. x 1/16-in. 304 grade stainless steel rail will not bend or bow.
- Heavy-duty 304 grade stainless steel door rollers provide smooth, whisper quiet operation.
- Roller Size: 8-1/4" L x 1-3/16"W
- Clearance above door: 4"



The Brownstone

SDH-SW04-SS

- Complete single sliding wood door hardware kit with all fittings.
- Works with 1-3/8-in. through 2-in. thick doors up to 39" wide and 240 lbs.
- Reinforced 1-in. dia. x 1/16-in. 304 grade stainless steel rail will not bend or bow.
- Heavy-duty 304 grade stainless steel door rollers provide smooth, whisper quiet operation.
- Ideal for use with solid or hollow core interior doors.
- Roller Size: 4" L x 3-1/8"W
- Clearance above door: 4"



The Manhattan

SDH-SG04-SS

- Complete single sliding glass door hardware kit with all fittings.
- Works with 3/8-in. through 1/2-in. thick doors up to 39" wide and 240 lbs.
- Reinforced 1-in. dia. x 1/16-in. 304 grade stainless steel rail will not bend or bow.
- Heavy-duty 304 grade stainless steel door rollers provide smooth, whisper quiet operation.
- Roller Size: 7-7/8" L x 1-3/16"W
- Clearance above door: 4"



Measurements Are Approximate
Hardware Only, Doors Not Included

Heavy Duty 304 Grade Stainless Steel

The Skyline SDH-SG02-SS

- Complete single sliding glass door hardware kit with all fittings.
- Works with 3/8-in. through 1/2-in. thick doors up to 39" wide and 195 lbs.
- Reinforced 1-in. dia. x 1/16-in. 304 grade stainless steel rail will not bend or bow.
- Heavy-duty 304 grade stainless steel door rollers provide smooth, whisper quiet operation.
- Roller Size: 8-1/4" L x 1-3/16" W
- Clearance above door: 4"



The Skyline II SDH-DG02-SS

- Complete double sliding glass door hardware kit with all fittings.
- Works with 3/8-in. through 1/2-in. thick doors up to 34" wide & 195 lbs. per door.
- Reinforced 1-in. dia. x 1/16-in. 304 grade stainless steel rail will not bend or bow.
- Heavy-duty 304 grade stainless steel door rollers provide smooth, whisper quiet operation.
- Roller Size: 8-1/4" L x 1-3/16" W
- Clearance above door: 4"



Furniture Sliding Door Hardware

Powder Coated Iron & 304 Grade Stainless Steel

Classic Strap

See pages I-45~I-49

- 16" center on center hole spacing
- Complete single & double sliding wood door hardware kits with all fittings.
- Works with 3/4" through 1" thick doors up to 36" wide and 44 lbs.
- Available In: Black, Oil Rubbed Bronze & Stainless Steel
- Roller Size: 8.3" L x 1" W
- 4', 5' & 6' Kits Available
- Trimmable
- Clearance above door: 3-1/8"



Top Mount

- 16" center on center hole spacing
- Complete single & double sliding wood door hardware kits with all fittings.
- Works with 3/4" through 1" thick doors up to 36" wide and 44 lbs.
- Available In: Black, Oil Rubbed Bronze & Stainless Steel
- Roller Size: 3-3/8" L x 4-1/8" W
- 4', 5' & 6' Kits Available
- Trimmable
- Clearance above door: 3-1/8"



Arrow

- 16" center on center hole spacing
- Complete single & double sliding wood door hardware kit with all fittings.
- Works with 3/4" through 1" thick doors up to 36" wide and 44 lbs.
- Available In: Black
- Roller Size: 6-3/4" L x 1" W
- 4', 5' & 6' Kits Available
- Trimmable
- Clearance above door: 3-1/8"



Measurements Are Approximate
Hardware Only, Doors Not Included

Steel Sliding Single Door Hardware Kits

 **Designed for the American Market:**
16" Center On Center Hole Spacing

Sliding door hardware brings updated style & character to any space. Choose from the rustic, industrial look of iron or the clean, modern feel of stainless steel. Our selection of smooth rolling door straps will compliment any design style.



Classic Strap (Single Wood Door Kits)

Door Thickness: 1-3/8" through 1-3/4"
Maximum Door Weight: 240 lbs.
Door Width: Up To 39"
8' Kit Works With Door Width: Up To 48"

Kits Include:



STANDARD RAIL KITS

Full 78" lengths of rail are available in many styles and finishes to accommodate doors up to 39" wide. Several styles are also available with rails in a full 96" length for use with doors up to 48" wide. Double door kits provide 2 x 68" sections of rail which join in the center, allowing for 2 doors up to 34" wide.




Part #	Description	Finish
SDH-SW4-BLK	Standard	Black
SDH-SW4-ESP	Standard	Espresso
SDH-SW4-OB	Standard	Oil Rubbed Bronze
SDH-SW4-SN	Standard	Satin Nickel

8' Rail Kits


Our 8 foot sliding door hardware kits can accommodate larger doors up to 48" wide. One continuous 96" rail with 16" on center pre-drilled hole spacing offers sturdy construction and ease of installation.



Part #	Description	Finish
SDH-SW4-BLK-8	8' Kit	Black
 SDH-SW4-BLK-SC-8	8' Soft Close Kit	Black

KNOCK DOWN RAIL KITS

Several styles of our Sliding Door Hardware are available as a "knock down" version. Two sections of 39" rail are joined seamlessly in the center, maintaining the kits strength, integrity & smooth rolling action.






Part #	Description	Finish
SDH-SW4-BLK-KD	Knock Down	Black
SDH-SW4-ESP-KD	Knock Down	Espresso

Free Shipping on Knock Down Kits Only



SOFT CLOSE RAIL KITS

Hidden dampers on the back of the rails engage as the door gently glides to a soft, controlled close. Our soft close feature is a user friendly upgrade to our quality crafted sliding door hardware.

Part #	Description	Finish
 SDH-SW4-BLK-SC	Soft Close	Black
 SDH-SW4-ESP-SC	Soft Close	Espresso
 SDH-SW4-BLK-SC-8	8' Soft Close Kit	Black

For Routing Information, See Page I-42. For Optional Handles & Adjustable Non-Routed Floor Guides, See Pages I-42~I-44.



Classic Top Mount (Single Wood Door Kits)

Door Thickness: 1-3/8" through 1-3/4"

Maximum Door Weight: 240 lbs.

Door Width: Up To 39"

8' Kit Works With Door Width: Up To 48"

Kits Include:

(1x) 1-1/2" x 3/16" Rail
78" Long



Door Roller (2x)



Door Stop (2x)



Anti-Jump Disk (2x)



Wall Bracket (5x)



Floor Guide (1x)



& All Installation Hardware

Routed Into Bottom of Door

Part #	Description	Finish
SDH-SW5-BLK	Standard	Black
SDH-SW5-BLK-8	8' Kit	Black
SDH-SW5-BLK-SC	Soft Close	Black
SDH-SW5-BLK-SC-8	8' Soft Close Kit	Black

The Reserve (Single Wood Door Kits)

Door Thickness: 1-3/8" through 1-3/4"

Maximum Door Weight: 285 lbs. (Heavy Duty)

Door Width: Up To 39"

HEAVY DUTY
UP TO
285 LB

Kits Include:

(1x) 1-1/2" x 3/16" Rail
78" Long



Door Roller (2x)



Door Stop (2x)



Anti-Jump Disk (2x)



Wall Bracket (5x)



Floor Guide (1x)



& All Installation Hardware

Routed Into Bottom of Door

Part #	Description	Finish
SDH-SW6-BLK	Standard	Black




For Routing Information, See Page I-42. For Optional Handles & Adjustable Non-Routed Floor Guides, See Pages I-42~I-44.



Classic Strap II (Double Wood Door Kits)

Door Thickness: 1-3/8" through 1-3/4"
Maximum Door Weight: 240 lbs. per door
Door Width: Up To 34"

Kits Include:




& All Installation Hardware

Part #	Description	Finish
SDH-DW4-BLK	Standard	Black
 SDH-DW4-BLK-SC	Soft Close	Black

Classic Top Mount II (Double Wood Door Kits)

Door Thickness: 1-3/8" through 1-3/4"
Maximum Door Weight: 240 lbs. per door
Door Width: Up To 34"

Kits Include:



& All Installation Hardware

Part #	Description	Finish
SDH-DW5-BLK	Standard	Black



For Routing Information, See Page I-42. For Optional Handles & Adjustable Non-Routed Floor Guides, See Pages I-42~I-44.

By-Passing Classic Strap (By-Passing Wood Door Kit)

Door Thickness: 1-3/8" through 1-3/4"
Maximum Door Weight: 240 lbs. per door
Door Width: Up To 39"

Kits Include:

(2x) 1-1/2" x 3/16" Rail
78" Long



Door Roller (4x)



Door Stop (4x)




Wall Bracket (9x)



Floor Guide (2x)



Anti-Jump Disk (4x)



The 5 by-passing brackets allow one door to pass in front of another, making for efficient use in tighter spaces.

& All Installation Hardware

Part #	Description	Finish
BP-DW4-BLK	Standard	Black




Photo Courtesy Of:
Full Moon Custom Design
Daytona Beach, FL

For Routing Information, See Page I-42. For Optional Handles & Adjustable Non-Routed Floor Guides, See Pages I-42~I-44.



**HEAVY
DUTY**
UP TO
330 LB

Vintage Industrial Classic Strap (Single Wood Door Kits)

Door Thickness: 1-3/8" through 1-3/4"
Maximum Door Weight: 330 lbs. (Heavy Duty)
Door Width: Up To 39"

Kits Include:



& All Installation Hardware

Part #	Description	Finish
SDH-SW4IND-BLK	Standard	Black

Vintage Industrial Top Mount (Single Wood Door Kits)

Door Thickness: 1-3/8" through 1-3/4"
Maximum Door Weight: 330 lbs. (Heavy Duty)
Door Width: Up To 39"

**HEAVY
DUTY**
UP TO
330 LB

Kits Include:



& All Installation Hardware

Part #	Description	Finish
SDH-SW5IND-BLK	Standard	Black





**LIGHTER
DUTY**
UP TO
150 LB

Spoked Wheel Classic Strap (Single Wood Door Kits)

Door Thickness: 1" through 1-3/8"
Maximum Door Weight: 150 lbs.
Door Width: Up To 39"

Kits Include:

(1x) 1-1/2" x 3/16" Rail
78-3/4" Long



Door Roller
15-3/8" Long
3-1/2" Dia Wheels
(2x)

Door Stop
(2x)



Anti-Jump
Disk (2x)



Floor Guide
(1x)



Wall Bracket
(5x)



& All Installation Hardware

Part #	Description	Finish
SDH-SW02-BLK	Standard	Black



Stainless Steel (304 Grade) Sliding Door Hardware Kits



The Townhouse (Single Wood Door Kits)

Door Thickness: 1-3/8" through 2"

Maximum Door Weight: 221 lbs.

Door Width: Up To 39"

8' Kit Works With Door Width: Up To 48"

Kits Include:



& All Installation Hardware

Part #	Description	Finish
SDH-SW03-SS	Standard	Satin
SDH-SW03-SS-8	8' Kit	Satin
* SDH-SW03-SS-KD	Knock Down	Satin
* SDH-SW03-SS-SC	Soft Close	Satin
* SDH-SW03-SS-SC-8	8' Soft Close Kit	Satin

* Free Shipping on Knock Down Kits Only

²Soft Close Kit Has Fixed Position Wall Brackets at 25" C.C. Spacing


The Brownstone (Single Wood Door Kits)

Door Thickness: 1-3/8" through 2"

Maximum Door Weight: 240 lbs.

Door Width: Up To 39"

Kits Include:



& All Installation Hardware

Part #	Description	Finish
SDH-SW04-SS	Standard	Satin



For Routing Information, See Page I-42. For Optional Handles & Adjustable Non-Routed Floor Guides, See Pages I-42~I-44.



The Townhouse II (Double Wood Door Kits)

Door Thickness: 1-3/8" through 2"
Maximum Door Weight: 240 lbs.
Door Width: Up To 34"



Part #	Description	Finish
SDH-DW03-SS	Standard	Satin

The Loft II (Double Wood Door Kits)

Door Thickness: 1-3/8" through 1-3/4"
Maximum Door Weight: 260 lbs. per door
Door Width: Up To 34"



Part #	Description	Finish
SDH-DW12-SS	Standard	Satin



Stainless Steel (304 Grade) Sliding Door Hardware Kits




The Loft (Single Wood Door Kits)

Door Thickness: 1-3/8" through 1-3/4"

Maximum Door Weight: 260 lbs.

Door Width: Up To 39"

Kits Include:



& All Installation Hardware

Part #	Description	Finish
SDH-SW12-SS	Standard	Satin

The Skyline (Single Glass Door Kits)

Door Thickness: 3/8" through 1/2"

Maximum Door Weight: 195 lbs.

Door Width: Up To 39"

Kits Include:



& All Installation Hardware

Part #	Description	Finish
SDH-SG02-SS	Standard	Satin



For Routing Information, See Page I-42. For Optional Handles & Adjustable Non-Routed Floor Guides, See Pages I-42~I-44.

Stainless Steel (304 Grade) Sliding Door Hardware Kits



The Manhattan (Single Glass Door Kits)

Door Thickness: 3/8" through 1/2"
Maximum Door Weight: 240 lbs.
Door Width: Up To 39"

Kits Include:



& All Installation Hardware

Part #	Description	Finish
SDH-SG04-SS	Standard	Satin

The Skyline II (Double Glass Door Kits)

Door Thickness: 3/8" through 1/2"
Maximum Door Weight: 195 lbs. per door
Door Width: Up To 34"

Kits Include:





& All Installation Hardware

Part #	Description	Finish
SDH-DG02-SS	Standard	Satin





For Optional Handles, See Page I-43~I-44.



Routed Floor Guide Included In Steel Kits For Wood Doors



Routed Floor Guide Included In 304 Grade Stainless Steel Kits For Wood Doors



Adjustable Non-Routed Floor Guides For Wood Doors *(Sold Separately: See Below)*



Adjustable Wall Mounted Roller Floor Guide

Finish: Matte Black

Material: Black Powder Coated Steel

Overall Length: 3-3/4"

Width: 1-3/8"

Height: 1-7/8"

Roller Diameter: 1-5/8"

- Roller adjusts from 7/8" to 2-1/4"
- P.O.M. plastic roller provides superior smoothness & whisper quiet function
- Wall mounting prevents floors from being drilled, scratched or damaged
- Screws & anchors included
- No need for routing a groove into the bottom of door



SDH-RLGD-BLK

Latch for Sliding Door Hardware

Finish: Black & Stainless Steel

Material: Powder Coated Steel & 304 Grade Stainless Steel

Overall Length: 3.46"

CC: 2.43"

Width: 3.36"

Thickness: 1.51"



SDH-LATCH-BLK



SDH-LATCH-SS

Handles

5-7/8" Pull

Works With Wood Doors

Finish: Oil Rubbed Bronze

Material: Solid Zinc

Overall Length: 5-7/8"

CC: 5"

Width: 1/2"

Projection: 1-9/64"

Thickness: 9/32"



84613

6-1/2" Pull

Works With Wood Doors

Finish: Black Painted

Material: Hollow Steel

Overall Length: 6-1/2"

CC: 5-1/2"

Handle Width: 13/16"

Plate Width: 1-13/16"

Projection: 1-3/4"

Thickness: 7/16"

Includes 4 wood screws, 5/8" long



PULL-959-BK

8-1/8" Pull

Works With Wood Doors

Finish: Flat Black

Material: Solid Zinc

Overall Length: 8-1/8"

CC: 5"

Width: 7/16"

Projection: 1"

Thickness: 3/16"



TK271BLK

8-15/16" Pull

Works With Wood Doors

Finish: Oil Rubbed Bronze

Material: Solid Zinc

Overall Length: 8-15/16"

CC: 8"

Width: 1/2"

Projection: 1-1/8"

Thickness: 5/16"



84913

12" Pull

Works With Wood Doors

Finish: Oil Rubbed Bronze

Material: Solid Zinc

Overall Length: 12"

CC: 11.35"

Width: 31/32"

Projection: 1-3/4"

Thickness: 3/8"



PULL-CON482-ORB

15-3/4" Pull

Works With Wood Doors: 1-1/4" - 1-3/8" Glass Doors: 3/8" - 1/2"

Finish: 304 Grade Stainless Steel


Material: Hollow

Overall Length: 15-3/4"

CC: 300mm

Width: 1" Dia.

Projection: 2-3/4"



SDH-PULL-1-SS



SDH-PULL-2-SS

Customize Your Pulls

For More Information, See Page Q-9.



1. CUT
tube to
measured
length



2. INSERT
feet at each end of cut tube

Handles

2" Knob

*Works With Wood Doors: 1-1/4" - 1-3/8"
& Glass Doors: 3/8" - 1/2"*

Overall Diameter: 2"

Finish: Black, Espresso
& 304 Grade Stainless Steel

Material: Solid Iron




SDH-KNOB-BLK



SDH-KNOB-SS



SDH-KNOB-ESP



6-7/16" Pull

Finish: Black & Oil Rubbed Bronze

Material: Powder Coated Steel

Overall Length: 6.42"

CC: 5.60"

Width: 0.99"

Projection: 1.45"

Thickness: 0.20"



SDH-P126-BLK



SDH-P126-ORB

2 Sided Pull with Recessed Plate

Finish: Black, Oil
Rubbed Bronze &
Stainless Steel

Material: Powder
Coated Steel & 304
Stainless Steel

Overall Length: 11.8"

CC: 7.09"

Width: 2.34"

Projection: 2.68"

Thickness: 0.99"



SDH-P176-BLK



SDH-P176-ORB



SDH-P176-SS

10" Door Pull

Finish: Black & Oil
Rubbed Bronze

Material: Powder
Coated Steel

Overall Length: 10"

Width: 3.37"

Projection: 2"

Thickness: 0.51"



SDH-P164-BLK



SDH-P164-ORB

10-1/4" Door Pull

Finish: Black & Oil
Rubbed Bronze

Material: Powder
Coated Steel

Overall Length:
10.26"

CC: 8.82"

Width: 2.50"

Projection: 2.50"

Thickness: 0.51"



SDH-P163-BLK



SDH-P163-ORB

2 Sided 14" Flat Bar Pull

Finish: Black

Material: Powder Coated Steel

Overall Length: 14.02"

CC: 11.8"

Width: 1.26"

Projection: 1.58"

Thickness: 0.24"

SDH-P109-BLK



2 Sided Flat Pull with Knob

Finish: Black &
Stainless Steel

Material: Powder
Coated Steel
& 304 Grade
Stainless Steel

Overall Length: 14.02"

CC: 11.8 "

Width: 1.26"

Projection: 1.58"

Thickness: 0.24"

Knob Diameter: 1.99"



SDH-P105-BLK



SDH-P105-SS



Furniture Sliding Door Hardware

Top Mount, Classic Strap & Arrow Designs Available

Finishes: Powder Coated Black, Oil Rubbed Bronze & Stainless Steel

Available In 4', 5' & 6' Full Single & Double Door Kits
With 16" CC Hole Spacing (Separate Roller Kits Also Available)

Accommodates Doors Up To 44 Lbs
& 3/4" Through 1" Thick

Maximum Door Width =
Half The Width Of The Rail

Clearance Required Above Door: 3-1/8"

Great for:


Kitchen Cabinets
 Bathroom Vanities
 Sideboards
 Hidden TV Solutions
 Buffets
 Armoires
 Credenzas
 T.V. Cabinets
 Interior Window Shutters
 Dressers & More

Full Kits Include:

Single Door	Double Door
Rail with Mounting Brackets (4', 5' or 6')	Rail with Mounting Brackets (4', 5' or 6')
2 Rollers	4 Rollers
2 Rail End Stops	2 Rail End Stops
2 Anti Jump Discs	4 Anti Jump Discs
1 Routed Door Guide	2 Routed Door Guide
2 End Caps	2 End Caps
All Necessary Fasteners	All Necessary Fasteners

Optional Accessories:

Roller Kits Without Rail for Mounting Additional Doors
 4' Extension Rail with Splicer & 3 Mounting Brackets (To Create Longer Runs)
 Rail End Caps (Ideal for Capping Cut Ends)



BLACK



OIL RUBBED BRONZE



STAINLESS STEEL



BLACK



OIL RUBBED BRONZE



STAINLESS STEEL



BLACK



Classic Strap (Single Door Kits)


Door Thickness: 3/4" through 1"

Maximum Door Weight: 44 lbs.

Door Width: Up to 24" For 4' Rail Length

Up to 30" For 5' Rail Length

Up to 36" For 6' Rail Length



Part #	Rail Length	Finish
FSDH-STRAPKIT-BK-4	4'	Black
FSDH-STRAPKIT-BK-5	5'	Black
FSDH-STRAPKIT-BK-6	6'	Black
FSDH-STRAPKIT-OB-4	4'	Oil Rubbed Bronze
FSDH-STRAPKIT-OB-5	5'	Oil Rubbed Bronze
FSDH-STRAPKIT-OB-6	6'	Oil Rubbed Bronze
FSDH-STRAPKIT-SS-4	4'	Stainless Steel
FSDH-STRAPKIT-SS-5	5'	Stainless Steel
FSDH-STRAPKIT-SS-6	6'	Stainless Steel

Top Mount (Single Door Kits)

Door Thickness: 3/4" through 1"

Maximum Door Weight: 44 lbs.

Door Width: Up to 24" For 4' Rail Length

Up to 30" For 5' Rail Length


Up to 36" For 6' Rail Length



Part #	Rail Length	Finish
FSDH-TOPMTKIT-BK-4	4'	Black
FSDH-TOPMTKIT-BK-5	5'	Black
FSDH-TOPMTKIT-BK-6	6'	Black
FSDH-TOPMTKIT-OB-4	4'	Oil Rubbed Bronze
FSDH-TOPMTKIT-OB-5	5'	Oil Rubbed Bronze
FSDH-TOPMTKIT-OB-6	6'	Oil Rubbed Bronze
FSDH-TOPMTKIT-SS-4	4'	Stainless Steel
FSDH-TOPMTKIT-SS-5	5'	Stainless Steel
FSDH-TOPMTKIT-SS-6	6'	Stainless Steel



FINISHES:



Arrow (Single Door Kits)


Door Thickness: 3/4" through 1"

Maximum Door Weight: 44 lbs.

Door Width: Up to 24" For 4' Rail Length

Up to 30" For 5' Rail Length

Up to 36" For 6' Rail Length



FINISHES:



BLACK

Part #	Rail Length	Finish
FSDH-ARWKIT-BK-4	4'	Black
FSDH-ARWKIT-BK-5	5'	Black
FSDH-ARWKIT-BK-6	6'	Black

FURNITURE SLIDING DOUBLE DOOR KITS

Classic Strap (Double Door Kits)


Door Thickness: 3/4" through 1"

Maximum Door Weight: 44 lbs. Total

Door Width: Up to 12" Total For 4' Rail Length


Up to 15" Total For 5' Rail Length

Up to 18" Total For 6' Rail Length




Part #	Rail Length	Finish
FSDH-STPKT-BK-4-DD	4'	Black
FSDH-STPKT-BK-5-DD	5'	Black
FSDH-STPKT-BK-6-DD	6'	Black
FSDH-STPKT-OB-4-DD	4'	Oil Rubbed Bronze
FSDH-STPKT-OB-5-DD	5'	Oil Rubbed Bronze
FSDH-STPKT-OB-6-DD	6'	Oil Rubbed Bronze
FSDH-STPKT-SS-4-DD	4'	Stainless Steel
FSDH-STPKT-SS-5-DD	5'	Stainless Steel
FSDH-STPKT-SS-6-DD	6'	Stainless Steel

FINISHES:



BLACK



OIL RUBBED
BRONZE



STAINLESS
STEEL







FINISHES:



BLACK



OIL RUBBED
BRONZE



STAINLESS
STEEL

Top Mount (Double Door Kits)


Door Thickness: 3/4" through 1"
Maximum Door Weight: 44 lbs. Total
Door Width: Up to 12" Total For 4' Rail Length
Up to 15" Total For 5' Rail Length
Up to 18" Total For 6' Rail Length



Part #	Rail Length	Finish
FSDH-TOPMT-BK-4-DD	4'	Black
FSDH-TOPMT-BK-5-DD	5'	Black
FSDH-TOPMT-BK-6-DD	6'	Black
FSDH-TOPMT-OB-4-DD	4'	Oil Rubbed Bronze
FSDH-TOPMT-OB-5-DD	5'	Oil Rubbed Bronze
FSDH-TOPMT-OB-6-DD	6'	Oil Rubbed Bronze
FSDH-TOPMT-SS-4-DD	4'	Stainless Steel
FSDH-TOPMT-SS-5-DD	5'	Stainless Steel
FSDH-TOPMT-SS-6-DD	6'	Stainless Steel

Arrow (Double Door Kits)

Door Thickness: 3/4" through 1"
Maximum Door Weight: 44 lbs. Total
Door Width: Up to 12" Total For 4' Rail Length
Up to 15" Total For 5' Rail Length
Up to 18" Total For 6' Rail Length



Part #	Rail Length	Finish
FSDH-ARWKT-BK-4-DD	4'	Black
FSDH-ARWKT-BK-5-DD	5'	Black
FSDH-ARWKT-BK-6-DD	6'	Black

FINISHES:



BLACK





FURNITURE SLIDING DOOR HARDWARE ACCESSORIES (Optional)

Classic Strap Roller Kit (Without Rail)

Additional Roller Kits (without rail). Available for hanging multiple doors

Kits Include:



& All Installation Hardware

Part #	Finish
FSDH-STRAPS-BK	Black
FSDH-STRAPS-OB	Oil Rubbed Bronze
FSDH-STRAPS-SS	Stainless Steel

Top Mount Roller Kit (Without Rail)

Additional Roller Kits (without rail). Available for hanging multiple doors

Kits Include:



& All Installation Hardware

Part #	Finish
FSDH-TOPMNTS-BK	Black
FSDH-TOPMNTS-OB	Oil Rubbed Bronze
FSDH-TOPMNTS-SS	Stainless Steel

Arrow Roller Kit (Without Rail)

Additional Roller Kits (without rail). Available for hanging multiple doors

Kits Include:



& All Installation Hardware

Part #	Finish
FSDH-ARROWS-BK	Black

4' Extension Rail

4' Extension Rail allows for longer runs

Finish: Black,
Oil Rubbed Bronze &
304 Grade Stainless Steel




FSDH-RAIL4SP-BK

FSDH-RAIL4SP-OB

FSDH-RAIL4SP-SS

Includes:



Splicer
(1x)

Mounting
Bracket

Rail Mounting
Bracket & Hardware
For 3/4" through 1"
Door Thicknesses
(4' Kit = 3x 3/4" + 3x 1")
(5' Kit = 4x 3/4" + 4x 1")
(6' Kit = 5x 3/4" + 5x 1")

*Can be trimmed to needed length

End Caps

Perfect for capping trimmed rail or adding
as a decorative element. Sold in Pairs.

Finish: Black,
Oil Rubbed Bronze &
304 Grade Stainless Steel



FSDH-ENDCAPS-BK

FSDH-ENDCAPS-OB

FSDH-ENDCAPS-SS

FINISHES:



BLACK

OIL RUBBED
BRONZE

STAINLESS
STEEL

Hardware Components Only

The doors of opportunity are rolling open



Rolling Doors give you that extra edge in home design. Choose from a variety of design options that will enhance your home. Introduce a touch of rustic tone, select a classic look, bring in medieval architecture, or give your home modern flair; whatever your decor, we have rolling door hardware to match. Whether your project is new construction or remodeling, a rolling door can be added easily, professionally and quickly.

Choose Your:

- ① Roller Strap & Finish
- ② Rail Length
(Rails should be at least 2X width of doors)
- ③ Rail Mounting Brackets for
your correct door thickness
(Every 16" Recommended)
- ④ Rail End Stops
- ⑤ Floor Guides & Stops

All Finishes Are Powder Coated

Matte Black (BK)

Oil Rubbed
Bronze (ORB)

Satin Nickel (SN)






Hardware Components Only

The doors of opportunity are rolling open

① Roller Straps & Finish

250 lbs. load capacity per 2 straps for mounting doors
Fasteners included- Sold as each



Part #	Style	Finish
BDH-RSB-BK	Basic Rectangle	Matte Black
BDH-RSB-ORB	Basic Rectangle	Oil Rubbed Bronze
BDH-RSB-SN	Basic Rectangle	Satin Nickel
BDH-RSF-BK	Fleur-De-Lis	Matte Black
BDH-RSF-ORB	Fleur-De-Lis	Oil Rubbed Bronze
BDH-RSS-BK	Spade	Matte Black
BDH-RSS-ORB	Spade	Oil Rubbed Bronze
BDH-RSR-BK	Round Stick	Matte Black
BDH-RSR-ORB	Round Stick	Oil Rubbed Bronze
BDH-RSR-SN	Round Stick	Satin Nickel
BDH-RSH-BK	Horseshoe	Matte Black
BDH-RSH-ORB	Horseshoe	Oil Rubbed Bronze
BDH-RSH-SN	Horseshoe	Satin Nickel
BDH-RSC-BK	Cube	Matte Black
BDH-RSC-ORB	Cube	Oil Rubbed Bronze
BDH-RSC-SN	Cube	Satin Nickel
BDH-RSV-BK	Vista	Matte Black
BDH-RSV-ORB	Vista	Oil Rubbed Bronze
BDH-RSV-SN	Vista	Satin Nickel

All Finishes Are Powder Coated

Matte Black (BK)

**Oil Rubbed
Bronze (ORB)**


Satin Nickel (SN)



Rolling Barn Door Hardware



All Finishes Are Powder Coated



2 4 Foot, 6 Foot or 8 Foot Rail

1" diameter solid aluminum rail



Part #	Length	Finishes
BDH-R4-*	4 Ft.	Matte Black (*BK),
BDH-R6-*	6 Ft.	Oil Rubbed Bronze(*ORB),
BDH-R8-*	8 Ft.	Satin Nickel(*SN)

3 Rail Brackets

For mounting the rail to the wall

Recommended spacing every 16" between brackets



Long Bracket
For Doors Up
To 2-1/4" Thick




Short Bracket
For Doors Up
To 1-1/2" Thick

Part #	Style	Finishes
BDH-RBL-*	Long	Matte Black (*BK),
BDH-RBS-*	Short	Oil Rubbed Bronze (*ORB),
		Satin Nickel (*SN)

4 Stop Kit For Rails

2 ends stop finals



Part #	Style	Finishes
BDH-ESTOP-*	End Stop	Matte Black (*BK)
BDH-BALLSTOP-*	Ball Stop	Oil Rubbed Bronze (*ORB),
		Satin Nickel (*SN)

Ends of rails are not threaded. A 1/4-20 thread tap is required to attach stops.

Hardware Components Only

The doors of opportunity are rolling open

5 Door Stop

Black rubber bumper included to prevent damage

Sold as each




Part #	Style	Finishes
BDH-DS-*	Dome (Non-Handed)	Matte Black (*BK)
BDH-DSFL-*	Left Stop, Fleur-De-Lis	Oil Rubbed Bronze (*ORB)
BDH-DSFR-*	Right Stop, Fleur-De-Lis	Satin Nickel (*SN)
BDH-DSSL-*	Left Stop, Spade	
BDH-DSSR-*	Right Stop, Spade	

6 Center Guides

Floor Guides

Adjustable for various door widths up to 2-1/4"



Part #	Style	Finishes
BDH-CGF-*	Fleur-De-Lis	Matte Black (*BK)
BDH-CGS-*	Spade	Oil Rubbed Bronze (*ORB)
BDH-RCG-*	Roller	Satin Nickel (*SN)
BDH-CGD-*	Dome	

Splice Kit (Optional)

For joining multiple tracks
Steel support dowel included



Part #	Finish
BDH-DOWEL	Matte Black



Flat Rail Rolling Barn Door Hardware

The new Flat Rail Rolling Door Hardware from Architectural Products will give your house a rugged, rustic feel. Not only easy to order, these convenient kits are easy to install. 6' kits are suitable for use on doors up to 36" wide & 1-3/4" thick

Matte Black (BK)

All Finishes Are
Powder Coated

All Kits Include: 1 x 6' Flat Rail (2" Wide), 2 Roller Straps, 5 Rail Mounting Brackets, 2 Door Stops, 1 Floor Guide & All Mounting Hardware (Rails are not pre-drilled)



Roller Straps

250 lbs. load capacity per 2 straps for mounting doors



Splicer

Splicer for connecting
lengths of rail



Part #	Style	Finish
Kits		
FRDH-HKT3-BK	3" Hook Strap	Matte Black
FRDH-HKT5-BK	5" Hook Strap	Matte Black
FRDH-SKT3-BK	3" Hook Stick Strap	Matte Black
FRDH-TKT3-BK	3" Top Mount	Matte Black

Components (Available Separately)		
FRDH-HS3-BK	3" Hook Strap	Matte Black
FRDH-HS5-BK	5" Hook Strap	Matte Black
FRDH-SS3-BK	3" Hook Stick Strap	Matte Black
FRDH-TS3-BK	3" Top Mount	Matte Black
FRDH-BKT-BK	Rail Mounting Bracket	Matte Black
FRDH-FG	Floor Guide For Wood	Matte Black
FRDH-4-BK	4' Flat Rail	Matte Black
FRDH-6-BK	6' Flat Rail	Matte Black
FRDH-8-BK	8' Flat Rail	Matte Black
FRDH-SPLICER	Splicer For Rails	Matte Black
FRDH-ES-BK	End Stops	Matte Black

Our Bi-Fold Barn Door Hardware Kits use only a portion of the space! It is perfect for hallway coat closets, bedroom closets, laundry closets, pantries, and so much more.



Single Door Front Mount Bi-Fold Barn Door Hardware Kit Application



Double Door Top Mount Bi-Fold Barn Door Hardware Kit Application

Single Door Top Mount Style



Kit Includes:

- (1) Adjustable Roller
- (1) Fixed Roller
- (1) Fixed Roller Lock Bracket
- (1) Rail
- (2) Top Connector Plates
- (1) Bottom Pivot Plate & Sleeve
- (2) Bi-Fold Door Butt Hinges
- Rail Mount Kits (*see chart below*)

Features:

- Black Finish
- 1-3/4" Max. Door Thickness

Part #	Rail Length	Rail Hole Distance
BF4-TM-BK	4 ft. Rail & 4 Rail Mount Kits	16"
BF5-TM-BK	5 ft. Rail & 4 Rail Mount Kits	19-11/16"
BF6-TM-BK	6 ft. Rail & 5 Rail Mount Kits	17-23/32"

Double Door Top Mount Style



Kit Includes:

- (2) Adjustable Rollers
- (2) Fixed Rollers
- (2) Fixed Roller Lock Brackets
- (1) 6 ft. Rail
- (4) Top Connector Plates
- (2) Bottom Pivot Plates & Sleeves
- (4) Bi-Fold Door Butt Hinges
- (5) Rail Mount Kits

Features:

- Black Finish
- 1-3/4" Max. Door Thickness

Part #	Rail Length	Rail Hole Distance
BF6-DD-TM-BK	6 ft. Rail & 5 Rail Mount Kits	17-23/32"

Single Door Front Mount Style



Kit Includes:

- (1) Adjustable Roller
- (1) Fixed Roller
- (1) Fixed Roller Lock Bracket
- (1) Rail
- (2) Front Mount Top Connector Plates
- (1) Bottom Pivot Plate & Sleeve
- (2) Bi-Fold Door Butt Hinges
- Rail Mount Kits (*see chart below*)

Features:

- Black Finish
- 1-3/4" Max. Door Thickness

Part #	Rail Length	Rail Hole Distance
BF4-FM-BK	4 ft. Rail & 4 Rail Mount Kits	16"
BF5-FM-BK	5 ft. Rail & 4 Rail Mount Kits	19-11/16"
BF6-FM-BK	6 ft. Rail & 5 Rail Mount Kits	17-23/32"

Double Door Front Mount Style



Kit Includes:

- (2) Adjustable Rollers
- (2) Fixed Rollers
- (2) Fixed Roller Lock Brackets
- (1) 6 ft. Rail
- (4) Front Mount Top Connector Plates
- (2) Bottom Pivot Plates & Sleeves
- (4) Bi-Fold Door Butt Hinges
- (5) Rail Mount Kits

Features:

- Black Finish
- 1-3/4" Max. Door Thickness

Part #	Rail Length	Rail Hole Distance
BF6-DD-FM-BK	6 ft. Rail & 5 Rail Mount Kits	17-23/32"



Designed for the American Market:
16" Center On Center Hole Spacing


Bi-Folding Barn Door Hardware

Bi-Folding Sliding Door Hardware Kit

Door Thickness: 1-3/8" through 1-3/4"

Maximum Door Weight: 176 lbs.

Door Width: Up to 16"



Kit Includes:

- (2) Adjustable Rollers
- (2) Fixed Rollers
- (2) Fixed Roller Lock Brackets
- (1) 78-3/4 in. Rail
- (4) Front Mount Top Connector Plates
- (2) Floor Guides

- (6) Bi-Fold Door Butt Hinges
- (5) Rail Mount Kits
- All Installation Hardware

Features:

- Powder Coated Iron
- Matte Black Finish



Part #	Rail Length	Rail Hole Distance
SDH-BF-BK-6-DD	78-3/4"	16"




Bypassing Sliding Door Hardware Kit

Door Thickness: 1-3/8" through 1-3/4"

Maximum Door Weight: 176 lbs.

Door Width: Up to 40"



Kit Includes:

- (2) Door Rollers
- (2) Bypassing Door Rollers
- (5) Wall Brackets
- (1) 78-3/4 in. Rail
- (2) Door Stops

- (2) Floor Guides
- (2) Anti-Jump Disks
- All Installation Hardware

Features:

- Powder Coated Iron
- Matte Black Finish

Part #	Rail Length	Rail Hole Distance
SDH-BYP-BK-6	78-3/4"	16"