

LEGEND

PAVING AND GRADING CONTROL POINTS

PAVING AND GRADING CONTROL POINTS

EXISTING PROPERTY/ROW LINE

PROPOSED PAVEMENT, SEE DETAIL 1 ON C1.4

LIGHT DUTY PAVEMENT, SEE DETAIL 2 ON C1.4

HEAVY DUTY PAVEMENT, SEE DETAIL 3 ON C1.4

CONCRETE FUEL PAD WITH BERM, SEE DETAILS 6
AND 7 ON C1.4

TENT STRUCTURE PAVEMENT, SEE DETAIL 9 ON C1.4

FINISH GRADE CONTOUR

RIDGELINE

FLOWLINE

SANITARY SEWER


BOLLARDS

DOMESTIC WATER


GATE VALVE

STORM DRAIN




ACCESSIBLE ROUTE OF TRAVEL



1. SOUTHERN EDGE OF PAVEMENT SHALL MATCH EXISTING GRADE AND PAVEMENT.
2. SEE SHEET E1.0 FOR ELECTRICAL PLAN.
3. TYPE 1 CATCH BASINS SHALL BE INSTALLED PER WSDOT STANDARD DETAIL B-5.20-03
4. TYPE 2 CATCH BASINS SHALL BE INSTALLED PER WSDOT STANDARD DETAIL B-10.20-02
5. LIMITED DISTANCE BETWEEN STORM DRAIN LINE AND BURIED POWER. CONTRACTOR TO LOCATE JACKING PIT TO NOT IMPACT BURIED POWER. TEMPORARY REMOVAL AND REPLACEMENT OF STORM DRAIN WILL BE PERMITTED OR CONTRACTOR MAY LOCATE JACKING PIT SOUTH OF STORM DRAIN TO AVOID IMPACT TO STORM DRAIN LINE.



KEY PLAN

6695 C1.2 13 OF 26		EB-1 PAVEMENT AND RESTROOM BUILDINGS				APPROVED: <i>[Signature]</i> 12/13/23		TJH 11/21/2023							
SITE, GRADING, AND UTILITY PLANS		AREA 3		CHECKED BY DATE		2407 North 31st Street, Suite 100 Tacoma, Washington 98407 (253) 396-0150 Fax (253) 396-0162		MARK: REVISION: BY:		P.O. BOX 1887 TACOMA, WA 98401 (253)385-8841 APPR: DATE:					
CON'T/CONS: M. ID: PHASE:		TOWNSHIP: 21N RANGE: 3E DA1-HRZ: W83-SF		SECTION: 36 PORT OF TACOMA BM#		DIRECTOR ENG. DATE PRINTED BY: PORT ADDRESS:		PROJ. ENGR DATE thebig Nov 21, 2023 ONE SITCUM PLAZA		12/4/23					
PARCEL: 0321354035		DRAWING SCALE: AS SHOWN		TACOMA WA, 98401-1837		THIS DRAWING IS THE PROPERTY OF THE PORT OF TACOMA AND SHALL NOT BE USED ON OTHER WORK. DISCLOSED, COPIED, IN WHOLE OR IN PART, WITHOUT WRITTEN PERMISSION									