

From: Grant Hainsworth
To: [Burke, Chris](#); [Sasser, Stanley](#)
Cc: [Healy, Rob](#)
Subject: RE: 11th St. Sampling/Split Samples
Date: Thursday, July 13, 2017 3:35:25 PM

Thanks Chris. Our samples from MH6759894 agree on ND.

The 2nd sample you had labeled as MH6759866 but we collected the sample from CB6505489. Our result was 0.42 mg/kg (all Aroclor 1254) while your result was 0.18 mg/kg (0.1 mg/kg 1254 and 0.08 mg/kg 1260).

Grant Hainsworth, P.E.
Principal
CRETE Consulting Inc., PC
C (253) 797-6323
grant.hainsworth@creteconsulting.com

108 S. Washington St.
Suite 300
Seattle, WA 98104
www.creteconsulting.com

From: Burke, Chris [mailto:CBurke@ci.tacoma.wa.us]
Sent: Friday, July 07, 2017 4:15 PM
To: Sasser, Stanley
Cc: Grant Hainsworth
Subject: RE: 11th St. Sampling/Split Samples

The results are attached. Thanks for your patience! Please let me know your thoughts and how they compare.

Chris

Chris Burke
City of Tacoma Environmental Services, Science & Engineering
Center for Urban Waters
326 East D Street, Tacoma, WA 98421-2711
Office 253.502.2247 Cell 253.377.0505



From: Sasser, Stanley [mailto:ssasser@portoftacoma.com]
Sent: Friday, July 7, 2017 9:34 AM
To: Burke, Chris <CBurke@ci.tacoma.wa.us>
Cc: Grant Hainsworth <grant.hainsworth@creteconsulting.com>
Subject: 11th St. Sampling/Split Samples

Hi Chris,

We are interested in seeing the results of the split sampling the City did with the Port this May of the catch basins on 11th Street near the old Brown and Haley building. Can you forward us your data?

Cheers,

Stanley Sasser | Environmental Analyst | Port of Tacoma | (Office) 253-383-9439 | (Mobile) 479-659-4391 www.portoftacoma.com

[REDACTED]

All e-mail communications with the Port of Tacoma are subject to disclosure under the Public Records Act and should be presumed to be public.