


TEMPORARY ESCP - BASIN A

SCALE: 1" = 30'




ESCP LEGEND:

- INLET PROTECTION
- X TEMPORARY CONSTRUCTION FENCE
- M CONSTRUCTION ACCESS GATE
- X BARREL WITH FLASHING BARRICADE LIGHTS
- T TEMPORARY CURB, SEE SPECIFICATIONS
- P TEMPORARY TREATMENT SYSTEM
- P TEMPORARY PUMP SYSTEM


NOTES:

1. PROVIDE AND INSTALL TEMPORARY CONSTRUCTION FENCING AND GATES AROUND WORK LIMITS; ADJUST AND RELOCATE FENCING ACCORDING TO PHASING, SECURITY, AND PORT AND TENANT REQUIREMENTS.
2. PROVIDE AND INSTALL BARREL WITH FLASHING BARRICADE LIGHTS.
3. PROVIDE AND INSTALL INLET PROTECTION PER 1/C05.
4. AT EACH CONSTRUCTION ENTRANCE/GATE CONTRACTOR SHALL ESTABLISH AND MAINTAIN A TEMPORARY ASPHALT BARRIER TO CONTROL RUNOFF.
5. CONTRACTOR SHALL PROVIDE VACUUM SWEEPING AROUND THE WORK LIMITS. NO AGGREGATE, PAVEMENT, SOIL, OR OTHER MATERIALS SHALL BE ALLOWED TO "TRACK" ACROSS THE TERMINAL. SEE SPECIFICATIONS FOR FURTHER REQUIREMENTS.
6. CONTRACTOR SHALL INSTALL TEMPORARY CURB AROUND WORK ZONES.
7. AC PAVEMENT REMOVAL AND LIMITS OF EXCAVATION. THE SITE IS FULLY PAVED AND THE CONTRACTOR SHALL MARK ALL SAWCUT LIMITS AND/OR EXCAVATION ZONES WITH SPRAY PAINT PRIOR TO REMOVAL.
8. CONTRACTOR SHALL PROVIDE PLASTIC COVERING FOR SOIL STOCKPILES AND AGGREGATE STOCKPILE MATERIALS WITH RUNOFF COLLECTED AND TREATED PER NOTE 9.
9. CONTRACTOR SHALL PROVIDE A TEMPORARY TREATMENT SYSTEM CAPABLE OF TREATING ALL WATER DISCHARGED ACCORDING TO THE APPLICABLE PERMIT REQUIREMENTS. SEE SPECIFICATIONS.
10. INSTALL GROUNDWATER DEWATERING SYSTEM AS NEEDED.
11. INSTALL TEMPORARY STORMWATER BYPASS PUMPING SYSTEM. CONTRACTOR SHALL SECURE THE EXISTING MANHOLE LID/OPENING DURING REROUTE. SEE SPECIFICATIONS.
12. WATER MANAGEMENT: CONTRACTOR SHALL BE RESPONSIBLE FOR MANAGING ALL SURFACE RUNOFF, GROUNDWATER, AND TEMPORARY STORMWATER REROUTE FLOWS FOR THE DURATION OF THE WORK. SEE SPECIFICATIONS.



TEMPORARY ESCP - BASIN B

SCALE: 1" = 20'



TEMPORARY ESCP - BASIN C

SCALE: 1" = 30'

C04		WEST STICUM STORMWATER TREATMENT		APPROVED: <i>John Vandeberg</i> 5/16/18		CHECKED BY: <i>CIS</i> APR 2018		DIRECTOR ENGR: <i>Anderbru</i> May 16, 2018		PRINTED BY: <i>Anderbru</i> May 16, 2018		PORT ADDRESS: ONE STICUM PLAZA TACOMA, WA 98401-1837	
SH 14	OF 47	TEMPORARY ESCP - BASINS A, B, & C											
CONT/CONS: 070614	TOWNSHIP: 21N	RANGE: 3E	SECTIONS: 33 & 34										
M. ID: 201024.01	DATE-HRZ: WA83-S	VERT: MILLW											
PHASE: BID SET	PARCEL: SEE G02	DRAWING SCALE: AS NOTED											

THIS DRAWING IS THE PROPERTY OF THE PORT OF TACOMA AND SHALL NOT BE USED ON OTHER WORK, DISCLOSED, COPIED, IN WHOLE OR IN PART, WITHOUT WRITTEN PERMISSION



Parametrix
ENGINEERING PLANNING ENVIRONMENTAL SCIENCES
60 WASHINGTON AVENUE, SUITE 390
BREMERTON, WA 98337
P: 360.377.0014
W: WWW.PARAMETRIX.COM

