

Umstead Samples 2015

Date Collected	Sample Location	Sample ID	Comments	E. coli. cfu/100ml (Limit: <235)	Enterococci cfu/100ml (Limit: <70)	Status
5/31/16	Umstead	CL1	Camp Lapahio	98.5	116.2	Advisory - Results exceed standards
5/31/16	Umstead	CL2		290.9	107.1	
5/31/16	Umstead	CC3	Camp Crabtree	272.3	146.7	Advisory - Results exceed standards
5/31/16	Umstead	CC4		275.5	156.5	
6/1/16	Umstead	CL1	Camp Lapahio	6.3	3.0	Monitored - Results meet County standards
6/1/16	Umstead	CL2		4.1	5.2	
6/1/16	Umstead	CC3	Camp Crabtree	6.3	2.0	Monitored - Results meet County standards
6/1/16	Umstead	CC4		5.2	1.0	
6/8/16	Umstead	CL1	Camp Lapahio	2.0	1.0	Monitored - Results meet County standards
6/8/16	Umstead	CL2		5.2	3.0	
6/8/16	Umstead	CC3	Camp Crabtree	7.4	2.0	Monitored - Results meet County standards
6/8/16	Umstead	CC4		5.2	1.0	
6/13/16	Umstead	CL1	Camp Lapahio	3.1	1.0	Monitored - Results meet County standards
6/13/16	Umstead	CL2		4.1	4.1	
6/13/16	Umstead	CC3	Camp Crabtree	1.0	<1	Monitored - Results meet County standards
6/13/16	Umstead	CC4		1.0	1.0	
6/20/16	Umstead	CL1	Camp Lapahio	1.0	1.0	Monitored - Results meet County standards
6/20/16	Umstead	CL2		<1	3.0	
6/20/16	Umstead	CC3	Camp Crabtree	2.0	8.6	Monitored - Results meet County standards
6/20/16	Umstead	CC4		6.3	4.1	
6/28/16	Umstead	CL1	Camp Lapahio	6.3	48.0	Monitored - Results meet County standards
6/28/16	Umstead	CL2		12.1	18.5	
6/28/16	Umstead	CC3	Camp Crabtree	8.5	22.8	Monitored - Results meet County standards
6/28/16	Umstead	CC4		8.5	12.0	
7/5/16	Umstead	CL1	Camp Lapahio	35.9	37.9	Monitored - Results meet County standards
7/5/16	Umstead	CL2		40.8	15.8	
7/5/16	Umstead	CC3	Camp Crabtree	66.3	21.8	Monitored - Results meet County standards
7/5/16	Umstead	CC4		43.5	22.1	
7/11/16	Umstead	CL1	Camp Lapahio	1.0	1.0	Monitored - Results meet County standards
7/11/16	Umstead	CL2		2.0	<1	
7/11/16	Umstead	CC3	Camp Crabtree	<1	1.0	Monitored - Results meet County standards
7/11/16	Umstead	CC4		4.1	1.0	
7/18/16	Umstead	CL1	Camp Lapahio	387.3	178.0	Advisory - Results exceed standards
7/18/16	Umstead	CL2		461.1	201.4	
7/18/16	Umstead	CC3	Camp Crabtree	517.2	107.6	Advisory - Results exceed standards
7/18/16	Umstead	CC4		547.5	125.0	
7/19/16	Umstead	CL1	Camp Lapahio	33.7	20.9	Monitored - Results meet County standards
7/19/16	Umstead	CL2		43.5	17.1	
7/19/16	Umstead	CC3	Camp Crabtree	45.7	6.3	Monitored - Results meet County standards
7/19/16	Umstead	CC4		36.4	19.9	
7/25/16	Umstead	CL1	Camp Lapahio	2.0	5.2	Monitored - Results meet County standards
7/25/16	Umstead	CL2		4.1	2.0	
7/25/16	Umstead	CC3	Camp Crabtree	5.1	5.2	Monitored - Results meet County standards
7/25/16	Umstead	CC4		3.1	5.2	
8/1/16	Umstead	CL1	Camp Lapahio	2.0	2.0	Monitored - Results meet County standards
8/1/16	Umstead	CL2		3.1	1.0	

Umstead Samples 2015

Date Collected	Sample Location	Sample ID	Comments	E. coli. cfu/100ml (Limit: <235)	Enterococci cfu/100ml (Limit: <70)	Status
8/1/16	Umstead	CC3	Camp Crabtree	3.1	4.1	Monitored - Results meet County standards
8/1/16	Umstead	CC4		3.0	4.1	
8/8/16	Umstead	CL1	Camp Lapahio	23.3	30.5	Monitored - Results meet County standards
8/8/16	Umstead	CL2		24.3	35.0	
8/8/16	Umstead	CC3	Camp Crabtree	24.3	22.6	Monitored - Results meet County standards
8/8/16	Umstead	CC4		34.1	33.1	
8/17/16	Umstead	CL1	Camp Lapahio	1.0	4.1	Monitored - Results meet County standards
8/17/16	Umstead	CL2		1.0	5.2	
8/17/16	Umstead	CC3	Camp Crabtree	1.0	2.1	Monitored - Results meet County standards
8/17/16	Umstead	CC4		7.5	10.9	
8/23/16	Umstead	CL1	Camp Lapahio	<1	2.0	Monitored - Results meet County standards
8/23/16	Umstead	CL2		<1	1.0	
8/23/16	Umstead	CC3	Camp Crabtree	1.0	<1	Monitored - Results meet County standards
8/23/16	Umstead	CC4		<1	<1	
8/29/16	Umstead	CL1	Camp Lapahio	1.0	13.4	Monitored - Results meet County standards
8/29/16	Umstead	CL2		1.0	21.3	
8/29/16	Umstead	CC3	Camp Crabtree	1.0	7.5	Monitored - Results meet County standards
8/29/16	Umstead	CC4		4.1	8.6	